

National Cancer Patient Experience Survey 2018 Results

NHS Fylde and Wyre Clinical Commissioning Group

Published September 2019

The National Cancer Patient Experience Survey is undertaken by Quality Health on behalf of NHS England



Introduction

The National Cancer Patient Experience Survey 2018 is the eighth iteration of the survey first undertaken in 2010. It has been designed to monitor national progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development.

The survey was commissioned and managed by NHS England. The survey provider, Quality Health, is responsible for designing, running and analysing the survey.

Full national results and other reports are available at:

www.ncpes.co.uk/reports/2018-reports

Further details on the survey methodology and changes to the 2018 survey can be found in the Annex towards the end of this report.

This report

The report shows how this CCG scored for each question in the survey, compared with national results. It is aimed at helping individual CCGs to understand their performance and identify areas for local improvement.

Note that responses for questions with 1-20 respondents have been suppressed. This is to protect patient confidentiality and because uncertainty around the result is too great.

Data tables

The data tables presented in this report show the following for each question:

Column 1 shows the number of respondents for 2017 to this question

Column 2 shows the unadjusted 2017 score for this CCG

Column 3 shows the number of respondents for 2018 to this question

Column 4 shows the unadjusted 2018 score for this CCG

Column 5 shows whether a score has significantly increased or decreased compared with the last survey (2017)

Column 6 shows whether a score has significantly increased or decreased overall (2015, 2016, 2017 and 2018)

Column 7 shows the case-mix adjusted 2018 score for this CCG

Column 8 shows the lower limit of the expected range of case-mix adjusted scores for this CCG (the top of the pale blue section on the comparability chart - see below)

Column 9 shows the upper limit of the expected range of case-mix adjusted scores for this CCG (the bottom of the dark blue section on the comparability chart - see below)

Column 10 shows the national average score for this question.

Data tables (continued)

The number of respondents and unadjusted scores in columns 1 to 4 in the data tables come from regression models used to perform comparisons between results in different years. For further details on these comparisons, please refer to the technical document at:

www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

| | | Column 1 | Column 2 | Column 3 | Column 4 | Column 5 | Column 6 | Column 7 | Column 8 | Column 9 | Column 10 |
|----|---|-----------------------|----------|-----------------------|----------|------------------|----------------|------------|------------------------|---------------------------|---------------------------|
| | | | Uı | nadjuste | ed Score | es | I | 2018 | 3 Case | Mix Adju | usted |
| | | 20 | 17 | 20 | 18 | Ω | _ | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q1 | Saw GP once / twice before being told had to go to hospital | 268 | 81% | 313 | 74% | | | 73% | 73% | 82% | 77% |
| Q2 | Patient thought they were seen as soon as necessary | 375 | 86% | 440 | 82% | | | 80% | 80% | 87% | 84% |

Results for individual response options are presented in the detailed data tables available at:

www.ncpes.co.uk/reports/2018-reports/local-reports-2018/data-tables-2018

Confidence Intervals for unadjusted and case-mix adjusted data are provided in these tables.

Expected ranges and 95% confidence intervals highlight the uncertainty around the results. The size of the expected ranges and confidence intervals will be different for each question, and depends on the number of respondents and the range of their responses.

For further details on case-mix adjustment and the scoring methodology used, please refer to the Annex towards the end of this report.

Comparability charts

For the 2018 survey, we have adopted the CQC standard for reporting comparative performance, based on calculation of "expected ranges". CCGs whose score is above the upper limit of the expected range (below the lower limit of the expected range) are positive (negative) outliers, with a score statistically significantly higher (lower) than the national mean. They perform better (worse) than what CCGs of the same size are expected to perform.

The comparability charts in this report show a bar with these expected ranges (in grey), higher than expected (in dark blue), and lower than expected (in pale blue). A black dot represents the actual score of this CCG.

Comparability charts (continued)

The same colour convention has been used in Column 7 of the data tables.

For further details on expected ranges, please refer to the technical document at: www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

Tumour group tables

The final set of tables in this report show the scores for each question for each of the 13 tumour groups. The national score for that tumour group is also shown.

These breakdowns are intended as additional information for CCGs to understand the differences between the experiences of patients with different types of cancer. Scores for some tumour sites with small numbers (less than 21 respondents) are not presented as they have low precision. Scores in these tables should therefore be treated with some caution.

Scores are unadjusted mean scores. No measure of dispersion is presented. Scores for the same tumour and different CCGs may not be comparable, as they do not account for the impact that differing patient populations might have on results.

For further details on case-mix adjustment, please refer to the technical document at: www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

Year on Year Charts

The Year on Year charts in this report show four columns representing the unadjusted scores1 of the last four years (2015, 2016, 2017 & 2018) for each question. These charts have been designed to provide a visual comparison to better help the CCGs understand their performance and areas for improvement.

Notes on specific questions

Questions used solely to direct respondents to different parts of the survey (questions 4, 24, 27, 40, 43, 46) and other demographic and information questions are not reported.

www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

¹The unadjusted scores in the columns come from regression models used to perform comparisons between results in different years. For further details on these comparisons, please refer to the technical document at:

How to use the data

Unadjusted data should be used to see the actual responses from patients relating to the CCG.

Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results.

Case-mix adjusted data, together with case-mix adjusted confidence intervals are presented in the detailed data tables at:

www.ncpes.co.uk/reports/2018-reports/local-reports-2018/data-tables-2018

These should be used to understand whether the results are significantly higher or lower than the results for another CCG.

Response rates

Numbers of respondents by tumour group, age and gender can be found in the Annex towards the end of this report.

Executive Summary

8.8 The average rating given by respondents when asked to rate their care on a scale of zero (very poor) to 10 (very good)

The following questions are included in phase 1 of the Cancer Dashboard developed by Public Health England and NHS England*:

- 79% of respondents said that they were definitely involved as much as they wanted to be in decisions about their care and treatment
- 94% of respondents said that they were given the name of a Clinical Nurse Specialist who would support them through their treatment
- 86% of respondents said that it had been 'quite easy' or 'very easy' to contact their Clinical Nurse Specialist
- 88% of respondents said that, overall, they were always treated with dignity and respect while they were in hospital
- 94% of respondents said that hospital staff told them who to contact if they were worried about their condition or treatment after they left hospital
- 58% of respondents said that they thought the GPs and nurses at their general practice definitely did everything they could to support them while they were having cancer treatment.


Detailed results for these and other questions are set out in the sections that follow.

The questions were selected in discussion with the national Cancer Patient Experience Advisory Group and reflect four key patient experience domains: provision of information; involvement in decisions; care transition; interpersonal relations, respect and dignity. The figures presented above are all case-mix adjusted.

Questions which scored outside expected range

| | | | | | | - |
|-------|---|------------------------------------|----------------------------|-------------------------------|-------------------------------|------------------------------|
| | | | 2018 | Case-mix A | djusted | |
| Quest | ion | Number of respondents for this CCG | 2018 Score for this CCG | Lower limit of expected range | Upper limit of expected range | National Average Score |
| Seein | g your GP | | | | | |
| Q1 | Saw GP once / twice before being told had to go to hospital | 313 | 73% | 73% | 82% | 77% |
| Opera | ations | | | | | |
| Q25 | Beforehand had all the information needed about the operation | 215 | 93% | 93% | 98% | 96% |
| Q26 | Staff explained how operation had gone in understandable way | 215 | 72% | 73% | 84% | 79% |
| Hospi | ital care as a day patient / outpatient | | | | | |
| Q48 | Patient given understandable information about whether chemotherapy was working | 195 | 74% | 61% | 74% | 68% |
| Home | care and support | | | | | |
| Q50 | Patient definitely given enough support from health or | 257 | 65% | 45% | 60% | 53% |
| Your | overall NHS care | | | | | |
| Q55 | Patient given a care plan | 337 | 43% | 29% | 41% | 35% |
| | - | | | | | |

Seeing your GP



| | | | L | Jnadjuste | ed Score | | 201 | 8 Case | Mix Adjusted | | |
|----|---|--|-------|-----------------------|----------|------------------|----------------|------------|---------------------------|---------------------------|---------------------------|
| | | 2017 2018 Change | | | | | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q1 | Saw GP once / twice before being told had to go to hospital | 268 | 81% | 313 | 74% | | | 73% | 73% | 82% | 77% |
| Q2 | Patient thought they were seen as soon as necessary | 375 | 86% | 440 | 82% | | | 80% | 80% | 87% | 84% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Diagnostic Tests




| | | | ι | Jnadjust | ed Score | | 2018 Case Mix Adju | | | sted | |
|----|--|-----------------------|-------|-----------------------|----------|------------------|--------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 17 | 20 | 18 | Ω | | 201 | o ouse | , | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q5 | Received all the information needed about the test | 307 | 92% | 362 | 94% | | | 94% | 92% | 97% | 94% |
| Q6 | The length of time waiting for the test to be done was about right | 318 | 90% | 361 | 86% | | | 85% | 84% | 91% | 88% |
| Q7 | Given complete explanation of test results in understandable way | 319 | 81% | 363 | 80% | | | 79% | 75% | 83% | 79% |

Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score
↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)
(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Finding out what was wrong with you



| | | | L | Inadjust | ed Score | s | | 201 | 8 Case I | Mix Adju | sted |
|-----|---|-----------------------|-------|-----------------------|----------|------------------|----------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 17 | 20 | 18 | Ω | | 201 | o oase | viix 7 taja | otou |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q8 | Patient told they could bring a family member or friend when first told they had cancer | 358 | 80% | 421 | 80% | | | 80% | 73% | 82% | 78% |
| Q9 | Patient felt they were told sensitively that they had cancer | 375 | 87% | 446 | 85% | | | 85% | 81% | 88% | 85% |
| Q10 | Patient completely understood the explanation of what was wrong | 381 | 77% | 448 | 77% | | | 76% | 69% | 78% | 74% |
| Q11 | Patient given easy to understand written information about the type of cancer they had | 332 | 78% | 389 | 77% | | | 76% | 70% | 78% | 74% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

* Indicates where a score has been suppressed because there are less than 21 respondents.

Deciding the best treatment for you (Part 1 of 2)



| | | | ι | Jnadjust | ed Score | | 2018 Case Mix Adjuste | | | stad | |
|-----|--|-----------------------|-------|-----------------------|----------|------------------|-----------------------|------------|---------------------------|---------------------------|---------------------------|
| | | | | | 18 | C | | 201 | o Case | iviix Auju | Sieu |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q12 | Patient felt that treatment options were completely explained | 348 | 83% | 392 | 84% | | | 84% | 79% | 87% | 83% |
| Q13 | Possible side effects explained in an understandable way | 369 | 72% | 428 | 76% | | | 76% | 69% | 77% | 73% |
| Q14 | Patient given practical advice and support in dealing with side effects of treatment | 365 | 65% | 429 | 68% | | | 68% | 63% | 72% | 67% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Deciding the best treatment for you (Part 2 of 2)




| | | | ι | Jnadjust | ed Score | | 2018 Case Mix | | | sted | |
|-----|---|-------------------------|-------|-----------------------|----------|------------------|----------------|------------|---------------------------|------------------------|---------------------------|
| | | 2017 2018 Change Garage | | | | | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q15 | Patient definitely told about side effects that could affect them in the future | 336 | 58% | 399 | 55% | | | 55% | 51% | 61% | 56% |
| Q16 | Patient definitely involved in decisions about care and treatment | 371 | 81% | 442 | 80% | | | 79% | 75% | 82% | 79% |

Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score
↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)
(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Clinical Nurse Specialist




| | | | ι | Jnadjust | ed Score | | 201 | 8 Casa | Mix Adju | stad | |
|-----|--|-----------------------|-------|-----------------------|----------|------------------|----------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)17 | 20 | 18 | C | | 201 | o oasc | wiix Auju | 3100 |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q17 | Patient given the name of the CNS who would support them through their treatment | 371 | 91% | 435 | 94% | | | 94% | 88% | 94% | 91% |
| Q18 | Patient found it easy to contact their CNS | 308 | 87% | 372 | 86% | | | 86% | 81% | 90% | 85% |
| Q19 | Get understandable answers to important questions all or most of the time | 292 | 91% | 358 | 89% | | | 88% | 85% | 91% | 88% |

Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score
↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)
(NB: No arrow reflects no statistically significant change)

* Indicates where a score has been suppressed because there are less than 21 respondents.

Support for people with cancer




| | | | ι | Jnadjuste | ed Score | | 2018 Case Mix Adjus | | sted | | |
|-----|---|-----------------------|-------|-----------------------|----------|------------------|---------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 17 | 20 | 18 | Ω | | 201 | 0 0000 | .viix 7 taja | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q20 | Hospital staff gave information about support groups | 292 | 86% | 359 | 91% | | 1 | 90% | 83% | 90% | 86% |
| Q21 | Hospital staff gave information about impact cancer could have on day to day activities | 231 | 87% | 308 | 85% | | | 85% | 79% | 87% | 83% |
| Q22 | Hospital staff gave information on getting financial help | 176 | 60% | 235 | 66% | | | 66% | 53% | 67% | 60% |
| Q23 | Hospital staff told patient they could get free prescriptions | 150 | 83% | 199 | 84% | | | 83% | 76% | 87% | 81% |

- Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

 ↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

 (NB: No arrow reflects no statistically significant change)
 - * Indicates where a score has been suppressed because there are less than 21 respondents.

Operations




| | | | L | Jnadjust | ed Score | es | | 2018 Case Mix Adjusted | | | sted |
|-----|---|-----------------------|-------|-----------------------|----------|------------------|----------------|------------------------|---------------------------|---------------------------|---------------------------|
| | | | | | 18 | 0 | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q25 | Beforehand had all the information needed about the operation | 189 | 97% | 215 | 93% | | | 93% | 93% | 98% | 96% |
| Q26 | Staff explained how operation had gone in understandable way | 190 | 80% | 215 | 73% | | | 72% | 73% | 84% | 79% |

Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score
↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)
(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (Part 1 of 3)



| | | | L | Inadjust | ed Score | | 2018 Case Mix Adjus | | sted | | |
|-----|--|-----------------------|-------|-----------------------|----------|------------------|---------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)17 | 20 | 18 | Ω | | | | .viix 7 taja | 0.00 |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q28 | Groups of doctors or nurses did not talk in front of patient as if they were not there | 205 | 81% | 244 | 85% | | | 83% | 77% | 87% | 82% |
| Q29 | Patient had confidence and trust in all doctors treating them | 206 | 85% | 246 | 82% | | | 81% | 81% | 90% | 85% |
| Q30 | Patient's family or someone close definitely had opportunity to talk to doctor | 171 | 70% | 208 | 74% | | | 73% | 68% | 80% | 74% |
| Q31 | Patient had confidence and trust in all ward nurses | 207 | 76% | 247 | 77% | | | 76% | 70% | 81% | 75% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

* Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (Part 2 of 3)




| | | | ι | Inadjuste | ed Score | | 2018 Case Mix Adjus | | | etad | |
|-----|--|--|-------|-----------------------|----------|-----------------|---------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 2017 2018 Change Change Construction Sc. | | | | | 201 | o Case | viix Auju | | |
| | Question | Number of respondents | Score | Number of respondents | Score | hange 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q32 | Always / nearly always enough nurses on duty | 206 | 68% | 244 | 72% | | | 71% | 61% | 73% | 67% |
| Q33 | All staff asked patient what name they preferred to be called by | 207 | 61% | 239 | 61% | | | 61% | 60% | 78% | 69% |
| Q34 | Always given enough privacy when discussing condition or treatment | 207 | 87% | 243 | 88% | | | 88% | 81% | 90% | 86% |
| Q35 | Patient was able to discuss worries or fears with staff during visit | 148 | 51% | 185 | 52% | | | 53% | 45% | 60% | 53% |

- Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

 ↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

 (NB: No arrow reflects no statistically significant change)
 - * Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (Part 3 of 3)



| | | | L | Inadjuste | ed Score | s | | 2018 Case Mix Adjusted | | | sted |
|-----|--|-----------------------|-------|-----------------------|----------|------------------|----------------|------------------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)17 | 20 | 18 | Ω | | | | .viix 7 taja | otou |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q36 | Hospital staff definitely did everything to help control pain | 178 | 85% | 216 | 82% | | | 81% | 79% | 89% | 84% |
| Q37 | Always treated with respect and dignity by staff | 206 | 89% | 247 | 88% | | | 88% | 85% | 92% | 89% |
| Q38 | Given clear written information about what should / should not do post discharge | 197 | 85% | 226 | 88% | | | 88% | 82% | 91% | 87% |
| Q39 | Staff told patient who to contact if worried post discharge | 199 | 92% | 238 | 94% | | | 94% | 91% | 97% | 94% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

* Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as a day patient / outpatient (Part 1 of 2)



| | | | ι | Inadjuste | ed Score | :s | | 2018 Case Mix Adjusted | | | sted |
|-----|---|-----------------------|-------|-----------------------|----------|------------------|----------------|------------------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 17 | 20 | 18 | C | | 201 | o oase | iviix 7 taja | otou |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q41 | Patient was able to discuss worries or fears with staff during visit | 277 | 70% | 333 | 74% | | | 73% | 66% | 76% | 71% |
| Q42 | Doctor had the right notes and other documentation with them | 334 | 96% | 397 | 97% | | | 97% | 94% | 98% | 96% |
| Q44 | Beforehand patient had all information needed about radiotherapy treatment | 112 | 89% | 126 | 87% | | | 87% | 80% | 92% | 86% |
| Q45 | Patient given understandable information about whether radiotherapy was working | 101 | 63% | 113 | 61% | | | 62% | 51% | 69% | 60% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

* Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as a day patient / outpatient (Part 2 of 2)




| | | Unadjusted Scores | | | | | 2018 Case Mix Adjusted | | | isted | |
|-----|---|-----------------------|-------------|-----------------------|-------|------------------|------------------------|------------|------------------------|------------------------|---------------------------|
| | | 20 | 2017 2018 Q | | | otou | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q47 | Beforehand patient had all information needed about chemotherapy treatment | 164 | 82% | 210 | 87% | | | 87% | 79% | 89% | 84% |
| Q48 | Patient given understandable information about whether chemotherapy was working | 149 | 67% | 195 | 73% | | | 74% | 61% | 74% | 68% |

Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score
↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)
(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Home care and support



| | | Unadjusted Scores | | | | | | 2018 Case Mix Ad | | | usted |
|-----|--|-----------------------|-------|-----------------------|-------|------------------|----------------|------------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)17 | 20 | 18 | C | | 201 | o oasc | iviix Aaja | Sicu |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q49 | Hospital staff gave family or someone close all the information needed to help with care at home | 295 | 60% | 365 | 59% | | | 59% | 55% | 65% | 60% |
| Q50 | Patient definitely given enough support from health or social services during treatment | 217 | 64% | 257 | 66% | | | 65% | 45% | 60% | 53% |
| Q51 | Patient definitely given enough support from health or social services after treatment | 139 | 54% | 157 | 50% | | | 50% | 37% | 52% | 45% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Care from your general practice



| | | Unadjusted Scores | | | | | 2018 Case Mix Adjusted | | | sted | |
|-----|--|-----------------------|-------|-----------------------|-------|------------------|------------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 2017 2018 <u>O</u> | | | · | | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q52 | GP given enough information about patient`s condition and treatment | 278 | 95% | 334 | 94% | | | 93% | 93% | 97% | 95% |
| Q53 | Practice staff definitely did everything they could to support patient | 251 | 59% | 300 | 58% | | | 58% | 54% | 65% | 59% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score

↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)

(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Your overall NHS care (Part 1 of 2)



| | | | Unadjusted Scores | | | | | 201 | 0 Cooo | Miv Adio | atad |
|-----|---|-----------------------|-------------------|-----------------------|-------|------------------|----------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)17 | 20 |)18 | C | | 201 | o Case | Mix Adju | sied |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q54 | Hospital and community staff always worked well together | 365 | 62% | 432 | 59% | | | 58% | 57% | 66% | 61% |
| Q55 | Patient given a care plan | 304 | 46% | 337 | 42% | | | 43% | 29% | 41% | 35% |
| Q56 | Overall the administration of the care was very good / good | 375 | 91% | 446 | 87% | | | 87% | 86% | 91% | 88% |
| Q57 | Length of time for attending clinics and appointments was right | 372 | 69% | 439 | 67% | | | 67% | 62% | 76% | 69% |


Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score


↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)


(NB: No arrow reflects no statistically significant change)

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Your overall NHS care (Part 2 of 2)







| | | Unadjusted Scores | | | | | | 2018 Case Mix Adjusted | | | |
|-----|---|------------------------|-------|-----------------------|-------|------------------|----------------|------------------------|------------------------|------------------------|---------------------------|
| | | 2017 2018 _O | | | 201 | | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change 2017-2018 | Change Overall | 2018 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q59 | Patient's average rating of care scored from very poor to very good | 371 | 8.9 | 438 | 8.8 | | | 8.8 | 8.6 | 9.0 | 8.8 |

- Change 2017-2018: Indicates where 2018 score is significantly higher or lower than 2017 score
 ↑ or ↓ Change Overall: Indicates significant change overall (2015, 2016, 2017, and 2018)
 (NB: No arrow reflects no statistically significant change)
 - * Indicates where a score has been suppressed because there are less than 21 respondents.

Comparisons by tumour group for this CCG

The following tables show the unadjusted CCG and the national percentage scores for each question broken down by tumour group. Where a cell in the table contains an asterisk this indicates that the number of patients in that group was below 21 and too small to display. Where a cell in the table contains "n.a." this indicates that there were no respondents for that tumour group.

Seeing your GP

| | Q1. Saw 0 twice before told had the hospital | ore being | Q2. Patient though they were seen as soon as necessary | | | | |
|------------------|---|-----------|--|----------|--|--|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | | | |
| Brain / CNS | * | 58% | * | 73% | | | |
| Breast | 90% | 94% | 89% | 90% | | | |
| Colorectal / LGT | 64% | 72% | 78% | 83% | | | |
| Gynaecological | 76% | 75% | 71% | 79% | | | |
| Haematological | 54% | 64% | 80% | 81% | | | |
| Head and Neck | * | 79% | * | 80% | | | |
| Lung | 52% | 71% | 79% | 82% | | | |
| Prostate | 77% | 81% | 73% | 85% | | | |
| Sarcoma | * | 66% | * | 71% | | | |
| Skin | * | 90% | * | 86% | | | |
| Upper Gastro | * | 72% | * | 78% | | | |
| Urological | 74% | 81% | 77% | 85% | | | |
| Other | * | 73% | 100% | 79% | | | |
| All Cancers | 74% | 77% | 82% | 84% | | | |

^{\$} These are unadjusted scores

Diagnostic tests

| | | ved all the on needed test | ded time waiting for the ex test to be done was about right un | | | n complete on of test ndable way |
|------------------|-------------|----------------------------------|--|-----|-------------|--|
| Cancer type | This CCG \$ | National | This CCG \$ National | | This CCG \$ | National |
| Brain / CNS | * | 92% | * | 83% | * | 71% |
| Breast | 97% | 95% | 93% | 91% | 81% | 82% |
| Colorectal / LGT | 90% | 96% | 92% | 87% | 78% | 81% |
| Gynaecological | 96% | 94% | 83% | 85% | 95% | 77% |
| Haematological | 97% | 95% | 88% | 88% | 80% | 77% |
| Head and Neck | * | 92% | * | 85% | * | 80% |
| Lung | 97% | 94% | 90% | 87% | 83% | 79% |
| Prostate | 95% | 94% | 72% | 86% | 82% | 79% |
| Sarcoma | * | 94% | * | 79% | * | 74% |
| Skin | * | 96% | * | 90% | * | 83% |
| Upper Gastro | * | 94% | * | 83% | * | 75% |
| Urological | 90% | 94% | 76% | 87% | 82% | 79% |
| Other | 91% | 95% | % 91% 86% | | 77% | 76% |
| All Cancers | 94% | 94% | 86% | 88% | 80% | 79% |

^{\$} These are unadjusted scores

Finding out what was wrong with you

| | could brii member o | tient told they oring a family er or friend irst told they ncer or friend irst told they ncer or friend irst told they ncer oring a family were told completely understood the explanation of what was wrong | | _ | nderstand formation type of | | | |
|------------------|------------------------|--|-----|-----|-----------------------------------|----------|-------------|----------|
| Cancer type | This CCG \$ | National | | | This CCG ^{\$} | National | This CCG \$ | National |
| Brain / CNS | * | 85% | * | 77% | * | 59% | * | 63% |
| Breast | 80% | 82% | 89% | 89% | 79% | 77% | 77% | 78% |
| Colorectal / LGT | 79% | 82% | 90% | 86% | 80% | 79% | 83% | 73% |
| Gynaecological | 74% | 72% | 92% | 82% | 76% | 73% | * | 70% |
| Haematological | 75% | 73% | 84% | 83% | 73% | 61% | 79% | 76% |
| Head and Neck | * | 72% | * | 86% | * | 76% | * | 67% |
| Lung | 89% | 79% | 88% | 82% | 88% | 76% | 68% | 67% |
| Prostate | 83% | 78% | 85% | 85% | 84% | 78% | 87% | 82% |
| Sarcoma | * | 70% | * | 79% | * | 61% | * | 57% |
| Skin | * | 71% | * | 90% | * | 80% | * | 84% |
| Upper Gastro | * | 79% | * | 80% | * | 73% | * | 66% |
| Urological | 76% | 74% | 64% | 82% | 72% | 77% | 72% | 73% |
| Other | 91% | 76% | 96% | 82% | 79% | 70% | 70% | 65% |
| All Cancers | 80% | 78% | 85% | 85% | 77% | 74% | 77% | 74% |

^{\$} These are unadjusted scores

Deciding the best treatment for you

| | Q12. Pation treatment were comexplained | pletely | effects ex | sible side (plained in standable | support i | advice and n dealing effects of |
|------------------|---|----------|------------------------|--|-------------|---------------------------------------|
| Cancer type | This CCG \$ | National | This CCG ^{\$} | National | This CCG \$ | National |
| Brain / CNS | * | 81% | * | 70% | * | 64% |
| Breast | 78% | 84% | 71% | 75% | 64% | 69% |
| Colorectal / LGT | 91% | 85% | 86% | 76% | 73% | 70% |
| Gynaecological | 95% | 85% | 88% | 75% | 75% | 67% |
| Haematological | 80% | 81% | 69% | 70% | 76% | 66% |
| Head and Neck | * | 85% | * | 74% | * | 70% |
| Lung | 89% | 84% | 83% | 74% | 80% | 69% |
| Prostate | 92% | 82% | 82% | 72% | 77% | 65% |
| Sarcoma | * | 79% | * | 72% | * | 62% |
| Skin | * | 89% | * | 80% | * | 74% |
| Upper Gastro | * | 81% | * | 72% | * | 68% |
| Urological | 83% | 82% | 78% | 71% | 60% | 62% |
| Other | 86% | 80% | 70% | 72% | 54% | 64% |
| All Cancers | 84% | 83% | 76% | 73% | 68% | 67% |

| | side effec | told about ets that ect them in | | |
|------------------|-------------|---------------------------------------|------------------------|----------|
| Cancer type | This CCG \$ | National | This CCG ^{\$} | National |
| Brain / CNS | * | 61% | * | 70% |
| Breast | 44% | 56% | 77% | 79% |
| Colorectal / LGT | 65% | 58% | 85% | 80% |
| Gynaecological | 59% | 55% | 71% | 79% |
| Haematological | 64% | 51% | 83% | 77% |
| Head and Neck | * | 62% | * | 79% |
| Lung | 56% | 56% | 82% | 79% |
| Prostate | 73% | 64% | 84% | 81% |
| Sarcoma | * | 52% | * | 75% |
| Skin | * | 66% | * | 87% |
| Upper Gastro | * | 54% | * | 76% |
| Urological | 46% | 53% | 79% | 77% |
| Other | 43% | 53% | 83% | 76% |
| All Cancers | 55% | 56% | 80% | 79% |

^{\$} These are unadjusted scores

Clinical Nurse Specialist

| | Q17. Pation the name CNS who support the through the treatment of the tre | of the would hem heir | he it easy to contact uld their CNS | | Q19. Get understar answers important all or mos time | to t questions |
|------------------|--|--------------------------------|--|----------|---|-------------------|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National |
| Brain / CNS | * | 94% | * | 82% | * | 84% |
| Breast | 91% | 95% | 85% | 85% | 83% | 88% |
| Colorectal / LGT | 96% | 92% | 98% | 88% | 98% | 89% |
| Gynaecological | 100% | 94% | 90% | 85% | 95% | 88% |
| Haematological | 97% | 92% | 84% | 88% | 88% | 89% |
| Head and Neck | * | 90% | * | 87% | * | 88% |
| Lung | 100% | 93% | 79% | 87% | 96% | 88% |
| Prostate | 96% | 90% | 80% | 82% | 91% | 87% |
| Sarcoma | * | 87% | * | 84% | * | 87% |
| Skin | * | 91% | * | 89% | * | 91% |
| Upper Gastro | * | 93% | * | 85% | * | 87% |
| Urological | 90% | 84% | 86% | 82% | 92% | 87% |
| Other | 91% | 88% | * | 85% | * | 87% |
| All Cancers | 94% | 91% | 86% | 85% | 89% | 88% |

^{\$} These are unadjusted scores

Support for people with cancer

| | gave info | gave information gabout support algroups ca | | Q21. Hospital staff gave information about impact cancer could have on day to day activities | | Q22. Hospital staff gave information on getting financial help | | Q23. Hospital staff told patient they could get free prescriptions | |
|------------------|------------------------|---|------------------------|--|------------------------|---|------------------------|--|--|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National | |
| Brain / CNS | * | 85% | * | 82% | * | 70% | * | 79% | |
| Breast | 93% | 91% | 85% | 86% | 68% | 65% | 86% | 82% | |
| Colorectal / LGT | 93% | 86% | 94% | 84% | 70% | 58% | 96% | 83% | |
| Gynaecological | 86% | 85% | * | 82% | * | 61% | * | 77% | |
| Haematological | 90% | 86% | 86% | 84% | 74% | 62% | 81% | 87% | |
| Head and Neck | * | 86% | * | 83% | * | 60% | * | 82% | |
| Lung | 88% | 86% | 86% | 81% | * | 71% | * | 85% | |
| Prostate | 97% | 89% | 82% | 85% | 67% | 51% | * | 79% | |
| Sarcoma | * | 79% | * | 71% | * | 56% | * | 75% | |
| Skin | * | 89% | * | 84% | * | 60% | * | 72% | |
| Upper Gastro | * | 84% | * | 81% | * | 63% | * | 84% | |
| Urological | 85% | 79% | 82% | 75% | * | 44% | * | 68% | |
| Other | 82% | 82% | * | 78% | * | 58% | * | 80% | |
| All Cancers | 91% | 86% | 85% | 83% | 66% | 60% | 84% | 81% | |

^{\$} These are unadjusted scores

Operations

| | | | Q26. Staff explained how operation had gone in understandable way | | | |
|------------------|-------------|----------|--|----------|--|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | | |
| Brain / CNS | * | 94% | * | 70% | | |
| Breast | 91% | 96% | 66% | 79% | | |
| Colorectal / LGT | 97% | 96% | 81% | 83% | | |
| Gynaecological | * | 96% | * | 81% | | |
| Haematological | * | 94% | * | 77% | | |
| Head and Neck | * | 95% | * | 78% | | |
| Lung | * | 95% | * | 78% | | |
| Prostate | * | 95% | * | 75% | | |
| Sarcoma | * | 94% | * | 78% | | |
| Skin | * | 97% | * | 84% | | |
| Upper Gastro | * | 95% | * | 80% | | |
| Urological | 92% | 95% | 71% | 76% | | |
| Other | * 95% | | * | 78% | | |
| All Cancers | 93% | 96% | 73% | 79% | | |

^{\$} These are unadjusted scores

Hospital care as an inpatient (Part 1 of 2)

| | | or nurses alk in front as if they | Q29. Patient had confidence and trust in all doctors treating them | | confidence and family or someone confident trust in all doctors close definitely had trust in a | | family or someone close definitely had opportunity to talk | | ce and |
|------------------|-------------|---|--|----------|---|----------|--|----------|--------|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG ^{\$} | National | This CCG \$ | National | |
| Brain / CNS | * | 73% | * | 77% | * | 66% | * | 67% | |
| Breast | 90% | 89% | 84% | 86% | 83% | 77% | 75% | 77% | |
| Colorectal / LGT | 81% | 77% | 89% | 86% | 83% | 73% | 71% | 71% | |
| Gynaecological | * | 85% | * | 86% | * | 72% | * | 73% | |
| Haematological | 95% | 81% | 95% | 81% | * | 74% | 91% | 76% | |
| Head and Neck | * | 79% | * | 86% | * | 75% | * | 74% | |
| Lung | * | 77% | * | 83% | * | 74% | * | 76% | |
| Prostate | * | 86% | * | 89% | * | 73% | * | 80% | |
| Sarcoma | * | 80% | * | 84% | * | 72% | * | 68% | |
| Skin | * | 89% | * | 90% | * | 81% | * | 87% | |
| Upper Gastro | * | 74% | * | 82% | * | 73% | * | 71% | |
| Urological | 83% | 80% | 86% | 87% | 62% | 70% | 79% | 78% | |
| Other | * | 80% | * | 82% | * | 71% | * | 72% | |
| All Cancers | 85% | 82% | 82% | 85% | 74% | 74% | 77% | 75% | |

| | Q32. Always / nearly always enough nurses on duty | | Q33. All staff asked patient what name they preferred to be called by | | Q34. Always given enough privacy when discussing condition or treatment | | Q35. Pation able to dispersion worries on with staff visit | scuss r fears |
|------------------|---|----------|---|----------|---|----------|--|------------------|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National |
| Brain / CNS | * | 57% | * | 68% | * | 77% | * | 40% |
| Breast | 70% | 71% | 51% | 64% | 92% | 87% | 59% | 56% |
| Colorectal / LGT | 74% | 62% | 61% | 71% | 92% | 85% | 50% | 54% |
| Gynaecological | * | 67% | * | 67% | * | 84% | * | 51% |
| Haematological | 74% | 64% | 76% | 71% | 95% | 86% | * | 55% |
| Head and Neck | * | 66% | * | 69% | * | 87% | * | 55% |
| Lung | * | 70% | * | 74% | * | 85% | * | 52% |
| Prostate | * | 73% | * | 69% | * | 88% | * | 51% |
| Sarcoma | * | 64% | * | 66% | * | 85% | * | 46% |
| Skin | * | 80% | * | 72% | * | 91% | n.a. | 59% |
| Upper Gastro | * | 61% | * | 75% | * | 84% | * | 51% |
| Urological | 83% | 69% | 59% | 73% | 86% | 85% | 41% | 47% |
| Other | * | 62% | * | 68% | * | 82% | * | 48% |
| All Cancers | 72% | 67% | 61% | 69% | 88% | 86% | 52% | 53% |

^{\$} These are unadjusted scores

Hospital care as an inpatient (Part 2 of 2)

| | Q36. Hos definitely everythin control pa | g to help | Q37. Always treated with respect and dignity by staff | | with respect and written information patient who t | | written information about what should / should not do post | | ho to worried |
|------------------|---|-----------|---|----------|--|----------|--|----------|------------------|
| Cancer type | This CCG ^{\$} | National | This CCG \$ | National | This CCG ^{\$} | National | This CCG \$ | National | |
| Brain / CNS | * | 82% | * | 84% | * | 86% | * | 94% | |
| Breast | 84% | 86% | 83% | 89% | 91% | 92% | 96% | 96% | |
| Colorectal / LGT | 82% | 85% | 89% | 87% | 85% | 84% | 97% | 94% | |
| Gynaecological | * | 83% | * | 87% | * | 88% | * | 95% | |
| Haematological | * | 83% | 96% | 90% | * | 81% | 100% | 95% | |
| Head and Neck | * | 83% | * | 87% | * | 88% | * | 93% | |
| Lung | * | 84% | * | 89% | * | 84% | * | 92% | |
| Prostate | * | 84% | * | 91% | * | 90% | * | 95% | |
| Sarcoma | * | 80% | * | 85% | * | 81% | * | 94% | |
| Skin | * | 88% | * | 93% | * | 91% | * | 96% | |
| Upper Gastro | * | 82% | * | 86% | * | 82% | * | 94% | |
| Urological | 92% | 81% | 100% | 89% | 89% | 86% | 93% | 91% | |
| Other | * | 81% | * | 87% | * | 83% | * | 92% | |
| All Cancers | 82% | 84% | 88% | 89% | 88% | 87% | 94% | 94% | |

^{\$} These are unadjusted scores

Hospital care as a day patient / outpatient

| | Q41. Patic able to di worries o with staff visit | scuss r fears | Q42. Doctor had the right notes and other documentation with them | | Q44. Beforehand patient had all information needed about radiotherapy treatment | | ht notes and patient had all understand information needed cumentation with about radiotherapy whether | | on about |
|------------------|--|------------------|---|----------|---|----------|--|----------|----------|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National | |
| Brain / CNS | * | 64% | * | 94% | * | 88% | * | 47% | |
| Breast | 66% | 70% | 97% | 96% | 85% | 88% | 52% | 61% | |
| Colorectal / LGT | 79% | 73% | 96% | 96% | * | 84% | * | 57% | |
| Gynaecological | * | 71% | 96% | 96% | * | 86% | * | 61% | |
| Haematological | 76% | 74% | 95% | 96% | * | 83% | * | 59% | |
| Head and Neck | * | 73% | * | 96% | * | 86% | * | 61% | |
| Lung | * | 69% | 100% | 95% | * | 85% | * | 56% | |
| Prostate | 80% | 73% | 100% | 95% | 96% | 87% | * | 61% | |
| Sarcoma | * | 63% | * | 94% | * | 82% | n.a. | 65% | |
| Skin | * | 74% | * | 97% | n.a. | 85% | n.a. | 72% | |
| Upper Gastro | * | 70% | * | 95% | * | 82% | * | 53% | |
| Urological | 81% | 67% | 94% | 95% | * | 82% | * | 55% | |
| Other | * | 68% | 95% | 95% | * | 85% | * | 60% | |
| All Cancers | 74% | 71% | 97% | 96% | 87% | 86% | 61% | 60% | |

| | Q47. Before patient had information about chemothed treatments. | ad all on needed erapy | Q48. Patient given understandable information about whether chemotherapy was working | | | |
|------------------|---|------------------------------|--|----------|--|--|
| Cancer type | This CCG \$ | National | This CCG ^{\$} | National | | |
| Brain / CNS | * | 79% | * | 50% | | |
| Breast | 87% | 83% | 70% | 64% | | |
| Colorectal / LGT | 94% | 85% | 79% | 64% | | |
| Gynaecological | * 86% | | * | 68% | | |
| Haematological | 80% | 85% | 78% | 75% | | |
| Head and Neck | * | 79% | * | 54% | | |
| Lung | * | 84% | * | 67% | | |
| Prostate | * | 85% | * | 68% | | |
| Sarcoma | * | 83% | * | 67% | | |
| Skin | n.a. | 86% | n.a. | 79% | | |
| Upper Gastro | * | 84% | * | 61% | | |
| Urological | * | 82% | * | 65% | | |
| Other | * | 85% | * | 70% | | |
| All Cancers | 87% | 84% | 73% | 68% | | |

^{\$} These are unadjusted scores

Home care and support

| | Q49. Hos gave fam someone the inform needed to care at ho | ily or close all nation help with | Q50. Patient definitely given enough support from health or social services during treatment | | Q51. Pation definitely enough s from heal social settreatment | given upport th or vices after |
|------------------|--|--|--|----------|---|---|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National |
| Brain / CNS | * | 60% | * | 50% | n.a. | 48% |
| Breast | 47% | 59% | 71% | 54% | 54% | 42% |
| Colorectal / LGT | 70% | 63% | 70% | 60% | 52% | 52% |
| Gynaecological | * | 59% | * | 47% | * | 38% |
| Haematological | 64% | 63% | 81% | 52% | * | 44% |
| Head and Neck | * | 63% | * | 56% | * | 53% |
| Lung | 60% | 60% | * | 52% | * | 43% |
| Prostate | 64% | 60% | 59% | 46% | * | 40% |
| Sarcoma | * | 55% | * | 49% | n.a. | 45% |
| Skin | * | 67% | * | 60% | * | 59% |
| Upper Gastro | * | 60% | * | 53% | * | 48% |
| Urological | 56% | 59% | 43% | 47% | * | 44% |
| Other | * | 56% | * | 52% | * | 44% |
| All Cancers | 59% | 60% | 66% | 53% | 50% | 45% |

^{\$} These are unadjusted scores

Care from your general practice

| | Q52. GP genough in about pat condition treatment | nformation ient`s and | Q53. Practice staff definitely did everything they could to support patient | | | |
|------------------|--|-----------------------------|---|----------|--|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | | |
| Brain / CNS | * | 88% | * | 51% | | |
| Breast | 97% | 96% | 58% | 59% | | |
| Colorectal / LGT | 95% | 95% | 61% | 58% | | |
| Gynaecological | * 95% | | * | 57% | | |
| Haematological | 91% | 95% | 66% | 58% | | |
| Head and Neck | * | 93% | * | 58% | | |
| Lung | 91% | 94% | * | 58% | | |
| Prostate | 95% | 95% | 67% | 64% | | |
| Sarcoma | * | 95% | * | 53% | | |
| Skin | * | 97% | * | 67% | | |
| Upper Gastro | * | 94% | * | 58% | | |
| Urological | 89% | 95% | 42% | 61% | | |
| Other | * 94% | | * | 56% | | |
| All Cancers | 94% | 95% | 58% | 59% | | |

^{\$} These are unadjusted scores

Your overall NHS care

| | Q54. Hospital and community staff always worked well together | | Q55. Patient given a care plan | | Q56. Overall the administration of the care was very good / good | | Q57. Length of time for attending clinics and appointments was right | |
|------------------|---|----------|--------------------------------|----------|--|----------|--|----------|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG \$ | National | This CCG ^{\$} | National |
| Brain / CNS | * | 45% | * | 33% | * | 84% | * | 59% |
| Breast | 50% | 61% | 46% | 39% | 89% | 90% | 59% | 68% |
| Colorectal / LGT | 58% | 61% | 61% | 38% | 92% | 88% | 70% | 72% |
| Gynaecological | 57% | 58% | * | 31% | 79% | 87% | 72% | 69% |
| Haematological | 64% | 64% | 36% | 35% | 90% | 91% | 75% | 66% |
| Head and Neck | * | 61% | * | 37% | * | 88% | * | 71% |
| Lung | 81% | 62% | 32% | 31% | 88% | 89% | 70% | 71% |
| Prostate | 63% | 65% | 62% | 36% | 92% | 87% | 85% | 75% |
| Sarcoma | * | 54% | * | 28% | * | 86% | * | 64% |
| Skin | * | 71% | * | 42% | * | 91% | * | 73% |
| Upper Gastro | * | 59% | * | 35% | * | 86% | * | 68% |
| Urological | 51% | 62% | 24% | 30% | 79% | 85% | 62% | 75% |
| Other | 75% | 57% | * | 30% | 75% | 87% | 57% | 63% |
| All Cancers | 59% | 61% | 42% | 35% | 87% | 88% | 67% | 69% |


| | Q58. Taki cancer re discusse patient | | Q59. Patient`s average rating of care scored from very poor to very good | | |
|------------------|---|----------|--|----------|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | |
| Brain / CNS | * | 39% | * | 8.4 | |
| Breast | 27% | 31% | 8.7 | 8.9 | |
| Colorectal / LGT | 43% | 33% | 8.8 | 8.8 | |
| Gynaecological | 36% | 37% | 8.6 | 8.8 | |
| Haematological | 35% | 32% | 9.2 | 8.9 | |
| Head and Neck | * | 23% | * | 8.8 | |
| Lung | 30% | 35% | 9.1 | 8.8 | |
| Prostate | 38% | 33% | 9.1 | 8.8 | |
| Sarcoma | * | 40% | * | 8.6 | |
| Skin | * | 16% | * | 9.0 | |
| Upper Gastro | * | 35% | * | 8.7 | |
| Urological | 7% | 21% | 8.6 | 8.7 | |
| Other | 17% | 32% | 8.7 | 8.7 | |
| All Cancers | 29% | 31% | 8.8 | 8.8 | |


^{\$} These are unadjusted scores

Year on Year Scores

The charts below present the unadjusted scores for this Trust from 2015, 2016, 2017 and 2018.


Seeing your GP







^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Diagnostic tests










^{*} This question was not asked on the 2015 survey

 $^{^{\}star\star} \text{Indicates}$ where a score has been suppressed because there are less than 21 respondents.

Finding out what was wrong with you








^{*} This question had different scored options on the 2015 survey


^{**}Indicates where a score has been suppressed because there are less than 21 respondents.


Finding out what was wrong with you (continued)




^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Deciding the best treatment for you









^{**}Indicates where a score has been suppressed because there are less than 21 respondents.


Deciding the best treatment for you (continued)







^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Clinical Nurse Specialist










^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Support for people with cancer









^{**}Indicates where a score has been suppressed because there are less than 21 respondents.


Support for people with cancer (continued)



^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Operations








^{*} This question was not asked on the 2015 survey

^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient










^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (continued)









^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (continued)









^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (continued)










^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as a day patient / outpatient










^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as a day patient / outpatient (continued)










^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Home care and support









^{**}Indicates where a score has been suppressed because there are less than 21 respondents.


Care from your general practice







^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Your overall NHS care










^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Your overall NHS care (continued)







^{**}Indicates where a score has been suppressed because there are less than 21 respondents.

Annex

Methodology

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2018.

The patients included in the sample had relevant cancer ICD10 codes (C00-99 excluding C44 and C84, and D05) in the first diagnosis field of their patient records, applied to their patient files by the relevant NHS Trust, and were alive at the point at which fieldwork commenced. Deceased checks were undertaken on up to three occasions during fieldwork, to ensure that questionnaires were not sent to patients who had died since their treatment.

Trust samples were checked rigorously for duplicates and patient lists were also deduplicated nationally to ensure that patients did not receive multiple copies of questionnaires.

The fieldwork for the survey was undertaken between October 2018 and March 2019.

The survey used a mixed mode methodology. Questionnaires were sent by post with two reminders where necessary, but also included an option to complete online. A Freephone helpline was available for respondents to ask questions about the survey, to enable them to complete their questionnaires over the phone, and to provide access to a translation and interpreting facility for those whose first language was not English.

The Health Research Authority supported the survey by granting Section 251 approval.

Further information

Further information on survey methodology, as well as all of the national and local reports and data, is available at:

www.ncpes.co.uk/reports/2018-reports

Redevelopment of the 2018 survey

There have been no changes to the questionnaire compared to 2017.

Official Statistics

The 2018 survey data has been produced and published in line with the Code of Practice for Official Statistics.

Annex (continued)

Scoring methodologies

51 of the 52 questions relating directly to patient experience have been summarised as the score of the percentage of patients who reported a positive experience. For example:

- question 6 asks: "Overall, how did you feel about the length of time you had to wait for your test to be done?". Responses have been recorded as positive only for those patients who selected the first option ("It was about right")
- question 11 asks: "When you were told you had cancer, were you given written information about the type of cancer you had?". Responses have been recorded as positive only for those patients who selected the first option ("Yes, and it was easy to understand").

Neutral responses, such as "Don't know / I can't remember" and "I did not need an explanation" are not included in the denominator when calculating the score.

Where options do not provide any information on positive/negative patient experience (e.g. "Don't know / can't remember"), they are excluded from the score.

The other question (question 59) asks respondents to rate their overall care on a scale of 0 to 10. Scores have been given as an average on this scale.

A copy of the detailed scoring methodology for the 2018 questionnaire is available at: www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

Further details on the scoring methodology can be found in the technical document for the survey, available at:

www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

Case-mix adjustment

As in 2017, case-mix adjusted findings are being presented alongside unadjusted results for CCGs. Case-mix adjustment allows us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a CCG is performing given their patient population.

The factors taken into account in this case-mix adjustment are gender, age, ethnic group, deprivation, and tumour group.

For further details on case-mix adjustment, please refer to the technical document for the survey, available at:

www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

Annex (continued)

Statistical significance

In the reporting of 2018 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'.

Each of the 52 scored questions in 2018 have been compared with those of 2017 and statistically significant change between the two years has been reported where identified.

For the 49 scored questions that are comparable across 2015, 2016, 2017 and 2018, overall statistically significant change over the four years has also been reported where identified.

'Statistically significant' means that you can be very confident that any change between scores is real and not due to chance.

For further details on statistical significance, please refer to the technical document for the survey, available at:

www.ncpes.co.uk/reports/2018-reports/guidance-material-and-survey-materials-2018

Response Rates

| | Sample Size | Excluded | Adjusted Sample | Not Returned | Blank / Refused | Completed | Response Rate |
|----------|----------------|----------|--------------------|-----------------|--------------------|-----------|------------------|
| National | 123,512 | 8,445 | 115,067 | 37,171 | 4,079 | 73,817 | 64% |
| 02M | 704 | 49 | 655 | 178 | 18 | 459 | 70% |

Respondents by tumour group

The tables below show the numbers of patients from each tumour group and the age and gender distribution of these patients.

| Tumour Group | Number of respondents* | | |
|------------------|------------------------|--|--|
| Brain / CNS | 2 | | |
| Breast | 124 | | |
| Colorectal / LGT | 55 | | |
| Gynaecological | 25 | | |
| Haematological | 64 | | |
| Head and Neck | 9 | | |
| Lung | 33 | | |
| Prostate | 50 | | |
| Sarcoma | 4 | | |
| Skin | 11 | | |
| Upper Gastro | 13 | | |
| Urological | 45 | | |
| Other | 24 | | |

^{*} These figures may not match the numerator for all questions in the 'Comparisons by tumour group' section of this report, because not all questions were answered by all respondents.

Respondents by age and gender

The questionnaire asked respondents to give their year of birth. This information has been amalgamated into 8 age bands. The age and gender distribution for the CCG was as follows:

| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | Total |
|--------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| Male | 0 | 1 | 2 | 5 | 39 | 83 | 64 | 11 | 205 |
| Female | 0 | 3 | 5 | 34 | 53 | 93 | 55 | 11 | 254 |
| Total | 0 | 4 | 7 | 39 | 92 | 176 | 119 | 22 | 459 |



Quality Health is a specialist health and social care survey organisation, working for public, private and not-for-profit sectors, in the UK and overseas.

Quality Health works with all acute hospitals in England, all independent providers of hospital care, and all Health Boards in Scotland, Wales and Northern Ireland.

Quality Health is an approved contractor for the Care Quality Commission's patient survey programmes, NHS England's National Staff Survey programme, and the national Patient Reported Outcome Measures (PROMs).

Further information on Quality Health is available at:

www.quality-health.co.uk

Further information on the National Cancer Patient Experience Survey, as well as all of the national and local reports and data, is available at:

www.ncpes.co.uk