

National Cancer Patient Experience Survey 2016 Results

NHS Basildon and Brentwood Clinical Commissioning Group

Published July 2017

The National Cancer Patient Experience Survey is undertaken by Quality Health on behalf of NHS England



Introduction

The National Cancer Patient Experience Survey 2016 is the sixth iteration of the survey first undertaken in 2010. It has been designed to monitor national progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development.

The survey was commissioned and managed by NHS England. The survey provider, Quality Health, is responsible for designing, running and analysing the survey.

Full national results and other reports are available at www.ncpes.co.uk .

Further details on the survey methodology and changes to the 2016 survey can be found in the Annex.

This report

The report shows how this CCG scored for each question in the survey, compared with national results. It is aimed at helping individual CCGs to understand their performance and identify areas for local improvement.

Note that responses for questions with 1-20 respondents have been suppressed. This is to protect patient confidentiality and because uncertainty around the result is too great.

Data tables

The data tables presented in this report show the following for each question:

- Column 1 shows the number of respondents for 2015 to this question
- Column 2 shows the unadjusted 2015 score for this CCG
- Column 3 shows the number of respondents for 2016 to this question
- Column 4 shows the unadjusted 2016 score for this CCG
- Column 5 shows whether a score has significantly increased or decreased compared with the last survey
- Column 6 shows the case-mix adjusted 2016 score for this CCG
- Column 7 shows the lower limit of the expected range of case-mix adjusted scores for this CCG (the top of the pale blue section on the comparability chart - see below)
- Column 8 shows the upper limit of the expected range of case-mix adjusted scores for this CCG (the bottom of the dark blue section on the comparability chart - see below)
- Column 9 shows the national average score for this question.

Results for individual response options are presented in the detailed data tables available at www.ncpes.co.uk . Confidence Intervals for unadjusted and case-mix adjusted data are provided in these tables.

Expected ranges and 95% confidence intervals highlight the uncertainty around the results. The size of the expected ranges and confidence intervals will be different for each question, and depends on the number of respondents and the range of their responses.

For further details on case-mix adjustment and the scoring methodology used, please refer to the Annex.

Comparability charts

For the 2016 survey, we have adopted the CQC standard for reporting comparative performance, based on calculation of "expected ranges". This means that CCGs will be flagged as outliers only if there is statistical evidence that their scores deviate (positively or negatively) from the range of scores that would be expected for CCGs of the same size.

The comparability charts in this report show a bar with these expected ranges (in grey), higher than expected (in dark blue), and lower than expected (in pale blue). A black dot represents the actual score of this CCG.

The same colour convention has been used in Column 6 of the data tables.

For further details on expected ranges, please refer to the technical document at www.ncpes.co.uk.

Tumour group tables

The final set of tables in this report show the scores for each question for each of the 13 tumour groups, with a comparative national score for that tumour group.

These breakdowns are intended as additional information for CCGs to understand the differences between the experiences of patients with different types of cancer. The numbers are generally relatively small and may not be statistically significant. They should therefore be treated with some caution.

Notes on specific questions

Questions used to direct respondents to different parts of the survey (questions 4, 24, 27, 40, 43, 46) and other demographic and information questions are not reported.

How to use the data

Unadjusted data should be used to see the actual responses from patients relating to the CCG.

Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results.

Case-mix adjusted data, together with (case-mix adjusted) confidence intervals (presented in the detailed data tables at www.ncpes.co.uk), should be used to understand whether the results are significantly higher or lower than the results for another CCG.

Response rates

Numbers of respondents by tumour group, age and gender can be found in the Annex.

Executive Summary

Asked to rate their care on a scale of zero (very poor) to 10 (very good), respondents gave an average rating of **8.8** .

The following questions are included in phase 1 of the Cancer Dashboard developed by Public Health England and NHS England*:

- 76% of respondents said that they were definitely involved as much as they wanted to be in decisions about their care and treatment
- 89% of respondents said that they were given the name of a Clinical Nurse Specialist who would support them through their treatment
- 85% of respondents said that it had been 'quite easy' or 'very easy' to contact their Clinical Nurse Specialist
- 85% of respondents said that, overall, they were always treated with dignity and respect while they were in hospital
- 88% of respondents said that hospital staff told them who to contact if they were worried about their condition or treatment after they left hospital
- 55% of respondents said that they thought the GPs and nurses at their general practice definitely did everything they could to support them while they were having cancer treatment.

Detailed results for these and other questions are set out in the sections that follow.


The questions were selected in discussion with the national Cancer Patient Experience Advisory Group and reflect four key patient experience domains: provision of information; involvement in decisions; care transition; interpersonal relations, respect and dignity. The figures presented above are all case-mix adjusted.

^{*} www.cancerdata.nhs.uk/dashboard

Questions which scored outside expected range

| | | | | | | 1 |
|---------|---|------------------------------------|------------------------------------|-------------------------------|-------------------------------|------------------------------|
| | | | | Case-mix A | djusted | |
| Questic | on | Number of respondents for this CCG | 2016 Percentage for this CCG | Lower limit of expected range | Upper limit of expected range | National Average Score |
| Seeing | your GP | | | | | |
| Q1 | Saw GP once / twice before being told had to go to hospital | 225 | 82% | 71% | 82% | 77% |
| Findin | g out what was wrong with you | | | | | |
| Q8 | Patient told they could bring a family member or friend when first told they had cancer | 280 | 70% | 70% | 82% | 76% |
| Q10 | Patient completely understood the explanation of what was wrong | 305 | 68% | 68% | 78% | 73% |
| Hospit | al care as an inpatient | | | | | |
| Q29 | Patient had confidence and trust in all doctors treating them | 176 | 74% | 79% | 90% | 85% |
| Q33 | All staff asked patient what name they preferred to be called by | 172 | 58% | 58% | 77% | 68% |
| Q39 | Staff told patient who to contact if worried post discharge | 169 | 88% | 90% | 98% | 94% |
| Hospit | al care as a day patient / outpatient | | | | | |
| Q42 | Doctor had the right notes and other documentation with them | 256 | 93% | 93% | 98% | 96% |
| Your o | verall NHS care | | | | | |
| Q55 | Patient given a care plan | 236 | 27% | 27% | 39% | 33% |

Seeing your GP



| | | | Unac | djusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|----|---|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | 710 Ouoo | · · · · · · · · · · · · · · · · · · · | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q1 | Saw GP once / twice before being told had to go to hospital | 258 | 80% | 225 | 82% | | 82% | 71% | 82% | 77% |
| Q2 | Patient thought they were seen as soon as necessary | 344 | 81% | 300 | 83% | | 83% | 79% | 88% | 83% |

Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)


Where no score is displayed, no 2015 data is available

7

 \uparrow or \downarrow

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Diagnostic Tests



| | | | Unac | djusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|----|--|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------------------|---|
| | | 20 | 15 | 20 | 16 | 0 | | 710 Ouoo | · · · · · · · · · · · · · · · · · · · | J. G. |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q5 | Received all the information needed about the test | - | - | 259 | 94% | | 93% | 92% | 97% | 94% |
| Q6 | The length of time waiting for the test to be done was about right | 299 | 86% | 262 | 86% | | 86% | 83% | 91% | 87% |
| Q7 | Given complete explanation of test results in understandable way | 303 | 74% | 262 | 76% | | 76% | 74% | 84% | 79% |


Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Finding out what was wrong with you




Q9 Patient felt they were told sensitively that they had cancer

Q10 Patient completely understood the explanation of what was wrong

Q11 Patient given easy to understand written information about the type of cancer they had

All scores presented in this chart are case-mix adjusted

↑ or ↓




| | | Unadjusted Scores 2016 Case Mix Adjusted | | | | | | | | sted |
|-----|---|--|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | 710 Oasc | IVIIX Auju | 310u |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q8 | Patient told they could bring a family member or friend when first told they had cancer | - | - | 280 | 69% | | 70% | 70% | 82% | 76% |
| Q9 | Patient felt they were told sensitively that they had cancer | 347 | 83% | 301 | 85% | | 85% | 80% | 88% | 84% |
| Q10 | Patient completely understood the explanation of what was wrong | 347 | 69% | 305 | 67% | | 68% | 68% | 78% | 73% |
| Q11 | Patient given easy to understand written information about the type of cancer they had | 310 | 73% | 268 | 74% | | 75% | 67% | 78% | 72% |

Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Deciding the best treatment for you (Part 1 of 2)



| | | | Unac | djusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|-----|--|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)15 | 20 | 16 | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q12 | Patient felt that treatment options were completely explained | 304 | 80% | 269 | 83% | | 83% | 78% | 87% | 83% |
| Q13 | Possible side effects explained in an understandable way | 335 | 70% | 293 | 73% | | 73% | 67% | 78% | 72% |
| Q14 | Patient given practical advice and support in dealing with side effects of treatment | 337 | 65% | 290 | 66% | | 66% | 60% | 71% | 66% |


Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Deciding the best treatment for you (Part 2 of 2)



| | | | Unac | djusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|-----|---|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | | TVIIX 7 taja | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q15 | Patient definitely told about side effects that could affect them in the future | 320 | 52% | 273 | 54% | | 55% | 49% | 60% | 54% |
| Q16 | Patient definitely involved in decisions about care and treatment | 339 | 73% | 297 | 75% | | 76% | 73% | 83% | 78% |

Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)


Where no score is displayed, no 2015 data is available

11

 \uparrow or \downarrow

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Clinical Nurse Specialist



| | | | Unac | djusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|-----|--|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q17 | Patient given the name of the CNS who would support them through their treatment | 335 | 90% | 299 | 89% | | 89% | 86% | 94% | 90% |
| Q18 | Patient found it easy to contact their CNS | 274 | 85% | 232 | 85% | | 85% | 82% | 91% | 86% |
| Q19 | Get understandable answers to important questions all or most of the time | 266 | 87% | 223 | 91% | | 91% | 84% | 93% | 88% |


Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Support for people with cancer




Q21 Hospital staff gave information about impact cancer could have on day to day activities

Q22 Hospital staff gave information on getting financial help

Q23 Hospital staff told patient they could get free prescriptions

All scores presented in this chart are case-mix adjusted




| | | Unadjusted Scores 2016 Case Mix Ad | | | | | | | | sted |
|-----|---|------------------------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | .5 0450 | r taju | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q20 | Hospital staff gave information about support groups | 269 | 84% | 230 | 83% | | 83% | 78% | 90% | 84% |
| Q21 | Hospital staff gave information about impact cancer could have on day to day activities | 239 | 81% | 197 | 82% | | 82% | 76% | 87% | 81% |
| Q22 | Hospital staff gave information on getting financial help | 170 | 53% | 146 | 58% | | 57% | 48% | 65% | 56% |
| Q23 | Hospital staff told patient they could get free prescriptions | 159 | 82% | 141 | 80% | | 81% | 74% | 87% | 80% |

Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)

↑ or ↓ Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Operations



| | | | Unac | djusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|-----|---|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q25 | Beforehand had all the information needed about the operation | - | - | 149 | 97% | | 97% | 92% | 99% | 96% |
| Q26 | Staff explained how operation had gone in understandable way | 193 | 77% | 149 | 78% | | 78% | 72% | 85% | 79% |

Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)


Where no score is displayed, no 2015 data is available

14

 \uparrow or \downarrow

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (Part 1 of 3)




| | | Unadjusted Scores 2016 Case Mix A | | | | | | | | sted |
|-----|--|-----------------------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | 10 0000 | · · · · · · · · · · · · · · · · · · · | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q28 | Groups of doctors or nurses did not talk in front of patient as if they were not there | 221 | 83% | 176 | 81% | | 81% | 76% | 88% | 82% |
| Q29 | Patient had confidence and trust in all doctors treating them | 222 | 85% | 176 | 74% | | 74% | 79% | 90% | 85% |
| Q30 | Patient's family or someone close definitely had opportunity to talk to doctor | 179 | 75% | 150 | 72% | | 72% | 66% | 80% | 73% |
| Q31 | Patient had confidence and trust in all ward nurses | 221 | 67% | 176 | 70% | | 70% | 68% | 81% | 74% |

Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (Part 2 of 3)




| | | Unadjusted Scores 2016 Case Mix Ad | | | | | | | | sted |
|-----|--|------------------------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | - 10 Ouo | · · · · · · · · · · · · · · · · · · · | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q32 | Always / nearly always enough nurses on duty | 221 | 66% | 176 | 63% | | 63% | 60% | 74% | 67% |
| Q33 | All staff asked patient what name they preferred to be called by | 215 | 57% | 172 | 59% | | 58% | 58% | 77% | 68% |
| Q34 | Always given enough privacy when discussing condition or treatment | 218 | 89% | 174 | 82% | | 82% | 80% | 91% | 85% |
| Q35 | Patient was able to discuss worries or fears with staff during visit | 149 | 54% | 134 | 57% | | 57% | 44% | 61% | 52% |

Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as an inpatient (Part 3 of 3)




| | | | Unac | ljusted S | cores | | 20 | 16 Case | Mix Adju | sted |
|-----|--|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | | | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q36 | Hospital staff definitely did everything to help control pain | 180 | 86% | 156 | 87% | | 87% | 78% | 90% | 84% |
| Q37 | Always treated with respect and dignity by staff | 222 | 89% | 176 | 85% | | 85% | 83% | 93% | 88% |
| Q38 | Given clear written information about what should / should not do post discharge | 211 | 82% | 166 | 84% | | 85% | 80% | 91% | 86% |
| Q39 | Staff told patient who to contact if worried post discharge | 215 | 91% | 169 | 88% | | 88% | 90% | 98% | 94% |

Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as a day patient / outpatient (Part 1 of 2)




Q42 Doctor had the right notes and other documentation with them

Q44 Beforehand patient had all information needed about radiotherapy treatment

Q45 Patient given understandable information about whether radiotherapy was working

All scores presented in this chart are case-mix adjusted

↑ or ↓




| | | | Unac | ljusted S | cores | | 20 | 16 Case | Mix Adiu | sted |
|----------|---|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | | | 0.00 |
| Question | | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q41 | Patient was able to discuss worries or fears with staff during visit | 254 | 70% | 236 | 71% | | 71% | 65% | 76% | 70% |
| Q42 | Doctor had the right notes and other documentation with them | 300 | 95% | 256 | 93% | | 93% | 93% | 98% | 96% |
| Q44 | Beforehand patient had all information needed about radiotherapy treatment | 94 | 85% | 71 | 86% | | 86% | 78% | 94% | 86% |
| Q45 | Patient given understandable information about whether radiotherapy was working | 79 | 57% | 58 | 52% | | 51% | 47% | 72% | 60% |

Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Hospital care as a day patient / outpatient (Part 2 of 2)



| | | Unadjusted Scores | | | | | 2016 Case Mix Ad | | | sted |
|-----|---|-----------------------|-------|-----------------------|-------|------------------|------------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | | TVIIX 7 taja | |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q47 | Beforehand patient had all information needed about chemotherapy treatment | 171 | 82% | 157 | 88% | | 88% | 78% | 90% | 84% |
| Q48 | Patient given understandable information about whether chemotherapy was working | 158 | 64% | 146 | 66% | | 65% | 60% | 75% | 67% |

Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

19

 \uparrow or \downarrow


^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Home care and support

Q49 Hospital staff gave family or someone close all the information needed to help with care at home

Q50 Patient definitely given enough support from health or social services during treatment

Q51 Patient definitely given enough support from health or social services after treatment



All scores presented in this chart are case-mix adjusted

↑ or ↓

| | | Unadjusted Scores | | | | 20 | 116 Case | Mix Adju | sted | |
|----------|--|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 |)15 | 20 | 16 | | | 710 0400 | IVIIX 7 taja | Stod |
| Question | | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q49 | Hospital staff gave family or someone close all the information needed to help with care at home | 281 | 55% | 244 | 58% | | 58% | 52% | 64% | 58% |
| Q50 | Patient definitely given enough support from health or social services during treatment | 189 | 54% | 146 | 59% | | 59% | 43% | 63% | 53% |
| Q51 | Patient definitely given enough support from health or social services after treatment | 109 | 41% | 93 | 44% | | 44% | 35% | 55% | 45% |


Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Care from your general practice



| | | Unadjusted Scores | | | | 2016 Case Mix Ad | | | sted | |
|-----|--|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | | | 0.00 |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q52 | GP given enough information about patient's condition and treatment | 290 | 96% | 246 | 96% | | 95% | 93% | 98% | 95% |
| Q53 | Practice staff definitely did everything they could to support patient | 227 | 61% | 171 | 55% | | 55% | 54% | 69% | 62% |

Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)


Where no score is displayed, no 2015 data is available

21

 \uparrow or \downarrow

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Your overall NHS care (Part 1 of 2)




| | | | Unac | ljusted S | cores | | 20 | 16 Case | Mix Adiu | sted |
|----------|---|-----------------------|-------|-----------------------|-------|------------------|------------|---------------------------|---------------------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | 0 | | 710 Ouoo | · · · · · · · · · · · · · · · · · · · | otou |
| Question | | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q54 | Hospital and community staff always worked well together | 335 | 60% | 296 | 61% | | 62% | 55% | 67% | 61% |
| Q55 | Patient given a care plan | 266 | 32% | 236 | 26% | | 27% | 27% | 39% | 33% |
| Q56 | Overall the administration of the care was very good / good | 347 | 86% | 303 | 91% | | 91% | 86% | 93% | 89% |
| Q57 | Length of time for attending clinics and appointments was right | 344 | 67% | 302 | 69% | | 70% | 60% | 75% | 67% |


Indicates where 2016 score is significantly higher or lower than 2015 score (NB: No arrow reflects no statistically significant change)


↑ or ↓ Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Your overall NHS care (Part 2 of 2)







| | | Unadjusted Scores | | | | | 2016 Case Mix Adjusted | | | sted |
|-----|---|-----------------------|-------|-----------------------|-------|------------------|------------------------|---------------------------|---------------------------|---------------------------|
| | | 20 | 15 | 20 | 16 | | | 710 Guoo | Triix 7 taja | otou |
| | Question | Number of respondents | Score | Number of respondents | Score | Change from 2015 | 2016 Score | Expected range - lower | Expected range - upper | National Average Score |
| Q59 | Patient`s average rating of care scored from very poor to very good | 338 | 8.6 | 300 | 8.8 | | 8.8 | 8.6 | 8.9 | 8.7 |

Indicates where 2016 score is significantly higher or lower than 2015 score

(NB: No arrow reflects no statistically significant change)

Where no score is displayed, no 2015 data is available

^{*} Indicates where a score has been suppressed because there are less than 21 respondents.

Comparisons by tumour group for this CCG

The following tables show the unadjusted CCG and the national percentage scores for each question broken down by tumour group. Where a cell in the table contains an asterisk this indicates that the number of patients in that group was below 21 and too small to display. Where a cell in the table contains "n.a." this indicates that there were no respondents for that tumour group.

Seeing your GP

| | Q1. Saw GI twice befo had to go t | re being told | Q2. Patien they were soon as ne | seen as |
|------------------|---|---------------|---------------------------------------|----------|
| Cancer type | This CCG \$ | National | This CCG \$ | National |
| Brain / CNS | n.a. | 63% | * | 79% |
| Breast | 97% | 94% | 91% | 90% |
| Colorectal / LGT | 78% | 71% | 84% | 81% |
| Gynaecological | * | 75% | * | 79% |
| Haematological | 73% | 65% | 80% | 81% |
| Head and Neck | * | 77% | * | 79% |
| Lung | * | 70% | * | 83% |
| Prostate | 95% | 78% | 89% | 86% |
| Sarcoma | * | 66% | * | 67% |
| Skin | * | 90% | * | 86% |
| Upper Gastro | * | 72% | * | 78% |
| Urological | * | 82% | * | 85% |
| Other | 76% | 72% | 77% | 79% |
| All Cancers | 82% | 77% | 83% | 83% |

^{\$} These are unadjusted scores

Diagnostic tests

| | Q5. Received all the information needed about the test | | Q6. The length of time waiting for the test to be done was about right | | Q7. Given explanatio results in understand | n of test |
|------------------|--|----------|--|----------|---|-----------|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National |
| Brain / CNS | * | 90% | * | 81% | * | 70% |
| Breast | 96% | 95% | 93% | 92% | 80% | 82% |
| Colorectal / LGT | 94% | 95% | 81% | 87% | 87% | 80% |
| Gynaecological | * | 93% | * | 85% | * | 75% |
| Haematological | 93% | 94% | 86% | 89% | 69% | 77% |
| Head and Neck | * | 93% | * | 85% | * | 78% |
| Lung | * | 94% | * | 87% | * | 78% |
| Prostate | 84% | 95% | 85% | 86% | 81% | 80% |
| Sarcoma | * | 93% | * | 79% | * | 74% |
| Skin | * | 95% | * | 88% | * | 85% |
| Upper Gastro | * | 93% | * | 82% | * | 77% |
| Urological | * | 94% | * | 87% | * | 79% |
| Other | 100% | 95% | 86% | 86% | 79% | 76% |
| All Cancers | 94% | 94% | 86% | 87% | 76% | 79% |

^{\$} These are unadjusted scores

Finding out what was wrong with you

| | Q8. Patient could bring member of when first had cancer | a family friend told they | Q9. Patien were told : that they h | sensitively | Q10. Patient completely understood the explanation of what was wrong | | - | nderstand nformation e type of | |
|------------------|---|---------------------------------|--|-------------|--|----------|------------------------|--------------------------------------|--|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National | |
| Brain / CNS | * | 83% | * | 73% | * | 63% | * | 63% | |
| Breast | 76% | 82% | 84% | 88% | 69% | 78% | 80% | 77% | |
| Colorectal / LGT | 81% | 80% | 84% | 86% | 74% | 78% | 74% | 71% | |
| Gynaecological | * | 71% | * | 82% | * | 72% | * | 69% | |
| Haematological | 70% | 71% | 84% | 83% | 58% | 60% | 80% | 74% | |
| Head and Neck | * | 70% | * | 86% | * | 75% | * | 64% | |
| Lung | * | 78% | * | 83% | * | 75% | * | 65% | |
| Prostate | 74% | 77% | 86% | 84% | 75% | 78% | 88% | 81% | |
| Sarcoma | * | 72% | * | 81% | * | 67% | * | 64% | |
| Skin | * | 63% | * | 89% | * | 79% | * | 83% | |
| Upper Gastro | * | 77% | * | 80% | * | 72% | * | 66% | |
| Urological | * | 72% | * | 83% | 57% | 77% | * | 72% | |
| Other | 70% | 74% | 95% | 82% | 68% | 70% | 62% | 62% | |
| All Cancers | 69% | 76% | 85% | 84% | 67% | 73% | 74% | 72% | |

^{\$} These are unadjusted scores

Deciding the best treatment for you

| | Q12. Paties treatment were comp explained | options | Q13. Possi effects exp understand | lained in an | Q14. Patier practical are support in side effect treatment | dvice and dealing with |
|------------------|--|----------|---|--------------|--|---------------------------|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National |
| Brain / CNS | * | 78% | * | 72% | * | 61% |
| Breast | 82% | 84% | 72% | 75% | 70% | 69% |
| Colorectal / LGT | 87% | 85% | 77% | 75% | 69% | 68% |
| Gynaecological | * | 84% | * | 74% | * | 66% |
| Haematological | 84% | 81% | 71% | 69% | 56% | 64% |
| Head and Neck | * | 85% | * | 70% | * | 68% |
| Lung | * | 83% | * | 74% | * | 68% |
| Prostate | 93% | 81% | 71% | 72% | 71% | 62% |
| Sarcoma | * | 83% | * | 72% | * | 66% |
| Skin | * | 88% | * | 76% | * | 70% |
| Upper Gastro | * | 83% | * | 73% | * | 67% |
| Urological | * | 81% | * 72% | | * | 62% |
| Other | 78% | 79% | 81% | 70% | 72% | 63% |
| All Cancers | 83% | 83% | 73% | 72% | 66% | 66% |

| | told about | nt definitely side effects affect them re | Q16. Patie involved ir about care treatment | |
|------------------|------------------------|--|--|----------|
| Cancer type | This CCG ^{\$} | National | This CCG \$ | National |
| Brain / CNS | * | 55% | * | 73% |
| Breast | 57% | 56% | 68% | 79% |
| Colorectal / LGT | 68% | 56% | 82% | 79% |
| Gynaecological | * 52% | | * | 77% |
| Haematological | 35% | 49% | 73% | 77% |
| Head and Neck | * | 59% | * | 78% |
| Lung | * | 54% | * | 79% |
| Prostate | 67% | 63% | 89% | 79% |
| Sarcoma | * | 54% | * | 80% |
| Skin | * | 61% | * | 85% |
| Upper Gastro | * | 53% | * | 77% |
| Urological | * | 53% | 76% | 77% |
| Other | 54% | 50% | 70% | 74% |
| All Cancers | 54% | 54% | 75% | 78% |

^{\$} These are unadjusted scores

Clinical Nurse Specialist

| | | | Q18. Patient found it easy to contact their CNS | | easy to contact their understand answers to questions a of the time | |
|------------------|------------------------|----------|---|----------|---|----------|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National |
| Brain / CNS | * | 95% | * | 82% | * | 83% |
| Breast | 94% | 94% | 91% | 86% | 89% | 89% |
| Colorectal / LGT | 97% | 91% | 88% | 88% | 91% | 89% |
| Gynaecological | * | 94% | * | 84% | * | 87% |
| Haematological | 87% | 90% | 86% | 88% | 86% | 89% |
| Head and Neck | * | 88% | * | 87% | * | 87% |
| Lung | * | 94% | * | 88% | * | 88% |
| Prostate | 93% | 88% | * | 84% | * | 88% |
| Sarcoma | * | 88% | * | 87% | * | 90% |
| Skin | * | 88% | * | 89% | * | 90% |
| Upper Gastro | * | 92% | * | 86% | * | 87% |
| Urological | 76% | 81% | * | 85% | * | 89% |
| Other | 79% | 87% | 93% | 85% | 93% | 86% |
| All Cancers | 89% | 90% | 85% | 86% | 91% | 88% |

^{\$} These are unadjusted scores

Support for people with cancer

| | gave inforr | Hospital staff information gave information about impact cancer could have on day to day activities | | Q22. Hospital staff gave information on getting financial help | | Q23. Hospital staff told patient they could get free prescriptions | | |
|------------------|-------------|---|-------------|--|------------------------|--|-------------|----------|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG ^{\$} | National | This CCG \$ | National |
| Brain / CNS | * | 84% | * | 81% | * | 67% | * | 71% |
| Breast | 93% | 89% | 89% | 85% | 48% | 62% | 78% | 80% |
| Colorectal / LGT | 87% | 84% | 88% | 82% | * | 54% | * | 82% |
| Gynaecological | * | 83% | * | 79% | * | 58% | * | 77% |
| Haematological | 84% | 83% | 86% | 82% | 66% | 58% | 89% | 86% |
| Head and Neck | * | 83% | * | 80% | * | 59% | * | 79% |
| Lung | * | 83% | * | 80% | * | 69% | * | 84% |
| Prostate | 83% | 86% | * | 83% | * | 44% | * | 79% |
| Sarcoma | * | 83% | * | 82% | n.a. | 56% | * | 78% |
| Skin | * | 86% | * | 82% | * | 52% | * | 62% |
| Upper Gastro | * | 83% | * | 80% | * | 60% | * | 84% |
| Urological | * | 74% | * | 72% | * | 35% | * | 67% |
| Other | 77% | 80% | 81% | 77% | 64% | 55% | * | 80% |
| All Cancers | 83% | 84% | 82% | 81% | 58% | 56% | 80% | 80% |

^{\$} These are unadjusted scores

Operations

| | Q25. Befor all the info needed ab operation | | Q26. Staff explained how operation had gone in understandable way | | |
|------------------|--|----------|--|----------|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | |
| Brain / CNS | * | 93% | * | 68% | |
| Breast | 95% | 97% | 70% | 78% | |
| Colorectal / LGT | 96% | 96% | 69% | 83% | |
| Gynaecological | * | * 96% | | 79% | |
| Haematological | * | 93% | * | 75% | |
| Head and Neck | * | 94% | * | 78% | |
| Lung | * | 97% | * | 79% | |
| Prostate | * | 96% | * | 77% | |
| Sarcoma | * | 93% | * | 80% | |
| Skin | * | 96% | * | 83% | |
| Upper Gastro | * | 96% | * | 79% | |
| Urological | * | 95% | * | 77% | |
| Other | * | 95% | * | 78% | |
| All Cancers | 97% | 96% | 78% | 79% | |

^{\$} These are unadjusted scores

Hospital care as an inpatient (Part 1 of 2)

| | or nurses of in front of | Q28. Groups of doctors or nurses did not talk in front of patient as if they were not there Q29. Patient has confidence and all doctors treat them | | and trust in | trust in or someone close | | | Q31. Patient had confidence and trust in all ward nurses | | |
|------------------|--------------------------|---|-------------|--------------|---------------------------|----------|------------------------|--|--|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG ^{\$} | National | This CCG ^{\$} | National | | |
| Brain / CNS | * | 74% | * | 79% | * | 61% | * | 66% | | |
| Breast | 91% | 89% | 74% | 86% | 70% | 76% | 74% | 76% | | |
| Colorectal / LGT | 70% | 76% | 63% | 85% | 68% | 72% | 63% | 70% | | |
| Gynaecological | * | 85% | * | 85% | * | 72% | * | 71% | | |
| Haematological | * | 81% | * | 81% | * | 73% | * | 74% | | |
| Head and Neck | * | 79% | * | 84% | * | 74% | * | 72% | | |
| Lung | * | 77% | * | 82% | * | 73% | * | 75% | | |
| Prostate | * | 85% | * | 88% | * | 74% | * | 79% | | |
| Sarcoma | * | 80% | * | 85% | * | 72% | * | 74% | | |
| Skin | * | 87% | * | 92% | * | 80% | * | 85% | | |
| Upper Gastro | * | 74% | * | 82% | * | 73% | * | 71% | | |
| Urological | * | 80% | * | 86% | * | 71% | * | 77% | | |
| Other | 84% | 79% | 92% | 81% | 86% | 70% | 65% | 71% | | |
| All Cancers | 81% | 82% | 74% | 85% | 72% | 73% | 70% | 74% | | |

| | Q32. Always / nearly always enough nurses on duty | | patient wh | Q33. All staff asked patient what name they preferred to be called by | | Q34. Always given enough privacy when discussing condition or treatment | | Q35. Patient was able to discuss worries or fears with staff during visit | |
|------------------|---|----------|-------------|---|------------------------|---|------------------------|---|--|
| Cancer type | This CCG ^{\$} | National | This CCG \$ | National | This CCG ^{\$} | National | This CCG ^{\$} | National | |
| Brain / CNS | * | 59% | * | 65% | * | 76% | * | 38% | |
| Breast | 74% | 71% | 56% | 61% | 76% | 86% | 63% | 54% | |
| Colorectal / LGT | 44% | 62% | 56% | 70% | 81% | 84% | * | 53% | |
| Gynaecological | * | 66% | * | 65% | * | 83% | * | 50% | |
| Haematological | * | 62% | * | 70% | * | 86% | * | 56% | |
| Head and Neck | * | 65% | * | 69% | * | 86% | * | 54% | |
| Lung | * | 70% | * | 72% | * | 83% | * | 50% | |
| Prostate | * | 73% | * | 68% | * | 89% | * | 52% | |
| Sarcoma | * | 71% | * | 71% | * | 88% | * | 53% | |
| Skin | * | 78% | * | 67% | * | 90% | * | 62% | |
| Upper Gastro | * | 64% | * | 74% | * | 83% | * | 50% | |
| Urological | * | 68% | * | 72% | * | 87% | * | 47% | |
| Other | 62% | 62% | 68% | 68% | 88% | 83% | * | 47% | |
| All Cancers | 63% | 67% | 59% | 68% | 82% | 85% | 57% | 52% | |

^{\$} These are unadjusted scores

Hospital care as an inpatient (Part 2 of 2)

| | Q36. Hospi definitely of everything control pai | y did with respect and ing to help dignity by staff | | Q38. Given clear written information about what should / should not do post discharge | | Q39. Staff told patient who to contact if worried post discharge | | |
|------------------|--|--|-------------|---|-------------|--|------------------------|----------|
| Cancer type | This CCG ^{\$} | National | This CCG \$ | National | This CCG \$ | National | This CCG ^{\$} | National |
| Brain / CNS | * | 79% | * | 79% | * | 76% | * | 91% |
| Breast | 91% | 86% | 83% | 88% | 91% | 91% | 91% | 96% |
| Colorectal / LGT | 92% | 84% | 78% | 87% | 80% | 84% | 73% | 94% |
| Gynaecological | * | 83% | * | 87% | * | 87% | * | 94% |
| Haematological | * | 83% | * | 89% | * | 80% | * | 95% |
| Head and Neck | * | 81% | * | 87% | * | 85% | * | 91% |
| Lung | * | 84% | * | 87% | * | 81% | * | 91% |
| Prostate | * | 85% | * | 91% | * | 89% | * | 94% |
| Sarcoma | * | 87% | * | 90% | * | 84% | * | 94% |
| Skin | * | 87% | * | 92% | * | 89% | * | 95% |
| Upper Gastro | * | 82% | * | 86% | * | 82% | * | 93% |
| Urological | * | 82% | * | 89% | * | 86% | * | 91% |
| Other | 92% | 82% | 88% | 86% | 87% | 81% | 96% | 93% |
| All Cancers | 87% | 84% | 85% | 88% | 84% | 86% | 88% | 94% |

^{\$} These are unadjusted scores

Hospital care as a day patient / outpatient

| | to discuss worries or fears with staff during | | Q42. Doctoright notes documenta them | and other | Q44. Beforehand patient had all information needed about radiotherapy treatment | | Q45. Patient given understandable information about whether radiotherapy was working | |
|------------------|---|----------|--------------------------------------|-----------|---|----------|--|----------|
| Cancer type | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National | This CCG ^{\$} | National |
| Brain / CNS | * | 63% | * | 95% | n.a. | 86% | n.a. | 58% |
| Breast | 74% | 70% | 86% | 96% | 85% | 88% | 50% | 60% |
| Colorectal / LGT | 67% | 72% | 96% | 96% | * | 86% | * | 58% |
| Gynaecological | * | 68% | * | 95% | * | 85% | * | 62% |
| Haematological | 78% | 74% | 98% | 97% | * | 84% | * | 64% |
| Head and Neck | * | 71% | * | 96% | * | 84% | * | 61% |
| Lung | * | 70% | * | 95% | * | 85% | * | 58% |
| Prostate | * | 72% | 79% | 96% | * | 89% | * | 58% |
| Sarcoma | * | 72% | * | 97% | * | 89% | * | 69% |
| Skin | * | 72% | * | 97% | n.a. | 84% | n.a. | 59% |
| Upper Gastro | * | 68% | * | 94% | * | 86% | * | 57% |
| Urological | * | 68% | * | 96% | * | 81% | * | 56% |
| Other | 76% | 67% | 97% | 95% | * | 83% | * | 58% |
| All Cancers | 71% | 70% | 93% | 96% | 86% | 86% | 52% | 60% |

| | Q47. Befor patient had informatio about cher treatment | d all | Q48. Patient given understandable information about whether chemotherapy was working | | |
|------------------|--|----------|--|----------|--|
| Cancer type | This CCG ^{\$} | National | This CCG \$ | National | |
| Brain / CNS | n.a. | 80% | n.a. | 59% | |
| Breast | 83% | 82% | 43% | 62% | |
| Colorectal / LGT | * | 85% | * | 63% | |
| Gynaecological | * 84% | | * | 66% | |
| Haematological | 85% | 84% | 73% | 75% | |
| Head and Neck | * | 80% | * | 58% | |
| Lung | * | 84% | * | 68% | |
| Prostate | * | 84% | * | 67% | |
| Sarcoma | * | 86% | * | 73% | |
| Skin | * | 88% | * | 78% | |
| Upper Gastro | * | 84% | * | 64% | |
| Urological | * 84% | | * | 67% | |
| Other | 88% | 88% 85% | | 68% | |
| All Cancers | 88% | 84% | 66% | 67% | |

^{\$} These are unadjusted scores

Home care and support

| | gave family or given enough someone close all the information needed to help with care at home given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family or given enough from healt services during the family of the f | | | Q51. Patient definitely given enough support from health or social services after treatment | | |
|------------------|--|-----|-----|---|------------------------|----------|
| Cancer type | This CCG ^{\$} | | | National | This CCG ^{\$} | National |
| Brain / CNS | * | 49% | * | 42% | n.a. | 41% |
| Breast | 60% | 57% | 50% | 53% | * | 40% |
| Colorectal / LGT | 48% | 60% | 70% | 61% | * | 51% |
| Gynaecological | * | 56% | * | 50% | * | 39% |
| Haematological | 59% | 60% | 57% | 51% | * | 44% |
| Head and Neck | * | 61% | * | 52% | * | 48% |
| Lung | * | 57% | * | 50% | * | 43% |
| Prostate | 71% | 56% | * | 48% | * | 43% |
| Sarcoma | * | 59% | * | 55% | n.a. | 48% |
| Skin | * | 65% | * | 57% | * | 59% |
| Upper Gastro | * | 59% | * | 55% | * | 48% |
| Urological | * | 58% | * | 47% | * | 43% |
| Other | 59% | 54% | 67% | 55% | * | 48% |
| All Cancers | 58% | 58% | 59% | 53% | 44% | 45% |

^{\$} These are unadjusted scores

Care from your general practice

| | informatio | ven enough n about ondition and | Q53. Practice staff definitely did everything they could to support patient | | |
|------------------|-------------|---------------------------------------|---|----------|--|
| Cancer type | This CCG \$ | National | This CCG \$ | National | |
| Brain / CNS | * | 89% | * | 51% | |
| Breast | 98% | 96% | 46% | 62% | |
| Colorectal / LGT | 100% | 95% | * | 62% | |
| Gynaecological | * 95% | | * | 61% | |
| Haematological | 93% | 96% | 52% | 59% | |
| Head and Neck | * | 94% | * | 59% | |
| Lung | * | 95% | * | 61% | |
| Prostate | 96% | 96% | * | 67% | |
| Sarcoma | * | 95% | * | 56% | |
| Skin | * | 96% | * | 67% | |
| Upper Gastro | * | 94% | * | 61% | |
| Urological | * | 95% | * | 64% | |
| Other | 94% | 95% | 58% | 59% | |
| All Cancers | 96% | 95% | 55% | 62% | |

^{\$} These are unadjusted scores

Your overall NHS care

| | Q54. Hospital and community staff always worked well together | | Q55. Patient given a care plan | | Q56. Overall the administration of the care was very good / good | | Q57. Length of time for attending clinics and appointments was right | |
|------------------|---|----------|--------------------------------|----------|--|----------|--|----------|
| Cancer type | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National | This CCG \$ | National |
| Brain / CNS | * | 43% | * | 32% | * | 82% | * | 61% |
| Breast | 67% | 61% | 18% | 37% | 93% | 91% | 70% | 65% |
| Colorectal / LGT | 58% | 60% | 37% | 35% | 89% | 89% | 73% | 70% |
| Gynaecological | * | 58% | * | 30% | * | 89% | * | 66% |
| Haematological | 63% | 63% | 38% | 33% | 96% | 92% | 75% | 63% |
| Head and Neck | * | 62% | * | 36% | * | 89% | * | 69% |
| Lung | * | 63% | * | 33% | * | 89% | * | 71% |
| Prostate | 68% | 65% | * | 35% | 93% | 88% | 67% | 73% |
| Sarcoma | * | 56% | * | 28% | * | 87% | * | 61% |
| Skin | * | 69% | * | 39% | * | 90% | * | 76% |
| Upper Gastro | * | 58% | * | 34% | * | 87% | * | 66% |
| Urological | * | 63% | * | 27% | 81% | 87% | 76% | 75% |
| Other | 53% | 55% | 18% | 29% | 95% | 88% | 64% | 61% |
| All Cancers | 61% | 61% | 26% | 33% | 91% | 89% | 69% | 67% |

| | Q58. Takin cancer reso discussed v | • • | Q59. Patient's average rating of care scored from very poor to very good | | |
|------------------|--|----------|--|----------|--|
| Cancer type | This CCG ^{\$} | National | This CCG \$ | National | |
| Brain / CNS | * | 24% | * | 8.3 | |
| Breast | 15% | 28% | 8.9 | 8.8 | |
| Colorectal / LGT | 22% 26% | | 8.6 | 8.7 | |
| Gynaecological | * 30% | | * | 8.7 | |
| Haematological | 8% | 34% | 8.9 | 8.9 | |
| Head and Neck | * | 19% | * | 8.7 | |
| Lung | * | 33% | * | 8.7 | |
| Prostate | 48% | 34% | 9.1 | 8.7 | |
| Sarcoma | * | 33% | * | 8.6 | |
| Skin | * | 18% | * | 8.9 | |
| Upper Gastro | * | 33% | * | 8.6 | |
| Urological | * 15% | | 8.9 | 8.7 | |
| Other | 35% | 30% | 8.8 | 8.6 | |
| All Cancers | 24% | 29% | 8.8 | 8.7 | |

^{\$} These are unadjusted scores

Annex

Methodology

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2016.

The patients included in the sample had relevant cancer ICD10 codes (C00-99 excluding C44 and C84, and D05) in the first diagnosis field of their patient records, applied to their patient files by the relevant NHS Trust, and were alive at the point at which fieldwork commenced. Deceased checks were undertaken on up to three occasions during fieldwork, to ensure that questionnaires were not sent to patients who had died since their treatment.

Trust samples were checked rigorously for duplicates and patient lists were also de-duplicated nationally to ensure that patients did not receive multiple copies of questionnaires.

The fieldwork for the survey was undertaken between October 2016 and March 2017.

The survey used a mixed mode methodology. Questionnaires were sent by post with two reminders where necessary, but also included an option to complete online. A Freephone helpline was available for respondents to ask questions about the survey, to enable them to complete their questionnaires over the phone, and to provide access to a translation and interpreting facility for those whose first language was not English.

The Health Research Authority supported the survey by granting Section 251 approval.

Further information

Further information on survey methodology, as well as all of the national and local reports and data, is available at www.ncpes.co.uk

Redevelopment of the 2016 survey

The following changes have been made to the National Cancer Patient Experience Survey in 2016:

- question 5 and 25 are no longer presented in a tick all that apply format and their response options have been revised. This has allowed the questions to be scored and presented in the comparability charts, data tables and tumour group tables. Because of these changes, no comparison with 2015 results is possible
- question 8 has had a response option removed. Because of this change, no comparison with 2015 results is possible.

Official Statistics

The 2016 survey data has been produced and published in line with the Code of Practice for Official Statistics.

Scoring methodologies

49 of the 50 questions relating directly to patient experience have been summarised as the score of the percentage of patients who reported a positive experience. For example:

- question 6 asks: "Overall, how did you feel about the length of time you had to wait for your test to be done?". Responses have been recorded as positive only for those patients who selected the first option ("It was about right")
- question 11 asks: "When you were told you had cancer, were you given written information about the type of cancer you had?". Responses have been recorded as positive only for those patients who selected the first option ("Yes, and it was easy to understand").

Where options do not provide any information on positive/negative patient experience (e.g. "Don't know / can't remember"), they are excluded from the score.

The other question (question 59) asks respondents to rate their overall care on a scale of 0 to 10. Scores have been given as an average on this scale.

A copy of the 2016 questionnaire, marked up with all of these scoring conventions, is available at www.ncpes.co.uk

Further details on the scoring methodology can be found in the technical document for the survey, available at www.ncpes.co.uk

Case-mix adjustment

As in 2015, case-mix adjusted findings are being presented alongside unadjusted results for CCGs. Case-mix adjustment allows us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a CCG is performing given their patient population.

The factors taken into account in this case-mix adjustment are gender, age, ethnic group, deprivation, and tumour group.

For further details on case-mix adjustment, please refer to the technical document for the survey, available at www.ncpes.co.uk

Statistical significance

In the reporting of 2016 results, appropriate statistical tests have been undertaken to identify any changes between 2015 and 2016 unadjusted scores which are 'statistically significant'. 'Statistically significant' means that you can be very confident that any change between scores is real and not due to chance.

For further details on statistical significance, please refer to the technical document for the survey, available at www.ncpes.co.uk

Response Rates

| | Sample Size | Excluded | Adjusted Sample | Not Returned | Blank / Refused | • | Response Rate |
|----------|----------------|----------|--------------------|-----------------|--------------------|--------|------------------|
| National | 118,253 | 8,590 | 109,663 | 33,035 | 3,840 | 72,788 | 67% |
| 99E | 538 | 49 | 489 | 171 | 11 | 307 | 63% |

Respondents by tumour group

The tables below show the numbers of patients from each tumour group and the age and gender distribution of these patients.

| Tumour Group | Number of respondents* | | |
|------------------|------------------------|--|--|
| Brain / CNS | 1 | | |
| Breast | 55 | | |
| Gynaecological | 11 | | |
| Colorectal / LGT | 38 | | |
| Lung | 18 | | |
| Skin | 8 | | |
| Haematological | 57 | | |
| Upper Gastro | 14 | | |
| Other | 44 | | |
| Urological | 21 | | |
| Prostate | 28 | | |
| Sarcoma | 4 | | |
| Head and Neck | 8 | | |

^{*} These figures may not match the numerator for all questions in the 'Comparisons by tumour group' section of this report, because not all questions were answered by all respondents.

Respondents by age and gender

The questionnaire asked respondents to give their year of birth. This information has been amalgamated into 8 age bands. The age and gender distribution for the CCG was as follows:

| | 16-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | Total |
|--------|-------|-------|-------|-------|-------|-------|-------|-----|-------|
| Male | 1 | 0 | 6 | 8 | 32 | 54 | 37 | 7 | 145 |
| Female | 0 | 4 | 5 | 20 | 41 | 60 | 28 | 4 | 162 |
| Total | 1 | 4 | 11 | 28 | 73 | 114 | 65 | 11 | 307 |



Quality Health is a specialist health and social care survey organisation, working for public, private and not-for-profit sectors, in the UK and overseas.

Quality Health works with all acute hospitals in England, all independent providers of hospital care, and all Health Boards in Scotland, Wales and Northern Ireland.

Quality Health is an approved contractor for the Care Quality Commission's patient survey programmes, NHS England's National Staff Survey programme, and the national Patient Reported Outcome Measures (PROMs).

Further information on Quality Health is available at www.quality-health.co.uk

Further information on the National Cancer Patient Experience Survey, as well as all of the national and local reports and data, is available www.ncpes.co.uk