

National Cancer Patient Experience Survey

2019 Results

Somerset, Wiltshire, Avon and Gloucestershire


Published June 2020

Executive Summary


Cancer Dashboard Questions

The following seven questions are included in phase 1 of the Cancer Dashboard developed by Public Health England and NHS England:


Q61. Patient's average rating of care scored from very poor to very good




Q18. Patient definitely involved as much as they wanted in decisions about care and treatment



Q19. Patient given the name of a CNS who would support them through their treatment




Q20. Patient found it very or quite easy to contact their CNS



Q39. Patient always felt they were treated with respect and dignity while in hospital



Q41. Hospital staff told patient who to contact if worried about condition or treatment after leaving hospital



Q55. General practice staff definitely did everything they could to support patient during treatment

Questions Outside Expected Range

| | Case Mix Adjusted Scores | | | National Score |
|---|--------------------------|----------------------|----------------------|----------------|
| | 2019 Score | Lower Expected Range | Upper Expected Range | |
| Q6. The length of time waiting for the test to be done was about right | 90% | 87% | 89% | 88% |
| Q22. Hospital staff gave information about support or self-help groups for people with cancer | 92% | 85% | 91% | 88% |
| Q23. Hospital staff discussed or gave information about the impact cancer could have on day to day activities | 87% | 82% | 86% | 84% |
| Q24. Hospital staff gave information on getting financial help or possible benefits | 71% | 59% | 66% | 63% |
| Q25. Hospital staff told patient they could get free prescriptions | 85% | 80% | 84% | 82% |
| Q37. Patient definitely found hospital staff to discuss worries or fears during their inpatient visit | 55% | 49% | 55% | 52% |
| Q54. GP given enough information about patient's condition and treatment | 96% | 94% | 96% | 95% |
| Q56. Different people treating and caring for patient always work well together to give best possible care | 76% | 70% | 75% | 73% |
| Q59. Patient felt length of time for attending clinics and appointments for cancer was about right | 74% | 66% | 73% | 69% |

Introduction

The National Cancer Patient Experience Survey 2019 is the ninth iteration of the survey first undertaken in 2010. It has been designed to monitor national progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2019 survey involved 143 NHS Trusts. Out of 111,366 people, 67,858 people responded to the survey, yielding a response rate of 61%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2019. The fieldwork for the survey was undertaken between December 2019 and March 2020.

As in the previous four years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allows us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a Cancer Alliance is performing given their patient population. The factors taken into account in this case-mix adjustment are gender, age, ethnic group, deprivation, and tumour group.

Scoring methodology

Fifty-two questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q61), scores are presented as the percentage of positive responses out of all scored responses. For Q61, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's presented score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Statistical significance

In the reporting of 2019 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. Thirty-seven scored questions in 2019 have been compared with those of 2018 and a statistically significant change between the two years has been reported where identified.

For the scored questions that are comparable beyond 2018, statistically significant change over the five years has also been reported where identified. A statistically significant difference means that the change in the result is very unlikely to have occurred by sampling variation.

Suppression

Question-level suppression

For scores where the base size per question is <21, the score will be suppressed and replaced with an asterisk (*). The base size will include neutral response options.

Double suppression

If any group within a particular sub-group breakdown (such as the tumour group breakdown) has <21 responses, then the figure for this particular group is suppressed and replaced with an asterisk (*). If there is only one group within the sub-group breakdown that has <21 respondents, and is therefore suppressed, the group with the next

lowest number of respondents is also suppressed and replaced with an asterisk (*) (regardless if it is greater than or less than 21).

Understanding the results

This report shows how this Alliance scored for each question in the survey, compared with national results and previous year's results. It is aimed at helping individual Alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (in grey) and a black diamond represents the actual score for this Alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Alliance performs better than what Alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Alliance's size and demographics.

Comparability tables

The comparability tables show the 2018 and 2019 unadjusted scores for this Alliance for each scored question. If there is a significant change from 2018 and 2019 or overall from 2016 to 2019, an arrow will be presented for the direction of change. The adjusted 2019 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Tumour type tables

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. The national score for that tumour group is also shown. Unadjusted scores for the same tumour type across different Alliances may not be comparable, as they do not account for the impact that differing patient populations might have on results. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Year on year charts

The year on year charts show four columns representing the unadjusted scores of the last four years (2016, 2017, 2018 and 2019) for each scored question.

Notes on specific questions

Following the development phase of the 2019 survey, several changes were made to the questionnaire. Six scored questions were amended (Q5, Q18, Q30, Q35, Q56 and Q60) and one non-scored question (Q29) was amended that impacted the comparability of questions Q30 to Q41. Of all questions changed or impacted by change, only Q60 is presented with historical comparisons; though the results should be interpreted with caution.

Unadjusted data and case-mix adjusted data

Unadjusted data should be used to see the actual responses from patients relating to the Alliance. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Further information

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2019 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2019 questionnaire and survey guidance on the website at www.ncpes.co.uk. For all other outputs at National, Trust, CCG and Cancer Alliance level, please see the PDF reports, Excel tables and dashboards at www.ncpes.co.uk.

Response Rate

Overall Response Rate

3,899 patients responded out of a total of 5,951 patients, resulting in a response rate of 66%.

| | Sample Size | Adjusted Sample | Completed | Response Rate |
|----------|-------------|-----------------|-----------|---------------|
| Alliance | 6,362 | 5,951 | 3,899 | 66% |
| National | 119,855 | 111,366 | 67,858 | 61% |

Respondents by Survey Type

| | Number of Respondents |
|---------------------|-----------------------|
| Online | 384 |
| Paper | 3,515 |
| Phone | 0 |
| Translation Service | 0 |

Respondents by Tumour Group

| | Number of Respondents |
|------------------|-----------------------|
| Brain / CNS | 18 |
| Breast | 912 |
| Colorectal / LGT | 430 |
| Gynaecological | 204 |
| Haematological | 630 |
| Head and Neck | 120 |
| Lung | 220 |
| Prostate | 435 |
| Sarcoma | 28 |
| Skin | 127 |
| Upper Gastro | 141 |
| Urological | 250 |
| Other | 384 |

Respondents by Age and Gender


Respondents year of birth has been used to determine age. This information has been amalgamated into 8 age bands. The age and gender distribution for the Alliance was as follows:

| | Age 16-24 | Age 25-34 | Age 35-44 | Age 45-54 | Age 55-64 | Age 65-74 | Age 75-84 | Age 85+ | Total |
|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-------|
| Male | 4 | 11 | 26 | 108 | 322 | 669 | 507 | 105 | 1,752 |
| Female | 10 | 18 | 98 | 299 | 488 | 692 | 463 | 79 | 2,147 |
| Total | 14 | 29 | 124 | 407 | 810 | 1,361 | 970 | 184 | 3,899 |


Expected Range Charts



Expected Range Charts



Expected Range Charts



Comparability Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for 2018.

▲ or ▼

Change 2018-2019: Indicates where 2019 score is significantly higher or lower than 2018 score
Change Overall: Indicates significant change overall (2016, 2017, 2018 and 2019).

Adjusted Score below Lower Expected Range
Adjusted Score between Upper and Lower Expected Ranges
Adjusted Score above Upper Expected Range

| | Unadjusted Scores | | | | | | Case Mix Adjusted Scores | | | National Score |
|--|-------------------|------------|--------|------------|------------------|----------------|--------------------------|----------------------|----------------------|----------------|
| | 2018 n | 2018 Score | 2019 n | 2019 Score | Change 2018-2019 | Change Overall | 2019 Score | Lower Expected Range | Upper Expected Range | |
| SEEING YOUR GP | | | | | | | | | | |
| Q1. Saw GP once or twice before being told they needed to go to hospital | 3223 | 77% | 2796 | 80% | | | 80% | 77% | 80% | 79% |
| Q2. Patient thought they were seen as soon as necessary | 4378 | 84% | 3783 | 85% | | | 84% | 83% | 85% | 84% |
| DIAGNOSTIC TESTS | | | | | | | | | | |
| Q5. Received all the information needed about the test | ** | ** | 3219 | 95% | | | 95% | 94% | 96% | 95% |
| Q6. The length of time waiting for the test to be done was about right | 3829 | 88% | 3278 | 90% | | | 90% | 87% | 89% | 88% |
| Q7. Test results explained in completely understandable way | 3841 | 80% | 3302 | 81% | | | 81% | 78% | 82% | 80% |
| FINDING OUT WHAT WAS WRONG WITH YOU | | | | | | | | | | |
| Q10. Patient told they could bring a family member or friend when first told they had cancer | 4008 | 75% | 3543 | 75% | | | 76% | 73% | 81% | 77% |
| Q11. Patient felt they were told sensitively that they had cancer | 4408 | 85% | 3840 | 86% | | | 86% | 85% | 87% | 86% |
| Q12. Patient completely understood the explanation of what was wrong | 4457 | 75% | 3854 | 74% | | | 74% | 71% | 75% | 73% |
| Q13. Patient given easy to understand written information about the type of cancer they had | 3847 | 75% | 3403 | 76% | | | 76% | 72% | 76% | 74% |
| DECIDING THE BEST TREATMENT FOR YOU | | | | | | | | | | |
| Q14. Patient felt that treatment options were completely explained | 3871 | 83% | 3402 | 84% | | | 84% | 82% | 85% | 83% |
| Q15. Patient felt possible side effects were definitely explained in an understandable way | 4263 | 73% | 3667 | 74% | | | 74% | 71% | 74% | 73% |
| Q16. Patient definitely given practical advice and support in dealing with side effects of treatment | 4238 | 69% | 3665 | 70% | | | 70% | 64% | 70% | 67% |
| Q17. Patient definitely told about side effects that could affect them in the future | 3972 | 56% | 3455 | 58% | | ▲ | 59% | 55% | 59% | 57% |
| Q18. Patient definitely involved as much as they wanted in decisions about care and treatment | ** | ** | 3780 | 83% | | | 82% | 79% | 83% | 81% |
| CLINICAL NURSE SPECIALIST (CNS) | | | | | | | | | | |
| Q19. Patient given the name of a CNS who would support them through their treatment | 4293 | 90% | 3709 | 94% | ▲ | ▲ | 94% | 90% | 94% | 92% |
| Q20. Patient found it very or quite easy to contact their CNS | 3413 | 87% | 3133 | 87% | | | 87% | 81% | 89% | 85% |
| Q21. Patient got understandable answers to important questions all or most of the time | 3267 | 90% | 3003 | 89% | | | 88% | 85% | 90% | 87% |




Comparability Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for 2018.

▲ or ▼

Change 2018-2019: Indicates where 2019 score is significantly higher or lower than 2018 score
Change Overall: Indicates significant change overall (2016, 2017, 2018 and 2019).

| | |
|---|--|
|  | Adjusted Score below Lower Expected Range |
|  | Adjusted Score between Upper and Lower Expected Ranges |
|  | Adjusted Score above Upper Expected Range |

| | Unadjusted Scores | | | | | | Case Mix Adjusted Scores | | | National Score |
|--|-------------------|------------|--------|------------|------------------|----------------|--------------------------|----------------------|----------------------|----------------|
| | 2018 n | 2018 Score | 2019 n | 2019 Score | Change 2018-2019 | Change Overall | 2019 Score | Lower Expected Range | Upper Expected Range | |
| SUPPORT FOR PEOPLE WITH CANCER | | | | | | | | | | |
| Q22. Hospital staff gave information about support or self-help groups for people with cancer | 3525 | 90% | 3239 | 92% | | ▲ | 92% | 85% | 91% | 88% |
| Q23. Hospital staff discussed or gave information about the impact cancer could have on day to day activities | 3006 | 86% | 2656 | 87% | | ▲ | 87% | 82% | 86% | 84% |
| Q24. Hospital staff gave information on getting financial help or possible benefits | 2179 | 66% | 1975 | 71% | ▲ | ▲ | 71% | 59% | 66% | 63% |
| Q25. Hospital staff told patient they could get free prescriptions | 1976 | 85% | 1797 | 85% | | | 85% | 80% | 84% | 82% |
| OPERATIONS | | | | | | | | | | |
| Q27. Beforehand, patient had all the information needed about the operation | 2314 | 97% | 2101 | 97% | | | 97% | 95% | 97% | 96% |
| Q28. Afterwards, staff completely explained how operation had gone in understandable way | 2318 | 80% | 2094 | 82% | | | 81% | 77% | 82% | 79% |
| HOSPITAL CARE AS AN INPATIENT | | | | | | | | | | |
| Q30. Hospital staff didn't talk in front of patient as if patient wasn't there | ** | ** | 1860 | 83% | | | 83% | 81% | 86% | 84% |
| Q31. Patient had confidence and trust in all doctors treating them | ** | ** | 1862 | 84% | | | 84% | 82% | 86% | 84% |
| Q32. Patient's family or someone close definitely felt able to talk to a doctor | ** | ** | 1567 | 71% | | | 71% | 70% | 75% | 72% |
| Q33. Patient had confidence and trust in all the ward nurses treating them | ** | ** | 1864 | 76% | | | 76% | 71% | 77% | 74% |
| Q34. Patient thought there were always or nearly always enough nurses on duty to care for them | ** | ** | 1859 | 69% | | | 68% | 60% | 69% | 64% |
| Q35. All hospital staff asked patient what name they prefer to be called by | ** | ** | 1841 | 75% | | | 75% | 65% | 77% | 71% |
| Q36. Patient always given enough privacy when discussing condition or treatment | ** | ** | 1869 | 86% | | | 86% | 83% | 86% | 85% |
| Q37. Patient definitely found hospital staff to discuss worries or fears during their inpatient visit | ** | ** | 1338 | 55% | | | 55% | 49% | 55% | 52% |
| Q38. Hospital staff definitely did everything they could to help control pain | ** | ** | 1653 | 85% | | | 84% | 81% | 85% | 83% |
| Q39. Patient always felt they were treated with respect and dignity while in hospital | ** | ** | 1870 | 89% | | | 89% | 85% | 90% | 88% |
| Q40. Patient given clear written information about what should or should not do after leaving hospital | ** | ** | 1713 | 86% | | | 86% | 84% | 88% | 86% |
| Q41. Hospital staff told patient who to contact if worried about condition or treatment after leaving hospital | ** | ** | 1784 | 96% | | | 95% | 92% | 96% | 94% |

Comparability Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for 2018.

▲ or ▼

Change 2018-2019: Indicates where 2019 score is significantly higher or lower than 2018 score
Change Overall: Indicates significant change overall (2016, 2017, 2018 and 2019).

| | |
|---|--|
|  | Adjusted Score below Lower Expected Range |
|  | Adjusted Score between Upper and Lower Expected Ranges |
|  | Adjusted Score above Upper Expected Range |

| | Unadjusted Scores | | | | | | Case Mix Adjusted Scores | | | National Score |
|--|-------------------|------------|--------|------------|------------------|----------------|--------------------------|----------------------|----------------------|----------------|
| | 2018 n | 2018 Score | 2019 n | 2019 Score | Change 2018-2019 | Change Overall | 2019 Score | Lower Expected Range | Upper Expected Range | |
| HOSPITAL CARE AS A DAY PATIENT / OUTPATIENT | | | | | | | | | | |
| Q43. Patient definitely found hospital staff to discuss worries or fears during their outpatient or day case visit | 3262 | 72% | 2796 | 71% | | | 71% | 68% | 73% | 71% |
| Q44. Cancer doctor had the right documents at patient's last outpatient appointment | 3915 | 96% | 3339 | 96% | | | 96% | 95% | 97% | 96% |
| Q46. Beforehand patient completely had all information needed about radiotherapy treatment | 1221 | 86% | 1082 | 84% | | | 84% | 84% | 89% | 86% |
| Q47. Patient completely given understandable information about whether radiotherapy was working | 1017 | 60% | 933 | 62% | | | 62% | 57% | 63% | 60% |
| Q49. Beforehand patient completely had all information needed about chemotherapy treatment | 2295 | 84% | 1809 | 84% | | | 84% | 83% | 86% | 84% |
| Q50. Patient given enough information about whether chemotherapy was working in a completely understandable way | 2075 | 69% | 1668 | 69% | | | 69% | 65% | 70% | 68% |
| HOME CARE AND SUPPORT | | | | | | | | | | |
| Q51. Hospital staff definitely gave family or someone close all the information needed to help care at home | 3565 | 61% | 3093 | 62% | | ▲ | 62% | 56% | 63% | 60% |
| Q52. Patient definitely given enough support from health or social services during treatment | 2037 | 55% | 1755 | 54% | | | 54% | 46% | 58% | 52% |
| Q53. Patient definitely given enough support from health or social services after treatment | 1206 | 46% | 1130 | 49% | | ▲ | 49% | 38% | 52% | 45% |
| CARE FROM YOUR GENERAL PRACTICE | | | | | | | | | | |
| Q54. GP given enough information about patient's condition and treatment | 3696 | 96% | 3225 | 96% | | | 96% | 94% | 96% | 95% |
| Q55. General practice staff definitely did everything they could to support patient during treatment | 2996 | 62% | 2567 | 61% | | ▼ | 61% | 55% | 62% | 58% |
| YOUR OVERALL NHS CARE | | | | | | | | | | |
| Q56. Different people treating and caring for patient always work well together to give best possible care | ** | ** | 3687 | 76% | | | 76% | 70% | 75% | 73% |
| Q57. Patient given a care plan | 3442 | 34% | 2947 | 38% | ▲ | ▲ | 39% | 33% | 42% | 38% |
| Q58. Overall the administration of care was good or very good | 4407 | 89% | 3823 | 90% | | | 90% | 87% | 91% | 89% |
| Q59. Patient felt length of time for attending clinics and appointments for cancer was about right | 4377 | 71% | 3786 | 74% | | | 74% | 66% | 73% | 69% |
| Q60. Someone discussed with patient whether they would like to take part in cancer research | 4180 | 31% | 3592 | 34% | | ▲ | 34% | 23% | 37% | 30% |
| Q61. Patient's average rating of care scored from very poor to very good | 4347 | 8.9 | 3765 | 8.9 | | | 8.9 | 8.7 | 8.9 | 8.8 |

Tumour Type Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

n.a. Indicates that there were no respondents for that tumour group.

SEEING YOUR GP

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q1. Saw GP once or twice before being told they needed to go to hospital | Alliance | * | 94% | 72% | 79% | 70% | 79% | 74% | 81% | * | 88% | 82% | 81% | 80% | 80% |
| | National | 59% | 94% | 75% | 77% | 67% | 79% | 71% | 82% | 71% | 90% | 74% | 83% | 74% | 79% |
| Q2. Patient thought they were seen as soon as necessary | Alliance | * | 88% | 82% | 85% | 83% | 82% | 87% | 86% | * | 88% | 81% | 88% | 79% | 85% |
| | National | 79% | 89% | 83% | 81% | 82% | 81% | 84% | 86% | 69% | 85% | 79% | 85% | 79% | 84% |

DIAGNOSTIC TESTS

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q5. Received all the information needed about the test | Alliance | * | 96% | 95% | 94% | 96% | 95% | 96% | 94% | * | 97% | 91% | 96% | 96% | 95% |
| | National | 93% | 95% | 95% | 93% | 95% | 93% | 95% | 95% | 93% | 96% | 95% | 95% | 95% | 95% |
| Q6. The length of time waiting for the test to be done was about right | Alliance | * | 91% | 90% | 93% | 92% | 96% | 91% | 88% | * | 90% | 83% | 91% | 86% | 90% |
| | National | 84% | 91% | 88% | 86% | 89% | 88% | 87% | 87% | 81% | 87% | 84% | 87% | 86% | 88% |
| Q7. Test results explained in completely understandable way | Alliance | * | 84% | 81% | 80% | 81% | 78% | 82% | 82% | * | 90% | 73% | 78% | 78% | 81% |
| | National | 71% | 83% | 82% | 77% | 77% | 79% | 80% | 80% | 78% | 84% | 75% | 80% | 76% | 80% |

FINDING OUT WHAT WAS WRONG WITH YOU

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q10. Patient told they could bring a family member or friend when first told they had cancer | Alliance | * | 81% | 80% | 73% | 68% | 76% | 73% | 76% | * | 79% | 78% | 72% | 73% | 75% |
| | National | 85% | 82% | 82% | 71% | 71% | 71% | 77% | 79% | 73% | 69% | 76% | 73% | 75% | 77% |
| Q11. Patient felt they were told sensitively that they had cancer | Alliance | * | 88% | 87% | 84% | 84% | 88% | 86% | 88% | * | 90% | 80% | 86% | 83% | 86% |
| | National | 79% | 89% | 87% | 82% | 84% | 87% | 83% | 86% | 84% | 89% | 81% | 84% | 83% | 86% |
| Q12. Patient completely understood the explanation of what was wrong | Alliance | * | 77% | 78% | 76% | 63% | 82% | 74% | 81% | * | 82% | 74% | 82% | 68% | 74% |
| | National | 66% | 77% | 79% | 73% | 60% | 78% | 76% | 79% | 67% | 80% | 70% | 77% | 70% | 73% |
| Q13. Patient given easy to understand written information about the type of cancer they had | Alliance | * | 78% | 74% | 78% | 78% | 73% | 72% | 86% | * | 85% | 68% | 74% | 64% | 76% |
| | National | 66% | 78% | 73% | 71% | 76% | 69% | 67% | 83% | 67% | 84% | 67% | 74% | 65% | 74% |

Tumour Type Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

n.a. Indicates that there were no respondents for that tumour group.

DECIDING THE BEST TREATMENT FOR YOU

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q14. Patient felt that treatment options were completely explained | Alliance | * | 85% | 84% | 84% | 82% | 90% | 84% | 84% | * | 91% | 80% | 86% | 77% | 84% |
| | National | 85% | 85% | 85% | 85% | 82% | 87% | 84% | 83% | 83% | 89% | 81% | 83% | 79% | 83% |
| Q15. Patient felt possible side effects were definitely explained in an understandable way | Alliance | * | 75% | 75% | 74% | 73% | 74% | 77% | 73% | * | 80% | 69% | 73% | 71% | 74% |
| | National | 69% | 74% | 76% | 75% | 69% | 73% | 74% | 73% | 73% | 77% | 72% | 71% | 70% | 73% |
| Q16. Patient definitely given practical advice and support in dealing with side effects of treatment | Alliance | * | 72% | 69% | 72% | 70% | 69% | 73% | 67% | * | 82% | 64% | 64% | 67% | 70% |
| | National | 63% | 70% | 70% | 69% | 65% | 70% | 69% | 65% | 66% | 71% | 66% | 63% | 64% | 67% |
| Q17. Patient definitely told about side effects that could affect them in the future | Alliance | * | 57% | 57% | 61% | 55% | 60% | 61% | 67% | * | 72% | 48% | 57% | 56% | 58% |
| | National | 62% | 57% | 59% | 56% | 51% | 64% | 56% | 66% | 54% | 66% | 53% | 56% | 52% | 57% |
| Q18. Patient definitely involved as much as they wanted in decisions about care and treatment | Alliance | * | 81% | 84% | 82% | 84% | 79% | 84% | 84% | * | 91% | 75% | 81% | 80% | 83% |
| | National | 79% | 81% | 83% | 81% | 80% | 81% | 81% | 84% | 81% | 87% | 79% | 79% | 78% | 81% |

CLINICAL NURSE SPECIALIST (CNS)

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q19. Patient given the name of a CNS who would support them through their treatment | Alliance | * | 96% | 95% | 95% | 94% | 94% | 98% | 93% | * | 91% | 95% | 88% | 91% | 94% |
| | National | 95% | 95% | 92% | 95% | 92% | 91% | 94% | 91% | 91% | 91% | 93% | 85% | 89% | 92% |
| Q20. Patient found it very or quite easy to contact their CNS | Alliance | * | 85% | 91% | 88% | 90% | 87% | 89% | 83% | * | 97% | 82% | 84% | 85% | 87% |
| | National | 86% | 84% | 88% | 85% | 87% | 86% | 86% | 80% | 86% | 90% | 85% | 83% | 83% | 85% |
| Q21. Patient got understandable answers to important questions all or most of the time | Alliance | * | 89% | 88% | 84% | 90% | 89% | 92% | 91% | * | 97% | 82% | 89% | 86% | 89% |
| | National | 82% | 87% | 89% | 86% | 89% | 88% | 86% | 87% | 87% | 93% | 86% | 87% | 86% | 87% |

SUPPORT FOR PEOPLE WITH CANCER

| | | Tumour Group | | | | | | | | | | | | | |
|---|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q22. Hospital staff gave information about support or self-help groups for people with cancer | Alliance | * | 95% | 91% | 90% | 94% | 96% | 91% | 92% | * | 96% | 92% | 84% | 87% | 92% |
| | National | 92% | 92% | 88% | 87% | 86% | 88% | 87% | 91% | 86% | 90% | 88% | 81% | 83% | 88% |
| Q23. Hospital staff discussed or gave information about the impact cancer could have on day to day activities | Alliance | * | 89% | 86% | 88% | 90% | 90% | 87% | 90% | * | 92% | 80% | 80% | 81% | 87% |
| | National | 84% | 86% | 85% | 82% | 84% | 84% | 83% | 88% | 81% | 86% | 83% | 78% | 79% | 84% |
| Q24. Hospital staff gave information on getting financial help or possible benefits | Alliance | * | 75% | 69% | 69% | 73% | 80% | 78% | 68% | * | 76% | 69% | 49% | 67% | 71% |
| | National | 78% | 68% | 61% | 66% | 61% | 67% | 72% | 55% | 64% | 60% | 64% | 47% | 59% | 63% |
| Q25. Hospital staff told patient they could get free prescriptions | Alliance | * | 83% | 86% | 92% | 90% | 93% | 88% | 79% | * | 79% | 85% | 76% | 80% | 85% |
| | National | 82% | 81% | 83% | 79% | 87% | 84% | 86% | 80% | 78% | 71% | 84% | 73% | 81% | 82% |

Tumour Type Tables

* Indicates where a score has been suppressed because there are less than 21 responses. n.a. Indicates that there were no respondents for that tumour group.

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q27. Beforehand, patient had all the information needed about the operation | Alliance | * | 97% | 97% | 97% | 91% | 97% | 100% | 98% | * | 98% | 93% | 95% | 97% | 97% |
| | National | 96% | 97% | 96% | 96% | 94% | 96% | 95% | 97% | 95% | 96% | 96% | 95% | 95% | 96% |
| Q28. Afterwards, staff completely explained how operation had gone in understandable way | Alliance | * | 81% | 85% | 83% | 81% | 80% | 84% | 82% | * | 84% | 76% | 80% | 81% | 82% |
| | National | 76% | 79% | 83% | 79% | 78% | 79% | 79% | 78% | 80% | 82% | 79% | 76% | 77% | 79% |
| | | Tumour Group | | | | | | | | | | | | | |
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q30. Hospital staff didn't talk in front of patient as if patient wasn't there | Alliance | * | 84% | 80% | 77% | 85% | 82% | 83% | 88% | * | 100% | 77% | 87% | 82% | 83% |
| | National | 81% | 86% | 81% | 83% | 84% | 83% | 81% | 88% | 86% | 86% | 81% | 83% | 82% | 84% |
| Q31. Patient had confidence and trust in all doctors treating them | Alliance | * | 79% | 86% | 87% | 84% | 90% | 87% | 88% | * | 96% | 82% | 87% | 79% | 84% |
| | National | 82% | 83% | 85% | 83% | 82% | 87% | 83% | 89% | 86% | 85% | 81% | 85% | 80% | 84% |
| Q32. Patient's family or someone close definitely felt able to talk to a doctor | Alliance | * | 64% | 69% | 76% | 78% | 77% | 77% | 72% | * | 73% | 67% | 71% | 67% | 71% |
| | National | 67% | 72% | 73% | 72% | 74% | 75% | 74% | 72% | 71% | 74% | 73% | 71% | 69% | 72% |
| Q33. Patient had confidence and trust in all the ward nurses treating them | Alliance | * | 71% | 76% | 73% | 81% | 72% | 84% | 82% | * | 85% | 68% | 79% | 67% | 76% |
| | National | 72% | 73% | 72% | 71% | 77% | 75% | 77% | 79% | 74% | 75% | 73% | 77% | 69% | 74% |
| Q34. Patient thought there were always or nearly always enough nurses on duty to care for them | Alliance | * | 59% | 68% | 72% | 66% | 75% | 77% | 78% | * | 85% | 64% | 74% | 63% | 69% |
| | National | 68% | 64% | 62% | 63% | 63% | 65% | 68% | 72% | 65% | 70% | 65% | 66% | 60% | 64% |
| Q35. All hospital staff asked patient what name they prefer to be called by | Alliance | * | 68% | 77% | 72% | 75% | 82% | 77% | 73% | * | 78% | 77% | 82% | 74% | 75% |
| | National | 68% | 62% | 74% | 65% | 72% | 71% | 76% | 72% | 74% | 70% | 78% | 76% | 69% | 71% |
| Q36. Patient always given enough privacy when discussing condition or treatment | Alliance | * | 82% | 88% | 80% | 86% | 88% | 90% | 90% | * | 89% | 81% | 86% | 86% | 86% |
| | National | 78% | 84% | 85% | 81% | 86% | 87% | 84% | 88% | 84% | 84% | 84% | 85% | 82% | 85% |
| Q37. Patient definitely found hospital staff to discuss worries or fears during their inpatient visit | Alliance | * | 50% | 58% | 48% | 64% | 59% | 62% | 61% | * | 67% | 45% | 53% | 48% | 55% |
| | National | 45% | 51% | 55% | 51% | 56% | 52% | 49% | 53% | 54% | 51% | 53% | 49% | 46% | 52% |
| Q38. Hospital staff definitely did everything they could to help control pain | Alliance | * | 81% | 85% | 89% | 88% | 82% | 87% | 84% | * | 73% | 84% | 79% | 90% | 85% |
| | National | 85% | 83% | 84% | 82% | 82% | 80% | 84% | 85% | 83% | 85% | 82% | 81% | 82% | 83% |
| Q39. Patient always felt they were treated with respect and dignity while in hospital | Alliance | * | 85% | 89% | 88% | 92% | 87% | 90% | 94% | * | 96% | 85% | 92% | 84% | 89% |
| | National | 85% | 87% | 87% | 85% | 89% | 87% | 88% | 91% | 89% | 89% | 88% | 90% | 86% | 88% |
| Q40. Patient given clear written information about what should or should not do after leaving hospital | Alliance | * | 88% | 85% | 88% | 83% | 88% | 83% | 93% | * | 92% | 74% | 90% | 79% | 86% |
| | National | 80% | 89% | 86% | 86% | 83% | 87% | 82% | 91% | 85% | 90% | 82% | 87% | 83% | 86% |
| Q41. Hospital staff told patient who to contact if worried about condition or treatment after leaving hospital | Alliance | * | 97% | 97% | 94% | 97% | 97% | 91% | 97% | * | 96% | 92% | 95% | 93% | 96% |
| | National | 94% | 95% | 95% | 93% | 96% | 93% | 92% | 96% | 94% | 95% | 92% | 92% | 93% | 94% |

Tumour Type Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

n.a. Indicates that there were no respondents for that tumour group.

| | Tumour Group | | | | | | | | | | | | | | |
|--|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|-----|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers | |
| Q43. Patient definitely found hospital staff to discuss worries or fears during their outpatient or day case visit | Alliance | * | 68% | 73% | 71% | 77% | 75% | 74% | 71% | * | 85% | 72% | 69% | 66% | 71% |
| | National | 66% | 68% | 73% | 70% | 73% | 72% | 70% | 74% | 72% | 71% | 67% | 68% | 71% | |
| Q44. Cancer doctor had the right documents at patient's last outpatient appointment | Alliance | * | 97% | 96% | 96% | 96% | 98% | 97% | 95% | * | 98% | 95% | 94% | 96% | 96% |
| | National | 94% | 96% | 96% | 96% | 97% | 96% | 96% | 96% | 96% | 94% | 96% | 95% | 96% | |
| Q46. Beforehand patient completely had all information needed about radiotherapy treatment | Alliance | * | 86% | 73% | 84% | 86% | 91% | 84% | 80% | * | * | 80% | 87% | 83% | 84% |
| | National | 91% | 88% | 83% | 88% | 84% | 86% | 86% | 88% | 84% | 86% | 83% | 84% | 86% | |
| Q47. Patient completely given understandable information about whether radiotherapy was working | Alliance | * | 63% | 51% | 65% | 71% | 63% | 58% | 58% | * | * | 59% | * | 64% | 62% |
| | National | 56% | 60% | 57% | 61% | 62% | 63% | 59% | 60% | 67% | 57% | 52% | 59% | 59% | 60% |
| Q49. Beforehand patient completely had all information needed about chemotherapy treatment | Alliance | * | 80% | 84% | 81% | 88% | 86% | 88% | 81% | * | * | 77% | 86% | 87% | 84% |
| | National | 80% | 82% | 86% | 87% | 85% | 79% | 84% | 86% | 86% | 90% | 84% | 85% | 85% | 84% |
| Q50. Patient given enough information about whether chemotherapy was working in a completely understandable way | Alliance | * | 62% | 60% | 64% | 79% | 59% | 70% | 61% | * | * | 62% | 84% | 74% | 69% |
| | National | 54% | 62% | 64% | 68% | 75% | 57% | 67% | 66% | 71% | 79% | 61% | 68% | 69% | 68% |

| | Tumour Group | | | | | | | | | | | | | | |
|---|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|-----|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers | |
| Q51. Hospital staff definitely gave family or someone close all the information needed to help care at home | Alliance | * | 61% | 63% | 56% | 67% | 72% | 65% | 65% | * | 73% | 57% | 59% | 57% | 62% |
| | National | 58% | 58% | 63% | 57% | 62% | 67% | 59% | 61% | 62% | 65% | 60% | 59% | 55% | 60% |
| Q52. Patient definitely given enough support from health or social services during treatment | Alliance | * | 57% | 60% | 48% | 56% | 62% | 57% | 48% | * | 68% | 48% | 42% | 53% | 54% |
| | National | 42% | 52% | 60% | 45% | 51% | 59% | 50% | 48% | 53% | 57% | 54% | 48% | 51% | 52% |
| Q53. Patient definitely given enough support from health or social services after treatment | Alliance | * | 43% | 47% | 41% | 49% | 63% | 58% | 48% | * | 77% | 40% | 51% | 56% | 49% |
| | National | 39% | 41% | 53% | 39% | 43% | 56% | 40% | 46% | 48% | 59% | 47% | 44% | 44% | 45% |

| | Tumour Group | | | | | | | | | | | | | | |
|--|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|-----|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers | |
| Q54. GP given enough information about patient's condition and treatment | Alliance | * | 97% | 95% | 98% | 98% | 95% | 97% | 97% | * | 96% | 94% | 95% | 96% | 96% |
| | National | 91% | 96% | 95% | 95% | 96% | 94% | 94% | 96% | 94% | 96% | 93% | 95% | 94% | 95% |
| Q55. General practice staff definitely did everything they could to support patient during treatment | Alliance | * | 61% | 59% | 56% | 62% | 61% | 68% | 62% | * | 65% | 70% | 61% | 59% | 61% |
| | National | 55% | 58% | 59% | 56% | 56% | 59% | 56% | 64% | 56% | 65% | 59% | 59% | 55% | 58% |

Tumour Type Tables

* Indicates where a score has been suppressed because there are less than 21 responses.

n.a. Indicates that there were no respondents for that tumour group.

YOUR OVERALL NHS CARE

| | | Tumour Group | | | | | | | | | | | | | |
|--|----------|--------------|--------|------------------|----------------|----------------|---------------|------|----------|---------|------|--------------|------------|-------|-------------|
| | | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and Neck | Lung | Prostate | Sarcoma | Skin | Upper Gastro | Urological | Other | All Cancers |
| Q56. Different people treating and caring for patient always work well together to give best possible care | Alliance | * | 76% | 71% | 77% | 81% | 77% | 75% | 76% | * | 86% | 67% | 74% | 72% | 76% |
| | National | 60% | 73% | 73% | 69% | 75% | 73% | 73% | 75% | 70% | 79% | 69% | 74% | 68% | 73% |
| Q57. Patient given a care plan | Alliance | * | 36% | 41% | 32% | 39% | 42% | 35% | 46% | * | 48% | 35% | 33% | 31% | 38% |
| | National | 36% | 41% | 40% | 34% | 36% | 39% | 36% | 40% | 34% | 44% | 36% | 33% | 31% | 38% |
| Q58. Overall the administration of care was good or very good | Alliance | * | 90% | 86% | 87% | 93% | 95% | 89% | 89% | * | 93% | 87% | 86% | 90% | 90% |
| | National | 85% | 90% | 88% | 87% | 91% | 90% | 90% | 88% | 88% | 90% | 86% | 85% | 87% | 89% |
| Q59. Patient felt length of time for attending clinics and appointments for cancer was about right | Alliance | * | 73% | 76% | 70% | 71% | 81% | 77% | 76% | * | 80% | 66% | 80% | 67% | 74% |
| | National | 58% | 68% | 73% | 66% | 66% | 71% | 71% | 76% | 68% | 73% | 66% | 75% | 64% | 69% |
| Q60. Someone discussed with patient whether they would like to take part in cancer research | Alliance | * | 30% | 40% | 30% | 38% | 29% | 44% | 35% | * | 17% | 41% | 22% | 34% | 34% |
| | National | 42% | 30% | 32% | 31% | 33% | 21% | 34% | 31% | 36% | 20% | 36% | 21% | 32% | 30% |
| Q61. Patient's average rating of care scored from very poor to very good | Alliance | * | 8.9 | 8.7 | 8.8 | 9.1 | 9.0 | 8.9 | 8.8 | * | 9.2 | 8.6 | 8.7 | 8.8 | 8.9 |
| | National | 8.6 | 8.9 | 8.8 | 8.7 | 8.9 | 8.8 | 8.8 | 8.8 | 8.8 | 8.9 | 8.7 | 8.7 | 8.7 | 8.8 |

Year on Year Charts


* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.


The scores are unadjusted and based on England scores only.

SEEING YOUR GP

Q1. Saw GP once or twice before being told they needed to go to hospital



Q2. Patient thought they were seen as soon as necessary




DIAGNOSTIC TESTS


Q5. Received all the information needed about the test



Q6. The length of time waiting for the test to be done was about right



Q7. Test results explained in completely understandable way



Year on Year Charts


* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.


The scores are unadjusted and based on England scores only.

FINDING OUT WHAT WAS WRONG WITH YOU


Q10. Patient told they could bring a family member or friend when first told they had cancer




Q11. Patient felt they were told sensitively that they had cancer



Q12. Patient completely understood the explanation of what was wrong




Q13. Patient given easy to understand written information about the type of cancer they had



DECIDING THE BEST TREATMENT FOR YOU

Q14. Patient felt that treatment options were completely explained




Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.


** No score available for these years.

The scores are unadjusted and based on England scores only.


Q15. Patient felt possible side effects were definitely explained in an understandable way



Q16. Patient definitely given practical advice and support in dealing with side effects of treatment



Q17. Patient definitely told about side effects that could affect them in the future




Q18. Patient definitely involved as much as they wanted in decisions about care and treatment



CLINICAL NURSE SPECIALIST (CNS)

Q19. Patient given the name of a CNS who would support them through their treatment




Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.


** No score available for these years.

The scores are unadjusted and based on England scores only.

Q20. Patient found it very or quite easy to contact their CNS




Q21. Patient got understandable answers to important questions all or most of the time




SUPPORT FOR PEOPLE WITH CANCER


Q22. Hospital staff gave information about support or self-help groups for people with cancer



Q23. Hospital staff discussed or gave information about the impact cancer could have on day to day activities



Q24. Hospital staff gave information on getting financial help or possible benefits




Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.


The scores are unadjusted and based on England scores only.

Q25. Hospital staff told patient they could get free prescriptions




OPERATIONS

Q27. Beforehand, patient had all the information needed about the operation



Q28. Afterwards, staff completely explained how operation had gone in understandable way



HOSPITAL CARE AS AN INPATIENT

Q30. Hospital staff didn't talk in front of patient as if patient wasn't there



Q31. Patient had confidence and trust in all doctors treating them



Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.

The scores are unadjusted and based on England scores only.

Q32. Patient's family or someone close definitely felt able to talk to a doctor



Q33. Patient had confidence and trust in all the ward nurses treating them



Q34. Patient thought there were always or nearly always enough nurses on duty to care for them



Q35. All hospital staff asked patient what name they prefer to be called by



Q36. Patient always given enough privacy when discussing condition or treatment



Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.

The scores are unadjusted and based on England scores only.

Q37. Patient definitely found hospital staff to discuss worries or fears during their inpatient visit



Q38. Hospital staff definitely did everything they could to help control pain



Q39. Patient always felt they were treated with respect and dignity while in hospital



Q40. Patient given clear written information about what should or should not do after leaving hospital



Q41. Hospital staff told patient who to contact if worried about condition or treatment after leaving hospital



Year on Year Charts


* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.


The scores are unadjusted and based on England scores only.

HOSPITAL CARE AS A DAY PATIENT / OUTPATIENT


Q43. Patient definitely found hospital staff to discuss worries or fears during their outpatient or day case visit




Q44. Cancer doctor had the right documents at patient's last outpatient appointment




Q46. Beforehand patient completely had all information needed about radiotherapy treatment



Q47. Patient completely given understandable information about whether radiotherapy was working



Q49. Beforehand patient completely had all information needed about chemotherapy treatment




Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.


The scores are unadjusted and based on England scores only.

Q50. Patient given enough information about whether chemotherapy was working in a completely understandable way




HOME CARE AND SUPPORT


Q51. Hospital staff definitely gave family or someone close all the information needed to help care at home



Q52. Patient definitely given enough support from health or social services during treatment




Q53. Patient definitely given enough support from health or social services after treatment



CARE FROM YOUR GENERAL PRACTICE

Q54. GP given enough information about patient's condition and treatment




Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.

** No score available for these years.

The scores are unadjusted and based on England scores only.

Q55. General practice staff definitely did everything they could to support patient during treatment




YOUR OVERALL NHS CARE


Q56. Different people treating and caring for patient always work well together to give best possible care




Q57. Patient given a care plan



Q58. Overall the administration of care was good or very good



Q59. Patient felt length of time for attending clinics and appointments for cancer was about right




Year on Year Charts

* Indicates where a score has been suppressed because there are less than 21 responses.


** No score available for these years.

The scores are unadjusted and based on England scores only.

Q60. Someone discussed with patient whether they would like to take part in cancer research



Q61. Patient's average rating of care scored from very poor to very good



Trust Expected Range Summary

| Alliance | | Expected Range Classification | | |
|----------|---|-------------------------------|----|----|
| RA3 | Weston Area Health NHS Trust | 3 | 29 | 20 |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | | 35 | 17 |
| RBA | Taunton and Somerset NHS Foundation Trust | | 38 | 14 |
| RVJ | North Bristol NHS Trust | 2 | 41 | 9 |
| RA7 | University Hospitals Bristol NHS Foundation Trust | | 47 | 5 |
| RNZ | Salisbury NHS Foundation Trust | 1 | 45 | 6 |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 1 | 46 | 5 |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 5 | 43 | 4 |

Trust Dashboard Questions

Q61. Patient's average rating of care scored from very poor to very good

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 65,135 | 8.8 |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,765 | 8.9 |
| RA3 | Weston Area Health NHS Trust | 176 | 9.0 |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 463 | 8.9 |
| RBA | Taunton and Somerset NHS Foundation Trust | 589 | 8.9 |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 465 | 8.9 |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 791 | 8.9 |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 268 | 8.8 |
| RVJ | North Bristol NHS Trust | 548 | 8.8 |
| RNZ | Salisbury NHS Foundation Trust | 304 | 8.7 |

Q18. Patient definitely involved as much as they wanted in decisions about care and treatment

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 65,989 | 81% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,780 | 82% |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 463 | 85% |
| RVJ | North Bristol NHS Trust | 551 | 84% |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 463 | 83% |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 268 | 83% |
| RA3 | Weston Area Health NHS Trust | 181 | 82% |
| RBA | Taunton and Somerset NHS Foundation Trust | 584 | 81% |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 804 | 80% |
| RNZ | Salisbury NHS Foundation Trust | 306 | 79% |

Trust Dashboard Questions

Q19. Patient given the name of a CNS who would support them through their treatment

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 64,196 | 92% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,709 | 94% |
| RA3 | Weston Area Health NHS Trust | 176 | 98% |
| RBA | Taunton and Somerset NHS Foundation Trust | 569 | 96% |
| RVJ | North Bristol NHS Trust | 553 | 95% |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 454 | 94% |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 450 | 94% |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 790 | 93% |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 262 | 92% |
| RNZ | Salisbury NHS Foundation Trust | 298 | 91% |

Q20. Patient found it very or quite easy to contact their CNS

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 52,999 | 85% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,133 | 87% |
| RA3 | Weston Area Health NHS Trust | 164 | 94% |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 377 | 90% |
| RBA | Taunton and Somerset NHS Foundation Trust | 495 | 90% |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 227 | 90% |
| RNZ | Salisbury NHS Foundation Trust | 228 | 87% |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 695 | 85% |
| RVJ | North Bristol NHS Trust | 452 | 84% |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 372 | 83% |

Trust Dashboard Questions

Q39. Patient always felt they were treated with respect and dignity while in hospital

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 32,875 | 88% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 1,870 | 89% |
| RNZ | Salisbury NHS Foundation Trust | 120 | 94% |
| RVJ | North Bristol NHS Trust | 261 | 91% |
| RBA | Taunton and Somerset NHS Foundation Trust | 309 | 91% |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 290 | 90% |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 418 | 90% |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 106 | 88% |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 215 | 87% |
| RA3 | Weston Area Health NHS Trust | 72 | 76% |

Q41. Hospital staff told patient who to contact if worried about condition or treatment after leaving hospital

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 31,541 | 94% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 1,784 | 95% |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 204 | 98% |
| RVJ | North Bristol NHS Trust | 250 | 97% |
| RBA | Taunton and Somerset NHS Foundation Trust | 296 | 97% |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 100 | 96% |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 405 | 95% |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 272 | 95% |
| RNZ | Salisbury NHS Foundation Trust | 119 | 95% |
| RA3 | Weston Area Health NHS Trust | 67 | 89% |

Trust Dashboard Questions

| Q55. General practice staff definitely did everything they could to support patient during treatment | | | |
|--|---|--------|-------|
| Code | Name | Base | Score |
| All | National | 44,055 | 58% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 2,567 | 61% |
| RD1 | Royal United Hospitals Bath NHS Foundation Trust | 330 | 68% |
| RA7 | University Hospitals Bristol NHS Foundation Trust | 578 | 64% |
| RTE | Gloucestershire Hospitals NHS Foundation Trust | 296 | 62% |
| RBA | Taunton and Somerset NHS Foundation Trust | 396 | 62% |
| RA3 | Weston Area Health NHS Trust | 106 | 60% |
| RNZ | Salisbury NHS Foundation Trust | 208 | 59% |
| RVJ | North Bristol NHS Trust | 358 | 59% |
| RA4 | Yeovil District Hospital NHS Foundation Trust | 181 | 54% |

CCG Expected Range Summary

| CCG | | Expected Range Classification | |
|-----|---|-------------------------------|----|
| 11X | NHS Somerset CCG | 27 | 25 |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 2 | 37 |
| 11E | NHS Bath and North East Somerset CCG | 1 | 42 |
| 99N | NHS Wiltshire CCG | 1 | 47 |
| 11M | NHS Gloucestershire CCG | 4 | 47 |

CCG Dashboard Questions

| Q61. Patient's average rating of care scored from very poor to very good | | | |
|---|---|--------|-------|
| Code | Name | Base | Score |
| All | National | 65,135 | 8.8 |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,765 | 8.9 |
| 11E | NHS Bath and North East Somerset CCG | 224 | 8.9 |
| 11X | NHS Somerset CCG | 1,060 | 8.9 |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 1,262 | 8.9 |
| 11M | NHS Gloucestershire CCG | 473 | 8.9 |
| 99N | NHS Wiltshire CCG | 746 | 8.7 |
| Q18. Patient definitely involved as much as they wanted in decisions about care and treatment | | | |
| Code | Name | Base | Score |
| All | National | 65,989 | 81% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,780 | 82% |
| 11E | NHS Bath and North East Somerset CCG | 225 | 85% |
| 11X | NHS Somerset CCG | 1,059 | 82% |
| 99N | NHS Wiltshire CCG | 751 | 82% |
| 11M | NHS Gloucestershire CCG | 469 | 82% |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 1,276 | 82% |
| Q19. Patient given the name of a CNS who would support them through their treatment | | | |
| Code | Name | Base | Score |
| All | National | 64,196 | 92% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,709 | 94% |
| 11X | NHS Somerset CCG | 1,034 | 95% |
| 11E | NHS Bath and North East Somerset CCG | 217 | 95% |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 1,261 | 94% |
| 11M | NHS Gloucestershire CCG | 461 | 94% |
| 99N | NHS Wiltshire CCG | 736 | 91% |

CCG Dashboard Questions

Q20. Patient found it very or quite easy to contact their CNS

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 52,999 | 85% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 3,133 | 87% |
| 11X | NHS Somerset CCG | 899 | 90% |
| 99N | NHS Wiltshire CCG | 587 | 87% |
| 11E | NHS Bath and North East Somerset CCG | 179 | 87% |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 1,089 | 86% |
| 11M | NHS Gloucestershire CCG | 379 | 83% |

Q39. Patient always felt they were treated with respect and dignity while in hospital

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 32,875 | 88% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 1,870 | 89% |
| 11X | NHS Somerset CCG | 540 | 91% |
| 11M | NHS Gloucestershire CCG | 281 | 90% |
| 99N | NHS Wiltshire CCG | 346 | 89% |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 595 | 88% |
| 11E | NHS Bath and North East Somerset CCG | 108 | 81% |

CCG Dashboard Questions

Q41. Hospital staff told patient who to contact if worried about condition or treatment after leaving hospital

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 31,541 | 94% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 1,784 | 95% |
| 11E | NHS Bath and North East Somerset CCG | 102 | 98% |
| 11X | NHS Somerset CCG | 517 | 97% |
| 99N | NHS Wiltshire CCG | 330 | 96% |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 573 | 94% |
| 11M | NHS Gloucestershire CCG | 262 | 94% |

Q55. General practice staff definitely did everything they could to support patient during treatment

| Code | Name | Base | Score |
|-----------|---|--------|-------|
| All | National | 44,055 | 58% |
| E56000015 | Somerset, Wiltshire, Avon and Gloucestershire | 2,567 | 61% |
| 11E | NHS Bath and North East Somerset CCG | 153 | 72% |
| 15C | NHS Bristol, North Somerset and South Gloucestershire CCG | 852 | 62% |
| 99N | NHS Wiltshire CCG | 530 | 60% |
| 11M | NHS Gloucestershire CCG | 306 | 60% |
| 11X | NHS Somerset CCG | 726 | 59% |