

Cancer Patient Experience Survey

2021 Results

**Chesterfield Royal Hospital NHS
Foundation Trust**

Published July 2022

Executive Summary

Questions Above Expected Range

	Case Mix Adjusted Scores			National Score
	2021 Score	Lower Expected Range	Upper Expected Range	
Q16. Patient was told they could go back later for more information about their diagnosis	92%	77%	89%	83%
Q18. Patient found it very or quite easy to contact their main contact person	94%	78%	92%	85%
Q20. Treatment options were explained in a way the patient could completely understand	89%	76%	88%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	67%	83%	75%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	65%	41%	63%	52%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	76%	48%	73%	61%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	68%	51%	68%	60%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	65%	44%	63%	54%
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	68%	45%	65%	55%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	74%	38%	65%	51%
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	51%	16%	48%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	89%	69%	87%	78%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	71%	54%	71%	63%
Q59. Patient's average rating of care scored from very poor to very good	9.2	8.7	9.2	8.9

Chesterfield Royal Hospital NHS Foundation Trust has no scores below expected range

Introduction

The National Cancer Patient Experience Survey 2021 is the 11th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2021 survey involved 134 NHS Trusts. Out of 107,412 people, 59,352 people responded to the survey, yielding a response rate of 55%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2021. The fieldwork for the survey was undertaken between October 2021 and February 2022.

As in the previous six years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Due to the significant changes made to the questionnaire no trend data or year on year comparisons are presented in results, and comparisons to previous years' results should not be made.

Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allows us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a Trust is performing given their patient population. The factors taken into account in this case-mix adjustment are gender, age, ethnic group, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Trust. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's presented score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Suppression

Question-level suppression

For scores where the base size per question is <11, the score will be suppressed and replaced with an asterisk (*). The base size does not include non-scored response options.

Double suppression

If any group within a particular sub-group breakdown (such as the tumour group breakdown) has <11 respondents, then the figure for this particular group is suppressed and replaced with an asterisk (*).

If there is only one group within the sub-group breakdown that has <11 respondents, and is therefore suppressed, the group with the next lowest number of respondents is also suppressed and replaced with an asterisk (*) (regardless if it is greater than or less than 11).

Additional suppression

Additional suppression happens if only **one** Trust has a score suppressed. If this happens, we will suppress another Trust's results (both the Trust level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Trust.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** Trust has the 85+ age group suppressed for Q25 we will need to suppress another Trust's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this Trust scored for each question in the survey compared with national results. It is aimed at helping individual Trusts to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (in grey) and a black diamond represents the actual score for this Trust.

Trusts whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Trust performs better than what Trusts of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Trust's size and demographics.

Comparability tables

The comparability tables show the 2021 unadjusted scores for this Trust for each scored question. The adjusted 2021 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Sub-group breakdowns

Unadjusted scores are shown for tumour type, gender, age, IMD quintile and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Trusts may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour type tables

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

Gender tables

The gender tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Further information

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2021 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2021 questionnaire and survey guidance on the website at www.ncpes.co.uk. For all other outputs at Trust level, please see the Excel tables and dashboards at www.ncpes.co.uk.

Response Rate

Overall Response Rate

177 patients responded out of a total of 292 patients, resulting in a response rate of 61%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	304	292	177	61%
National	113,516	107,412	59,352	55%

Respondents by Survey Type

	Number of Respondents
Paper	159
Online	18
Phone	0
Translation Service	0
Total	177

Respondents by Tumour Group

	Number of Respondents
Brain / CNS	0
Breast	46
Colorectal / LGT	36
Gynaecological	1
Haematological	51
Head and Neck	2
Lung	0
Prostate	2
Sarcoma	0
Skin	5
Upper Gastro	1
Urological	17
Other	16
Total	177

Respondents by Age and Gender






Respondents year of birth has been used to determine age. This information has been amalgamated into 8 age bands. The age and gender distribution for the Trust was as follows:

	Age 16-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65-74	Age 75-84	Age 85+	Total
Female	0	3	3	10	19	41	19	6	101
Male	0	0	0	1	11	27	27	3	69
Non-binary	0	0	0	0	0	0	0	0	0
Prefer to self-describe	0	0	0	0	0	0	0	0	0
Prefer not to say	0	0	0	0	0	0	0	0	0
Not given	0	0	0	0	2	1	4	0	7
Total	0	3	3	11	32	69	50	9	177





Respondents by Ethnicity

	Number of Respondents
White	
English / Welsh / Scottish / Northern Irish / British	157
Irish	0
Gypsy or Irish Traveller	0
Any other White background	3
Mixed / Multiple Ethnic Groups	
White and Black Caribbean	0
White and Black African	0
White and Asian	1
Any other Mixed / multiple ethnic background	0
Asian or Asian British	
Indian	0
Pakistani	0
Bangladeshi	0
Chinese	0
Any other Asian background	0
Black / African / Caribbean / Black British	
African	0
Caribbean	0
Any other Black / African / Caribbean background	0
Other Ethnic Group	
Arab	0
Any other ethnic background	0
Not given	
Not given	16
Total	177




Expected Range Charts




Expected Range Charts



Expected Range Charts



Expected Range Charts



Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	65	82%	83%	67%	87%	77%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	100	69%	72%	55%	74%	64%

DIAGNOSTIC TESTS	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q5. Patient received all the information needed about the diagnostic test in advance	147	95%	95%	88%	97%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	154	86%	86%	78%	90%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	154	84%	83%	76%	88%	82%
Q8. Diagnostic test results were explained in a way the patient could completely understand	154	84%	83%	72%	85%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	155	94%	94%	91%	98%	94%

FINDING OUT THAT YOU HAD CANCER	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	164	77%	77%	63%	80%	71%
Q13. Patient was definitely told sensitively that they had cancer	176	80%	78%	67%	80%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	175	80%	80%	70%	83%	76%
Q15. Patient was definitely told about their diagnosis in an appropriate place	174	88%	87%	79%	90%	84%
Q16. Patient was told they could go back later for more information about their diagnosis	157	92%	92%	77%	89%	83%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q17. Patient had a main point of contact within the care team	162	88%	88%	87%	96%	92%
Q18. Patient found it very or quite easy to contact their main contact person	122	94%	94%	78%	92%	85%
Q19. Patient found advice from main contact person was very or quite helpful	131	98%	98%	92%	99%	96%

Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

Adjusted Score below Lower Expected Range

Adjusted Score between Upper and Lower Expected Ranges

Adjusted Score above Upper Expected Range

DECIDING ON THE BEST TREATMENT	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q20. Treatment options were explained in a way the patient could completely understand	161	89%	89%	76%	88%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	174	86%	85%	73%	85%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	131	85%	85%	67%	83%	75%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	80	65%	65%	41%	63%	52%

CARE PLANNING	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	157	75%	74%	65%	79%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	89	96%	95%	88%	98%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	73	100%	100%	96%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q27. Staff provided the patient with relevant information on available support	130	94%	94%	84%	95%	90%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	175	83%	82%	69%	82%	76%
Q29. Patient was offered information about how to get financial help or benefits	69	67%	69%	57%	82%	69%

HOSPITAL CARE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78	81%	80%	72%	90%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	56	77%	76%	48%	73%	61%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	76	75%	75%	60%	81%	70%
Q34. Patient was always able to get help from ward staff when needed	75	76%	76%	66%	86%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	74	74%	74%	56%	78%	67%
Q36. Hospital staff always did everything they could to help the patient control pain	61	85%	85%	77%	95%	86%
Q37. Patient was always treated with respect and dignity while in hospital	78	90%	89%	82%	96%	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	77	88%	88%	81%	96%	89%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	150	82%	81%	71%	85%	78%

Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

YOUR TREATMENT	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	110	91%	91%	84%	95%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	76	88%	88%	77%	93%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	47	89%	89%	78%	97%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	15	87%	87%	58%	99%	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	10	*	*			83%
Q42_1. Patient completely had enough understandable information about progress with surgery	107	88%	87%	78%	92%	85%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	75	81%	80%	69%	88%	79%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	47	79%	77%	68%	91%	80%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	14	79%	78%	49%	96%	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	10	*	*			79%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	169	87%	87%	69%	89%	79%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	153	78%	78%	67%	81%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	151	75%	74%	62%	77%	70%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	117	86%	86%	80%	92%	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	145	68%	68%	51%	68%	60%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	120	66%	65%	44%	63%	54%

SUPPORT WHILE AT HOME	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	98	68%	68%	45%	65%	55%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	56	73%	74%	38%	65%	51%

CARE FROM YOUR GP PRACTICE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	95	49%	50%	33%	55%	44%
Q52. Patient has had a review of cancer care by GP practice	166	22%	24%	12%	24%	18%

Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

LIVING WITH AND BEYOND CANCER	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	33	52%	51%	16%	48%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	87	90%	89%	69%	87%	78%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	138	74%	71%	54%	71%	63%

YOUR OVERALL NHS CARE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q56. The whole care team worked well together	166	94%	93%	86%	95%	91%
Q57. Administration of care was very good or good	171	93%	92%	83%	93%	88%
Q58. Cancer research opportunities were discussed with patient	68	47%	45%	29%	59%	44%
Q59. Patient's average rating of care scored from very poor to very good	166	9.2	9.2	8.7	9.2	8.9

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	n.a.	93%	83%	n.a.	57%	n.a.	n.a.	*	n.a.	*	*	*	*	82%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	n.a.	80%	67%	*	61%	*	n.a.	*	n.a.	*	*	69%	64%	69%

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q5. Patient received all the information needed about the diagnostic test in advance	n.a.	95%	94%	n.a.	100%	*	n.a.	*	n.a.	*	*	100%	83%	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	n.a.	86%	94%	n.a.	86%	*	n.a.	*	n.a.	*	*	88%	75%	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	n.a.	79%	94%	n.a.	88%	*	n.a.	*	n.a.	*	*	88%	67%	84%
Q8. Diagnostic test results were explained in a way the patient could completely understand	n.a.	86%	91%	n.a.	76%	*	n.a.	*	n.a.	*	*	81%	83%	84%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	n.a.	98%	97%	n.a.	88%	*	n.a.	*	n.a.	*	*	94%	92%	94%

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	n.a.	80%	82%	n.a.	83%	*	n.a.	*	n.a.	*	*	75%	64%	77%
Q13. Patient was definitely told sensitively that they had cancer	n.a.	87%	86%	*	74%	*	n.a.	*	n.a.	*	*	82%	63%	80%
Q14. Cancer diagnosis explained in a way the patient could completely understand	n.a.	80%	94%	*	70%	*	n.a.	*	n.a.	*	*	82%	80%	80%
Q15. Patient was definitely told about their diagnosis in an appropriate place	n.a.	93%	94%	*	82%	*	n.a.	*	n.a.	*	*	82%	87%	88%
Q16. Patient was told they could go back later for more information about their diagnosis	n.a.	95%	93%	*	94%	*	n.a.	*	n.a.	*	*	85%	86%	92%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q17. Patient had a main point of contact within the care team	n.a.	88%	97%	*	83%	*	n.a.	*	n.a.	*	*	93%	83%	88%
Q18. Patient found it very or quite easy to contact their main contact person	n.a.	100%	85%	*	97%	*	n.a.	*	n.a.	*	*	91%	*	94%
Q19. Patient found advice from main contact person was very or quite helpful	n.a.	100%	100%	*	95%	*	n.a.	*	n.a.	*	*	92%	*	98%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q20. Treatment options were explained in a way the patient could completely understand	n.a.	82%	91%	*	90%	*	n.a.	*	n.a.	*	*	93%	100%	89%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	n.a.	85%	97%	*	86%	*	n.a.	*	n.a.	*	*	76%	73%	86%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	n.a.	88%	80%	*	88%	*	n.a.	*	n.a.	*	*	83%	83%	85%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	n.a.	68%	54%	*	74%	*	n.a.	*	n.a.	*	*	*	*	65%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	n.a.	71%	88%	*	68%	*	n.a.	*	n.a.	*	*	85%	77%	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	n.a.	96%	94%	*	93%	*	n.a.	n.a.	n.a.	*	*	*	*	96%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	n.a.	100%	100%	*	100%	*	n.a.	n.a.	n.a.	*	*	*	*	100%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q27. Staff provided the patient with relevant information on available support	n.a.	93%	95%	*	93%	*	n.a.	n.a.	n.a.	*	*	*	*	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	n.a.	85%	83%	*	76%	*	n.a.	n.a.	n.a.	*	*	88%	81%	83%
Q29. Patient was offered information about how to get financial help or benefits	n.a.	89%	*	*	48%	*	n.a.	n.a.	n.a.	*	*	*	*	67%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	n.a.	88%	81%	n.a.	71%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	n.a.	*	68%	n.a.	73%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	77%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	n.a.	82%	88%	n.a.	67%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	75%
Q34. Patient was always able to get help from ward staff when needed	n.a.	80%	80%	n.a.	67%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	n.a.	88%	75%	n.a.	70%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	74%
Q36. Hospital staff always did everything they could to help the patient control pain	n.a.	92%	78%	n.a.	79%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	85%
Q37. Patient was always treated with respect and dignity while in hospital	n.a.	88%	88%	n.a.	90%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	90%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	n.a.	94%	81%	n.a.	90%	*	n.a.	n.a.	n.a.	n.a.	*	*	*	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	n.a.	82%	81%	*	91%	*	n.a.	n.a.	n.a.	*	*	79%	56%	82%

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q41_1. Beforehand patient completely had enough understandable information about surgery	n.a.	85%	97%	*	*	*	n.a.	n.a.	n.a.	*	*	83%	100%	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	n.a.	80%	79%	n.a.	92%	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	*	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	n.a.	88%	*	n.a.	*	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	*	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	n.a.	*	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	87%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	n.a.	*	n.a.	n.a.	*	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	*	*
Q42_1. Patient completely had enough understandable information about progress with surgery	n.a.	75%	93%	*	*	*	n.a.	n.a.	n.a.	*	*	92%	100%	88%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	n.a.	60%	79%	n.a.	86%	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	*	81%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	n.a.	76%	*	n.a.	*	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	*	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	n.a.	*	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	79%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	n.a.	*	n.a.	n.a.	*	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	*
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	n.a.	91%	86%	*	79%	*	n.a.	n.a.	n.a.	*	*	94%	88%	87%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	n.a.	76%	86%	*	73%	*	n.a.	n.a.	n.a.	*	*	77%	77%	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	n.a.	78%	75%	*	68%	*	n.a.	n.a.	n.a.	*	*	91%	79%	75%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	n.a.	88%	95%	*	81%	*	n.a.	n.a.	n.a.	*	*	*	*	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	n.a.	72%	73%	*	57%	*	n.a.	n.a.	n.a.	*	*	73%	*	68%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	n.a.	69%	78%	*	53%	*	n.a.	n.a.	n.a.	*	*	*	*	66%

	Tumour Type													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	n.a.	58%	81%	*	63%	*	n.a.	n.a.	n.a.	*	*	*	64%	68%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	n.a.	79%	*	*	82%	*	n.a.	n.a.	n.a.	*	*	*	*	73%

	Tumour Type													
	Brain/ CNS	Breast	Colorectal/ LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	n.a.	50%	48%	n.a.	52%	*	n.a.	n.a.	n.a.	*	*	*	*	49%
Q52. Patient has had a review of cancer care by GP practice	n.a.	25%	24%	*	20%	*	n.a.	n.a.	n.a.	*	*	13%	13%	22%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	n.a.	42%	*	*	*	*	n.a.	n.a.	n.a.	*	*	*	*	52%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	n.a.	89%	83%	*	93%	*	n.a.	n.a.	n.a.	*	*	*	*	90%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	n.a.	66%	79%	*	77%	*	n.a.	n.a.	n.a.	*	*	64%	71%	74%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q56. The whole care team worked well together	n.a.	88%	94%	*	94%	*	n.a.	*	n.a.	*	*	100%	100%	94%
Q57. Administration of care was very good or good	n.a.	93%	94%	*	90%	*	n.a.	*	n.a.	*	*	93%	100%	93%
Q58. Cancer research opportunities were discussed with patient	n.a.	35%	68%	*	43%	*	n.a.	n.a.	n.a.	*	*	*	*	47%
Q59. Patient's average rating of care scored from very poor to very good	n.a.	9.3	9.1	*	9.4	*	n.a.	*	n.a.	*	*	9.5	8.9	9.2

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	n.a.	*	*	*	86%	72%	89%	n.a.	82%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	n.a.	*	*	*	75%	66%	67%	*	69%

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q5. Patient received all the information needed about the diagnostic test in advance	n.a.	*	*	100%	97%	98%	92%	*	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	n.a.	*	*	91%	90%	88%	87%	*	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	n.a.	*	*	100%	70%	87%	87%	*	84%
Q8. Diagnostic test results were explained in a way the patient could completely understand	n.a.	*	*	82%	83%	90%	79%	*	84%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	n.a.	*	*	82%	93%	98%	95%	*	94%

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	n.a.	*	*	55%	79%	83%	77%	*	77%
Q13. Patient was definitely told sensitively that they had cancer	n.a.	*	*	73%	88%	87%	67%	*	80%
Q14. Cancer diagnosis explained in a way the patient could completely understand	n.a.	*	*	82%	81%	81%	77%	*	80%
Q15. Patient was definitely told about their diagnosis in an appropriate place	n.a.	*	*	82%	88%	94%	85%	*	88%
Q16. Patient was told they could go back later for more information about their diagnosis	n.a.	*	*	91%	93%	97%	88%	*	92%

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q17. Patient had a main point of contact within the care team	n.a.	*	*	*	79%	97%	79%	*	88%
Q18. Patient found it very or quite easy to contact their main contact person	n.a.	*	*	*	91%	92%	100%	*	94%
Q19. Patient found advice from main contact person was very or quite helpful	n.a.	*	*	*	100%	98%	97%	*	98%

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q20. Treatment options were explained in a way the patient could completely understand	n.a.	*	*	91%	94%	93%	85%	*	89%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	n.a.	*	*	82%	97%	91%	77%	*	86%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	n.a.	*	*	*	81%	87%	86%	*	85%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	n.a.	*	*	*	75%	83%	52%	*	65%

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

CARE PLANNING	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	n.a.	*	*	64%	83%	83%	65%	*	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	n.a.	*	*	*	100%	97%	85%	*	96%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	n.a.	n.a.	*	*	100%	100%	100%	*	100%

SUPPORT FROM HOSPITAL STAFF	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q27. Staff provided the patient with relevant information on available support	n.a.	*	*	*	89%	96%	97%	*	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	n.a.	*	*	55%	88%	85%	86%	*	83%
Q29. Patient was offered information about how to get financial help or benefits	n.a.	*	*	*	73%	71%	55%	*	67%

HOSPITAL CARE	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	n.a.	*	*	*	85%	82%	83%	*	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	n.a.	*	*	*	*	79%	86%	*	77%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	n.a.	*	*	*	69%	85%	63%	*	75%
Q34. Patient was always able to get help from ward staff when needed	n.a.	*	*	*	85%	72%	82%	*	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	n.a.	*	*	*	92%	76%	53%	*	74%
Q36. Hospital staff always did everything they could to help the patient control pain	n.a.	*	*	*	100%	83%	82%	*	85%
Q37. Patient was always treated with respect and dignity while in hospital	n.a.	*	*	*	100%	91%	83%	*	90%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	n.a.	*	*	*	100%	88%	83%	*	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	n.a.	*	*	*	87%	89%	73%	*	82%

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	n.a.	*	*	*	91%	92%	93%	*	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	n.a.	*	*	*	100%	88%	89%	*	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	n.a.	*	*	*	94%	93%	*	*	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	n.a.	n.a.	n.a.	*	*	*	*	n.a.	87%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	n.a.	n.a.	n.a.	n.a.	*	*	*	n.a.	*
Q42_1. Patient completely had enough understandable information about progress with surgery	n.a.	*	*	*	82%	92%	89%	*	88%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	n.a.	*	*	*	93%	84%	89%	*	81%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	n.a.	*	*	*	75%	87%	*	*	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	n.a.	n.a.	n.a.	*	*	*	*	n.a.	79%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	n.a.	n.a.	n.a.	n.a.	*	*	*	n.a.	*
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	n.a.	*	*	91%	91%	85%	87%	*	87%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	n.a.	*	*	82%	84%	81%	74%	*	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	n.a.	*	*	64%	73%	84%	68%	*	75%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	n.a.	*	*	91%	85%	98%	79%	*	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	n.a.	*	*	55%	74%	73%	64%	*	68%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	n.a.	*	*	*	69%	76%	56%	*	66%

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	n.a.	*	*	*	85%	67%	64%	*	68%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	n.a.	*	*	*	*	73%	65%	*	73%

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	n.a.	*	*	*	58%	47%	44%	*	49%
Q52. Patient has had a review of cancer care by GP practice	n.a.	*	*	*	34%	23%	13%	*	22%

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	n.a.	*	*	*	*	*	*	*	52%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	n.a.	*	*	*	95%	93%	87%	*	90%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	n.a.	*	*	64%	76%	85%	60%	*	74%

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q56. The whole care team worked well together	n.a.	*	*	73%	94%	97%	95%	*	94%
Q57. Administration of care was very good or good	n.a.	*	*	82%	94%	99%	91%	*	93%
Q58. Cancer research opportunities were discussed with patient	n.a.	*	*	*	47%	57%	31%	*	47%
Q59. Patient's average rating of care scored from very poor to very good	n.a.	*	*	9.3	9.3	9.3	9.2	*	9.2

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	82%	*	n.a.	n.a.	n.a.	*	82%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	*	n.a.	n.a.	n.a.	*	69%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	94%	*	n.a.	n.a.	n.a.	*	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	*	n.a.	n.a.	n.a.	*	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	83%	*	n.a.	n.a.	n.a.	*	84%
Q8. Diagnostic test results were explained in a way the patient could completely understand	86%	*	n.a.	n.a.	n.a.	*	84%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	*	n.a.	n.a.	n.a.	*	94%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	76%	*	n.a.	n.a.	n.a.	*	77%
Q13. Patient was definitely told sensitively that they had cancer	84%	*	n.a.	n.a.	n.a.	*	80%
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	*	n.a.	n.a.	n.a.	*	80%
Q15. Patient was definitely told about their diagnosis in an appropriate place	88%	*	n.a.	n.a.	n.a.	*	88%
Q16. Patient was told they could go back later for more information about their diagnosis	95%	*	n.a.	n.a.	n.a.	*	92%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	92%	*	n.a.	n.a.	n.a.	*	88%
Q18. Patient found it very or quite easy to contact their main contact person	95%	*	n.a.	n.a.	n.a.	*	94%
Q19. Patient found advice from main contact person was very or quite helpful	100%	*	n.a.	n.a.	n.a.	*	98%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
DECIDING ON THE BEST TREATMENT							
Q20. Treatment options were explained in a way the patient could completely understand	89%	*	n.a.	n.a.	n.a.	*	89%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	85%	*	n.a.	n.a.	n.a.	*	86%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	90%	*	n.a.	n.a.	n.a.	*	85%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	63%	*	n.a.	n.a.	n.a.	*	65%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
CARE PLANNING							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	76%	*	n.a.	n.a.	n.a.	*	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	96%	*	n.a.	n.a.	n.a.	*	96%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	*	n.a.	n.a.	n.a.	*	100%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
SUPPORT FROM HOSPITAL STAFF							
Q27. Staff provided the patient with relevant information on available support	93%	*	n.a.	n.a.	n.a.	*	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	81%	*	n.a.	n.a.	n.a.	*	83%
Q29. Patient was offered information about how to get financial help or benefits	79%	*	n.a.	n.a.	n.a.	*	67%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	83%	*	n.a.	n.a.	n.a.	*	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	66%	*	n.a.	n.a.	n.a.	*	77%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	80%	*	n.a.	n.a.	n.a.	*	75%
Q34. Patient was always able to get help from ward staff when needed	72%	*	n.a.	n.a.	n.a.	*	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	77%	*	n.a.	n.a.	n.a.	*	74%
Q36. Hospital staff always did everything they could to help the patient control pain	82%	*	n.a.	n.a.	n.a.	*	85%
Q37. Patient was always treated with respect and dignity while in hospital	83%	*	n.a.	n.a.	n.a.	*	90%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	*	n.a.	n.a.	n.a.	*	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	81%	*	n.a.	n.a.	n.a.	*	82%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	88%	*	n.a.	n.a.	n.a.	*	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	87%	*	n.a.	n.a.	n.a.	*	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	*	n.a.	n.a.	n.a.	*	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	n.a.	n.a.	n.a.	n.a.	*	87%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	n.a.	n.a.	n.a.	*	*
Q42_1. Patient completely had enough understandable information about progress with surgery	84%	*	n.a.	n.a.	n.a.	*	88%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	74%	*	n.a.	n.a.	n.a.	*	81%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	73%	*	n.a.	n.a.	n.a.	*	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	n.a.	n.a.	n.a.	n.a.	*	79%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	n.a.	n.a.	n.a.	*	*
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	88%	*	n.a.	n.a.	n.a.	*	87%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
IMMEDIATE AND LONG TERM SIDE EFFECTS							
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	*	n.a.	n.a.	n.a.	*	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	72%	*	n.a.	n.a.	n.a.	*	75%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	86%	*	n.a.	n.a.	n.a.	*	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	65%	*	n.a.	n.a.	n.a.	*	68%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	61%	*	n.a.	n.a.	n.a.	*	66%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
SUPPORT WHILE AT HOME							
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	67%	*	n.a.	n.a.	n.a.	*	68%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	74%	71%	n.a.	n.a.	n.a.	*	73%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
CARE FROM YOUR GP PRACTICE							
Q51. Patient definitely received the right amount of support from their GP practice during treatment	47%	*	n.a.	n.a.	n.a.	*	49%
Q52. Patient has had a review of cancer care by GP practice	24%	*	n.a.	n.a.	n.a.	*	22%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
LIVING WITH AND BEYOND CANCER							
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	n.a.	n.a.	n.a.	*	52%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	87%	*	n.a.	n.a.	n.a.	*	90%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	72%	*	n.a.	n.a.	n.a.	*	74%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

YOUR OVERALL NHS CARE	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q56. The whole care team worked well together	92%	*	n.a.	n.a.	n.a.	*	94%
Q57. Administration of care was very good or good	92%	*	n.a.	n.a.	n.a.	*	93%
Q58. Cancer research opportunities were discussed with patient	45%	*	n.a.	n.a.	n.a.	*	47%
Q59. Patient's average rating of care scored from very poor to very good	9.1	*	n.a.	n.a.	n.a.	*	9.2

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	*	n.a.	n.a.	n.a.	*	82%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	68%	*	n.a.	n.a.	n.a.	*	69%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	95%	*	n.a.	n.a.	n.a.	*	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	86%	*	n.a.	n.a.	n.a.	*	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	86%	*	n.a.	n.a.	n.a.	*	84%
Q8. Diagnostic test results were explained in a way the patient could completely understand	84%	*	n.a.	n.a.	n.a.	*	84%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	*	n.a.	n.a.	n.a.	*	94%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	78%	*	n.a.	n.a.	n.a.	*	77%
Q13. Patient was definitely told sensitively that they had cancer	81%	*	n.a.	n.a.	n.a.	*	80%
Q14. Cancer diagnosis explained in a way the patient could completely understand	80%	*	n.a.	n.a.	n.a.	*	80%
Q15. Patient was definitely told about their diagnosis in an appropriate place	89%	*	n.a.	n.a.	n.a.	*	88%
Q16. Patient was told they could go back later for more information about their diagnosis	93%	*	n.a.	n.a.	n.a.	*	92%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	89%	*	n.a.	n.a.	n.a.	*	88%
Q18. Patient found it very or quite easy to contact their main contact person	*	n.a.	n.a.	n.a.	n.a.	*	94%
Q19. Patient found advice from main contact person was very or quite helpful	98%	n.a.	n.a.	n.a.	n.a.	91%	98%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
DECIDING ON THE BEST TREATMENT							
Q20. Treatment options were explained in a way the patient could completely understand	90%	*	n.a.	n.a.	n.a.	*	89%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	86%	*	n.a.	n.a.	n.a.	*	86%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	*	n.a.	n.a.	n.a.	*	85%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	*	n.a.	n.a.	n.a.	*	65%

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

CARE PLANNING	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	75%	*	n.a.	n.a.	n.a.	*	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	*	n.a.	n.a.	n.a.	*	96%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	n.a.	n.a.	n.a.	n.a.	*	100%

SUPPORT FROM HOSPITAL STAFF	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	93%	*	n.a.	n.a.	n.a.	100%	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	82%	*	n.a.	n.a.	n.a.	*	83%
Q29. Patient was offered information about how to get financial help or benefits	*	*	n.a.	n.a.	n.a.	*	67%

HOSPITAL CARE	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	n.a.	n.a.	n.a.	n.a.	*	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	n.a.	n.a.	n.a.	n.a.	*	77%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	n.a.	n.a.	n.a.	n.a.	*	75%
Q34. Patient was always able to get help from ward staff when needed	*	n.a.	n.a.	n.a.	n.a.	*	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	n.a.	n.a.	n.a.	n.a.	*	74%
Q36. Hospital staff always did everything they could to help the patient control pain	*	n.a.	n.a.	n.a.	n.a.	*	85%
Q37. Patient was always treated with respect and dignity while in hospital	*	n.a.	n.a.	n.a.	n.a.	*	90%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	n.a.	n.a.	n.a.	n.a.	*	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	81%	*	n.a.	n.a.	n.a.	*	82%

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

YOUR TREATMENT	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	n.a.	n.a.	n.a.	n.a.	*	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	n.a.	n.a.	n.a.	n.a.	*	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	n.a.	n.a.	n.a.	n.a.	*	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	n.a.	n.a.	n.a.	n.a.	*	87%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	n.a.	n.a.	n.a.	*	*
Q42_1. Patient completely had enough understandable information about progress with surgery	*	n.a.	n.a.	n.a.	n.a.	*	88%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	n.a.	n.a.	n.a.	n.a.	*	81%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	n.a.	n.a.	n.a.	n.a.	*	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	n.a.	n.a.	n.a.	n.a.	*	79%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	n.a.	n.a.	n.a.	*	*
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	87%	*	n.a.	n.a.	n.a.	*	87%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	*	n.a.	n.a.	n.a.	*	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	73%	*	n.a.	n.a.	n.a.	92%	75%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	*	n.a.	n.a.	n.a.	85%	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	69%	*	n.a.	n.a.	n.a.	*	68%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	*	n.a.	n.a.	n.a.	*	66%

SUPPORT WHILE AT HOME	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	*	n.a.	n.a.	n.a.	*	68%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	*	n.a.	n.a.	n.a.	*	73%

CARE FROM YOUR GP PRACTICE	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	*	n.a.	n.a.	n.a.	*	49%
Q52. Patient has had a review of cancer care by GP practice	22%	*	n.a.	n.a.	n.a.	*	22%

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

LIVING WITH AND BEYOND CANCER	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	n.a.	n.a.	n.a.	*	52%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	88%	*	n.a.	n.a.	n.a.	*	90%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	75%	*	n.a.	n.a.	n.a.	*	74%

YOUR OVERALL NHS CARE	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	93%	*	n.a.	n.a.	n.a.	*	94%
Q57. Administration of care was very good or good	94%	*	n.a.	n.a.	n.a.	*	93%
Q58. Cancer research opportunities were discussed with patient	48%	*	n.a.	n.a.	n.a.	*	47%
Q59. Patient's average rating of care scored from very poor to very good	9.2	*	n.a.	n.a.	n.a.	*	9.2

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	*	75%	86%	81%	n.a.	82%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	76%	87%	56%	71%	64%	n.a.	69%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	100%	96%	90%	91%	100%	n.a.	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	84%	93%	88%	84%	84%	n.a.	86%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	96%	81%	81%	82%	85%	n.a.	84%
Q8. Diagnostic test results were explained in a way the patient could completely understand	84%	89%	78%	84%	85%	n.a.	84%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	96%	96%	91%	95%	94%	n.a.	94%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	71%	89%	78%	74%	77%	n.a.	77%
Q13. Patient was definitely told sensitively that they had cancer	77%	84%	78%	79%	79%	n.a.	80%
Q14. Cancer diagnosis explained in a way the patient could completely understand	84%	81%	84%	79%	75%	n.a.	80%
Q15. Patient was definitely told about their diagnosis in an appropriate place	92%	91%	83%	86%	90%	n.a.	88%
Q16. Patient was told they could go back later for more information about their diagnosis	91%	93%	91%	95%	91%	n.a.	92%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	91%	90%	85%	85%	92%	n.a.	88%
Q18. Patient found it very or quite easy to contact their main contact person	100%	88%	95%	90%	100%	n.a.	94%
Q19. Patient found advice from main contact person was very or quite helpful	95%	100%	100%	97%	97%	n.a.	98%

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
DECIDING ON THE BEST TREATMENT							
Q20. Treatment options were explained in a way the patient could completely understand	86%	97%	86%	85%	94%	n.a.	89%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	87%	88%	84%	88%	83%	n.a.	86%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	89%	92%	93%	66%	87%	n.a.	85%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	75%	79%	67%	45%	69%	n.a.	65%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
CARE PLANNING							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	86%	74%	61%	74%	83%	n.a.	75%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	100%	100%	94%	86%	100%	n.a.	96%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	100%	100%	100%	100%	n.a.	100%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
SUPPORT FROM HOSPITAL STAFF							
Q27. Staff provided the patient with relevant information on available support	89%	96%	93%	90%	100%	n.a.	94%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	88%	91%	78%	78%	83%	n.a.	83%
Q29. Patient was offered information about how to get financial help or benefits	57%	72%	64%	*	*	n.a.	67%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
HOSPITAL CARE							
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	86%	86%	79%	72%	85%	n.a.	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	75%	77%	69%	*	n.a.	77%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	77%	85%	63%	72%	85%	n.a.	75%
Q34. Patient was always able to get help from ward staff when needed	92%	93%	58%	67%	83%	n.a.	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	79%	83%	68%	69%	77%	n.a.	74%
Q36. Hospital staff always did everything they could to help the patient control pain	*	91%	83%	79%	*	n.a.	85%
Q37. Patient was always treated with respect and dignity while in hospital	100%	93%	95%	72%	92%	n.a.	90%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	79%	93%	95%	83%	92%	n.a.	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	86%	93%	79%	71%	85%	n.a.	82%

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

YOUR TREATMENT	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	100%	89%	100%	85%	86%	n.a.	91%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	75%	100%	100%	81%	77%	n.a.	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	92%	92%	*	n.a.	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	*	*	*	n.a.	87%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	n.a.	*	*	*	*	n.a.	*
Q42_1. Patient completely had enough understandable information about progress with surgery	100%	89%	87%	83%	86%	n.a.	88%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	75%	100%	75%	81%	77%	n.a.	81%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	*	77%	67%	*	n.a.	79%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	*	*	*	n.a.	79%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	n.a.	*	*	*	*	n.a.	*
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	83%	94%	92%	87%	80%	n.a.	87%

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	80%	82%	82%	77%	69%	n.a.	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	86%	70%	81%	69%	73%	n.a.	75%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	86%	83%	89%	85%	n.a.	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	71%	73%	64%	61%	73%	n.a.	68%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	83%	74%	44%	60%	72%	n.a.	66%

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	77%	76%	70%	56%	63%	n.a.	68%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	75%	64%	*	82%	n.a.	73%

CARE FROM YOUR GP PRACTICE	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	45%	50%	41%	52%	60%	n.a.	49%
Q52. Patient has had a review of cancer care by GP practice	9%	32%	23%	26%	15%	n.a.	22%

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	*	*	*	n.a.	52%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	*	83%	90%	86%	n.a.	90%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	65%	75%	63%	80%	82%	n.a.	74%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q56. The whole care team worked well together	96%	94%	91%	97%	92%	n.a.	94%
Q57. Administration of care was very good or good	92%	97%	91%	95%	90%	n.a.	93%
Q58. Cancer research opportunities were discussed with patient	*	46%	*	47%	53%	n.a.	47%
Q59. Patient's average rating of care scored from very poor to very good	9.5	9.2	8.9	9.3	9.3	n.a.	9.2