

Cancer Patient Experience Survey

2021 Results

**Oxford University Hospitals NHS
Foundation Trust**

Published July 2022

Executive Summary

Questions Above Expected Range

	Case Mix Adjusted Scores			National Score
	2021 Score	Lower Expected Range	Upper Expected Range	
Q3. Referral for diagnosis was explained in a way the patient could completely understand	70%	61%	67%	64%
Q5. Patient received all the information needed about the diagnostic test in advance	95%	91%	94%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	86%	82%	86%	84%
Q8. Diagnostic test results were explained in a way the patient could completely understand	82%	76%	81%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	97%	93%	96%	94%
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	74%	79%	76%
Q27. Staff provided the patient with relevant information on available support	93%	88%	92%	90%
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	87%	77%	85%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	68%	56%	65%	61%
Q35. Patient was always able to discuss worries and fears with hospital staff	71%	63%	71%	67%
Q37. Patient was always treated with respect and dignity while in hospital	93%	87%	92%	89%
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	78%	72%	77%	74%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	84%	88%	86%
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	60%	51%	59%	55%
Q51. Patient definitely received the right amount of support from their GP practice during treatment	52%	38%	49%	44%
Q52. Patient has had a review of cancer care by GP practice	21%	16%	20%	18%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	75%	81%	78%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	66%	60%	65%	63%
Q56. The whole care team worked well together	93%	89%	92%	91%
Q58. Cancer research opportunities were discussed with patient	60%	35%	54%	44%

Oxford University Hospitals NHS Foundation Trust has no scores below expected range

Introduction

The National Cancer Patient Experience Survey 2021 is the 11th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2021 survey involved 134 NHS Trusts. Out of 107,412 people, 59,352 people responded to the survey, yielding a response rate of 55%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2021. The fieldwork for the survey was undertaken between October 2021 and February 2022.

As in the previous six years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Due to the significant changes made to the questionnaire no trend data or year on year comparisons are presented in results, and comparisons to previous years' results should not be made.

Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allows us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a Trust is performing given their patient population. The factors taken into account in this case-mix adjustment are gender, age, ethnic group, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Trust. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's presented score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

Suppression

Question-level suppression

For scores where the base size per question is <11, the score will be suppressed and replaced with an asterisk (*). The base size does not include non-scored response options.

Double suppression

If any group within a particular sub-group breakdown (such as the tumour group breakdown) has <11 respondents, then the figure for this particular group is suppressed and replaced with an asterisk (*).

If there is only one group within the sub-group breakdown that has <11 respondents, and is therefore suppressed, the group with the next lowest number of respondents is also suppressed and replaced with an asterisk (*) (regardless if it is greater than or less than 11).

Additional suppression

Additional suppression happens if only **one** Trust has a score suppressed. If this happens, we will suppress another Trust's results (both the Trust level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Trust.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** Trust has the 85+ age group suppressed for Q25 we will need to suppress another Trust's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this Trust scored for each question in the survey compared with national results. It is aimed at helping individual Trusts to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (in grey) and a black diamond represents the actual score for this Trust.

Trusts whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Trust performs better than what Trusts of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Trust's size and demographics.

Comparability tables

The comparability tables show the 2021 unadjusted scores for this Trust for each scored question. The adjusted 2021 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Sub-group breakdowns

Unadjusted scores are shown for tumour type, gender, age, IMD quintile and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Trusts may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour type tables

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

Gender tables

The gender tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Further information

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2021 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2021 questionnaire and survey guidance on the website at www.ncpes.co.uk. For all other outputs at Trust level, please see the Excel tables and dashboards at www.ncpes.co.uk.

Response Rate

Overall Response Rate

1,294 patients responded out of a total of 2,203 patients, resulting in a response rate of 59%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	2,318	2,203	1,294	59%
National	113,516	107,412	59,352	55%

Respondents by Survey Type

	Number of Respondents
Paper	1,000
Online	292
Phone	2
Translation Service	0
Total	1,294

Respondents by Tumour Group

	Number of Respondents
Brain / CNS	23
Breast	278
Colorectal / LGT	141
Gynaecological	50
Haematological	131
Head and Neck	58
Lung	51
Prostate	180
Sarcoma	34
Skin	64
Upper Gastro	59
Urological	88
Other	137
Total	1,294

Respondents by Age and Gender





Respondents year of birth has been used to determine age. This information has been amalgamated into 8 age bands. The age and gender distribution for the Trust was as follows:

	Age 16-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65-74	Age 75-84	Age 85+	Total
Female	8	15	31	80	145	183	118	20	600
Male	6	2	7	35	108	243	200	44	645
Non-binary	0	0	2	0	0	0	0	0	2
Prefer to self-describe	0	0	0	0	0	0	0	0	0
Prefer not to say	0	0	0	1	0	0	0	0	1
Not given	1	1	1	3	12	11	13	4	46
Total	15	18	41	119	265	437	331	68	1,294






Respondents by Ethnicity

	Number of Respondents
White	
English / Welsh / Scottish / Northern Irish / British	1,106
Irish	13
Gypsy or Irish Traveller	0
Any other White background	48
Mixed / Multiple Ethnic Groups	
White and Black Caribbean	3
White and Black African	0
White and Asian	3
Any other Mixed / multiple ethnic background	1
Asian or Asian British	
Indian	8
Pakistani	7
Bangladeshi	1
Chinese	2
Any other Asian background	10
Black / African / Caribbean / Black British	
African	7
Caribbean	6
Any other Black / African / Caribbean background	1
Other Ethnic Group	
Arab	1
Any other ethnic background	2
Not given	
Not given	75
Total	1,294




Expected Range Charts






Expected Range Charts



Expected Range Charts



Expected Range Charts



Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	668	78%	76%	74%	80%	77%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	863	72%	70%	61%	67%	64%

DIAGNOSTIC TESTS	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q5. Patient received all the information needed about the diagnostic test in advance	1020	95%	95%	91%	94%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	1062	87%	86%	82%	86%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	1057	83%	84%	80%	84%	82%
Q8. Diagnostic test results were explained in a way the patient could completely understand	1060	82%	82%	76%	81%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	1061	97%	97%	93%	96%	94%

FINDING OUT THAT YOU HAD CANCER	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	1151	67%	68%	66%	77%	71%
Q13. Patient was definitely told sensitively that they had cancer	1270	73%	74%	71%	76%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	1275	79%	79%	74%	79%	76%
Q15. Patient was definitely told about their diagnosis in an appropriate place	1266	84%	84%	82%	86%	84%
Q16. Patient was told they could go back later for more information about their diagnosis	1136	82%	82%	80%	86%	83%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q17. Patient had a main point of contact within the care team	1228	91%	91%	90%	94%	92%
Q18. Patient found it very or quite easy to contact their main contact person	1005	85%	85%	82%	88%	85%
Q19. Patient found advice from main contact person was very or quite helpful	1060	97%	97%	95%	97%	96%

Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

DECIDING ON THE BEST TREATMENT	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q20. Treatment options were explained in a way the patient could completely understand	1207	83%	83%	80%	84%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	1271	82%	82%	76%	82%	79%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	1031	76%	76%	71%	78%	75%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	591	55%	56%	48%	57%	52%

CARE PLANNING	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	1131	72%	72%	69%	74%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	649	94%	94%	91%	95%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	511	98%	98%	98%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q27. Staff provided the patient with relevant information on available support	1054	93%	93%	88%	92%	90%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	1266	78%	78%	73%	79%	76%
Q29. Patient was offered information about how to get financial help or benefits	567	75%	74%	63%	76%	69%

HOSPITAL CARE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	559	86%	87%	77%	85%	81%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	447	67%	68%	56%	65%	61%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	548	72%	72%	66%	74%	70%
Q34. Patient was always able to get help from ward staff when needed	548	79%	80%	72%	80%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	523	70%	71%	63%	71%	67%
Q36. Hospital staff always did everything they could to help the patient control pain	482	86%	87%	83%	89%	86%
Q37. Patient was always treated with respect and dignity while in hospital	553	92%	93%	87%	92%	89%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	544	90%	90%	86%	91%	89%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	1098	78%	79%	75%	81%	78%

Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

YOUR TREATMENT	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	771	90%	90%	87%	92%	89%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	480	84%	84%	82%	88%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	610	87%	87%	85%	90%	88%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	263	78%	78%	73%	83%	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	115	85%	86%	76%	90%	83%
Q42_1. Patient completely had enough understandable information about progress with surgery	758	86%	86%	82%	87%	85%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	469	77%	78%	75%	82%	79%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	599	78%	79%	76%	83%	80%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	252	68%	68%	67%	78%	72%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	115	82%	83%	71%	86%	79%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	1264	82%	81%	71%	87%	79%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	1217	78%	78%	72%	77%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	1157	72%	73%	67%	73%	70%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	913	89%	89%	84%	88%	86%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	1137	61%	61%	56%	63%	60%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	966	55%	55%	50%	57%	54%

SUPPORT WHILE AT HOME	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	764	60%	60%	51%	59%	55%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	434	53%	51%	47%	56%	51%

CARE FROM YOUR GP PRACTICE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	709	53%	52%	38%	49%	44%
Q52. Patient has had a review of cancer care by GP practice	1217	21%	21%	16%	20%	18%

Comparability tables

* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

LIVING WITH AND BEYOND CANCER	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	259	34%	33%	26%	38%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	732	82%	82%	75%	81%	78%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	1070	66%	66%	60%	65%	63%

YOUR OVERALL NHS CARE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q56. The whole care team worked well together	1217	93%	93%	89%	92%	91%
Q57. Administration of care was very good or good	1270	88%	89%	86%	91%	88%
Q58. Cancer research opportunities were discussed with patient	831	58%	60%	35%	54%	44%
Q59. Patient's average rating of care scored from very poor to very good	1230	9.0	9.0	8.8	9.1	8.9

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	94%	75%	59%	67%	81%	*	77%	63%	88%	77%	84%	73%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	85%	70%	67%	55%	67%	50%	80%	*	72%	77%	61%	72%	72%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q5. Patient received all the information needed about the diagnostic test in advance	86%	91%	95%	95%	96%	100%	93%	96%	92%	94%	100%	96%	94%	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	62%	90%	89%	80%	81%	88%	80%	89%	85%	80%	93%	91%	84%	87%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	79%	83%	90%	70%	87%	86%	72%	83%	81%	70%	85%	86%	84%	83%
Q8. Diagnostic test results were explained in a way the patient could completely understand	57%	83%	84%	82%	74%	88%	75%	85%	80%	85%	78%	80%	83%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	98%	95%	100%	98%	98%	93%	97%	92%	96%	100%	96%	95%	97%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	81%	62%	75%	65%	68%	67%	83%	67%	71%	54%	87%	59%	63%	67%
Q13. Patient was definitely told sensitively that they had cancer	59%	79%	73%	55%	72%	76%	74%	70%	75%	73%	85%	71%	70%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	67%	85%	81%	73%	67%	84%	73%	80%	67%	81%	84%	86%	78%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	82%	85%	81%	79%	89%	91%	88%	79%	76%	86%	90%	87%	77%	84%
Q16. Patient was told they could go back later for more information about their diagnosis	90%	88%	81%	79%	84%	77%	76%	87%	57%	80%	91%	78%	74%	82%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q17. Patient had a main point of contact within the care team	100%	95%	99%	98%	93%	87%	88%	82%	84%	95%	93%	82%	84%	91%
Q18. Patient found it very or quite easy to contact their main contact person	81%	86%	87%	91%	85%	88%	77%	81%	88%	84%	90%	86%	81%	85%
Q19. Patient found advice from main contact person was very or quite helpful	95%	96%	98%	95%	97%	95%	97%	96%	96%	95%	98%	100%	95%	97%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q20. Treatment options were explained in a way the patient could completely understand	64%	83%	91%	78%	77%	84%	76%	83%	69%	90%	91%	84%	85%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	82%	86%	74%	78%	77%	82%	81%	82%	90%	81%	86%	81%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	78%	68%	82%	79%	72%	76%	76%	82%	68%	78%	74%	84%	77%	76%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	64%	58%	57%	37%	49%	29%	48%	58%	50%	70%	74%	56%	55%	55%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	65%	72%	78%	55%	71%	68%	79%	70%	68%	83%	81%	69%	72%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	88%	93%	97%	83%	97%	88%	95%	92%	100%	100%	98%	98%	91%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	97%	100%	100%	100%	96%	95%	99%	91%	100%	100%	100%	98%	98%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q27. Staff provided the patient with relevant information on available support	89%	93%	88%	89%	96%	89%	85%	97%	92%	93%	98%	95%	89%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	68%	73%	79%	70%	81%	79%	86%	77%	79%	83%	86%	86%	74%	78%
Q29. Patient was offered information about how to get financial help or benefits	*	80%	61%	81%	73%	73%	70%	72%	*	75%	95%	53%	75%	75%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	83%	85%	93%	86%	75%	85%	84%	87%	91%	87%	91%	94%	79%	86%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	56%	77%	63%	55%	75%	64%	62%	78%	*	75%	84%	67%	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	47%	71%	84%	60%	59%	64%	71%	78%	76%	67%	72%	85%	73%	72%
Q34. Patient was always able to get help from ward staff when needed	82%	78%	84%	76%	68%	78%	78%	87%	86%	67%	81%	81%	74%	79%
Q35. Patient was always able to discuss worries and fears with hospital staff	69%	67%	81%	63%	63%	67%	59%	74%	81%	62%	76%	69%	70%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	79%	84%	94%	74%	80%	79%	75%	93%	94%	77%	95%	98%	84%	86%
Q37. Patient was always treated with respect and dignity while in hospital	88%	92%	97%	83%	91%	89%	96%	89%	90%	87%	98%	98%	91%	92%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	88%	95%	79%	94%	93%	87%	89%	100%	80%	88%	89%	90%	90%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	71%	70%	85%	58%	82%	70%	79%	84%	71%	83%	87%	76%	86%	78%

	Tumour Type													All Cancers
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	
Q41_1. Beforehand patient completely had enough understandable information about surgery	79%	89%	97%	87%	88%	91%	72%	91%	83%	94%	89%	93%	87%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	87%	76%	81%	76%	87%	83%	95%	91%	*	*	93%	81%	84%	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	78%	87%	89%	75%	97%	88%	80%	87%	*	*	90%	74%	96%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	75%	*	*	*	*	n.a.	80%	n.a.	*	*	*	*	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	n.a.	74%	*	*	91%	*	*	*	*	89%	*	*	85%	85%
Q42_1. Patient completely had enough understandable information about progress with surgery	78%	84%	93%	84%	88%	93%	56%	89%	83%	89%	86%	89%	84%	86%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	73%	68%	77%	76%	85%	83%	82%	*	82%	*	81%	70%	78%	77%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	82%	82%	74%	83%	91%	83%	72%	72%	*	*	76%	67%	83%	78%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	67%	*	*	*	*	n.a.	68%	n.a.	*	*	*	*	68%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	n.a.	75%	*	*	87%	*	*	*	*	89%	*	*	77%	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	77%	81%	86%	69%	75%	81%	82%	88%	84%	84%	83%	81%	81%	82%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	73%	76%	78%	78%	73%	77%	77%	83%	77%	83%	81%	75%	80%	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	55%	74%	74%	70%	65%	80%	68%	70%	78%	64%	84%	79%	72%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	93%	90%	80%	88%	89%	90%	91%	77%	89%	94%	86%	85%	89%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	58%	65%	62%	54%	70%	55%	69%	50%	63%	64%	65%	54%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	55%	54%	63%	55%	50%	67%	56%	55%	48%	41%	55%	51%	52%	55%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	73%	48%	65%	53%	62%	66%	61%	61%	72%	75%	75%	56%	54%	60%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	64%	51%	56%	60%	45%	48%	50%	42%	57%	56%	69%	50%	56%	53%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	54%	51%	55%	59%	53%	52%	55%	49%	57%	41%	60%	59%	56%	53%
Q52. Patient has had a review of cancer care by GP practice	27%	25%	19%	28%	19%	25%	24%	23%	18%	23%	18%	11%	19%	21%

Tumour type tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	26%	31%	*	28%	17%	*	40%	50%	*	57%	38%	33%	34%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	79%	85%	74%	81%	86%	75%	79%	*	94%	93%	83%	88%	82%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	80%	58%	66%	57%	67%	48%	63%	63%	58%	82%	71%	72%	80%	66%

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q56. The whole care team worked well together	91%	93%	97%	90%	93%	91%	94%	92%	91%	89%	95%	91%	92%	93%
Q57. Administration of care was very good or good	68%	88%	91%	82%	91%	91%	88%	89%	88%	89%	86%	86%	87%	88%
Q58. Cancer research opportunities were discussed with patient	32%	47%	73%	56%	74%	37%	63%	50%	75%	60%	73%	59%	60%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.1	9.0	9.2	8.6	9.1	9.0	8.9	8.9	8.9	9.1	9.0	8.9	9.0	9.0

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

SUPPORT FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	58%	50%	78%	78%	79%	82%	77%	71%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	*	69%	71%	79%	71%	72%	60%	72%

DIAGNOSTIC TESTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	87%	100%	84%	92%	94%	96%	95%	96%	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	60%	69%	78%	87%	89%	87%	87%	83%	87%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	73%	92%	68%	76%	80%	86%	84%	98%	83%
Q8. Diagnostic test results were explained in a way the patient could completely understand	60%	100%	64%	79%	83%	84%	83%	76%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	86%	100%	94%	93%	96%	98%	97%	100%	97%

FINDING OUT THAT YOU HAD CANCER	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	87%	61%	61%	51%	63%	72%	70%	71%	67%
Q13. Patient was definitely told sensitively that they had cancer	43%	67%	63%	66%	71%	75%	77%	78%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	67%	88%	71%	79%	78%	81%	79%	77%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	80%	83%	70%	82%	79%	85%	86%	91%	84%
Q16. Patient was told they could go back later for more information about their diagnosis	83%	89%	70%	85%	84%	85%	79%	71%	82%

SUPPORT FROM A MAIN CONTACT PERSON	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	100%	100%	90%	89%	95%	91%	88%	85%	91%
Q18. Patient found it very or quite easy to contact their main contact person	71%	88%	75%	89%	82%	86%	86%	87%	85%
Q19. Patient found advice from main contact person was very or quite helpful	93%	88%	97%	92%	96%	97%	99%	100%	97%

DECIDING ON THE BEST TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	71%	83%	68%	83%	82%	86%	83%	79%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	67%	82%	61%	83%	79%	85%	83%	83%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	54%	67%	48%	68%	72%	80%	80%	84%	76%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	*	36%	56%	53%	56%	58%	46%	55%

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

CARE PLANNING	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	92%	50%	53%	73%	69%	77%	73%	67%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	*	92%	95%	90%	96%	97%	93%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	*	100%	93%	98%	98%	100%	100%	98%

SUPPORT FROM HOSPITAL STAFF	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	100%	88%	80%	87%	92%	95%	95%	97%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	62%	72%	61%	71%	73%	81%	83%	83%	78%
Q29. Patient was offered information about how to get financial help or benefits	92%	67%	80%	79%	72%	81%	69%	47%	75%

HOSPITAL CARE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	45%	73%	82%	84%	85%	89%	88%	96%	86%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	47%	60%	65%	68%	72%	86%	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	*	41%	73%	71%	76%	71%	76%	72%
Q34. Patient was always able to get help from ward staff when needed	82%	50%	68%	80%	80%	80%	80%	80%	79%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	*	57%	69%	71%	73%	69%	61%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	61%	79%	87%	90%	90%	95%	86%
Q37. Patient was always treated with respect and dignity while in hospital	82%	87%	86%	92%	92%	93%	94%	88%	92%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	*	86%	88%	91%	96%	85%	84%	90%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	77%	54%	57%	77%	72%	82%	83%	73%	78%

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	64%	83%	77%	85%	86%	95%	92%	86%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	*	87%	77%	87%	83%	83%	*	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	86%	79%	86%	89%	89%	73%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	*	59%	78%	84%	81%	*	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	*	79%	87%	86%	88%	*	85%
Q42_1. Patient completely had enough understandable information about progress with surgery	*	*	54%	84%	84%	93%	83%	94%	86%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	*	68%	78%	80%	79%	68%	*	77%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	*	67%	80%	79%	80%	78%	63%	78%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	*	53%	72%	70%	72%	*	68%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	*	77%	84%	86%	83%	*	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	71%	72%	80%	79%	80%	86%	80%	75%	82%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	71%	83%	63%	79%	78%	81%	77%	67%	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	50%	88%	59%	79%	71%	76%	68%	69%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	83%	100%	85%	89%	87%	93%	87%	86%	89%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	50%	71%	45%	61%	58%	63%	62%	57%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	38%	47%	40%	61%	52%	57%	55%	50%	55%

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	45%	31%	35%	49%	60%	63%	64%	69%	60%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	*	37%	65%	51%	53%	56%	54%	53%

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	*	54%	55%	56%	53%	52%	47%	53%
Q52. Patient has had a review of cancer care by GP practice	17%	28%	18%	21%	21%	23%	19%	24%	21%

Age group tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
LIVING WITH AND BEYOND CANCER									
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	29%	38%	19%	41%	43%	40%	34%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	*	68%	83%	81%	85%	85%	76%	82%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	36%	56%	31%	58%	64%	73%	66%	67%	66%

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
YOUR OVERALL NHS CARE									
Q56. The whole care team worked well together	86%	89%	92%	90%	92%	93%	94%	94%	93%
Q57. Administration of care was very good or good	79%	83%	83%	89%	85%	90%	88%	94%	88%
Q58. Cancer research opportunities were discussed with patient	75%	47%	44%	53%	60%	59%	62%	47%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.4	8.5	8.7	8.8	8.8	9.1	9.1	8.9	9.0

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	81%	76%	*	n.a.	n.a.	*	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	75%	70%	*	n.a.	n.a.	*	72%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	93%	97%	*	n.a.	*	89%	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	86%	87%	*	n.a.	*	89%	87%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	82%	84%	*	n.a.	*	81%	83%
Q8. Diagnostic test results were explained in a way the patient could completely understand	82%	81%	*	n.a.	*	83%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	97%	97%	*	n.a.	*	94%	97%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	65%	70%	*	n.a.	*	57%	67%
Q13. Patient was definitely told sensitively that they had cancer	74%	73%	*	n.a.	*	65%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	80%	80%	*	n.a.	*	70%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	83%	84%	*	n.a.	*	77%	84%
Q16. Patient was told they could go back later for more information about their diagnosis	81%	85%	*	n.a.	*	58%	82%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	93%	89%	*	n.a.	*	86%	91%
Q18. Patient found it very or quite easy to contact their main contact person	86%	84%	*	n.a.	*	81%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	97%	*	n.a.	*	97%	97%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	84%	*	n.a.	*	79%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	81%	83%	*	n.a.	*	65%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	73%	78%	*	n.a.	*	*	76%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	53%	57%	*	n.a.	*	48%	55%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	71%	74%	*	n.a.	*	62%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	95%	*	n.a.	*	*	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	*	n.a.	n.a.	*	98%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	91%	95%	*	n.a.	*	97%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	74%	82%	*	n.a.	*	73%	78%
Q29. Patient was offered information about how to get financial help or benefits	76%	73%	*	n.a.	*	75%	75%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	83%	89%	*	n.a.	n.a.	*	86%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	70%	*	n.a.	n.a.	*	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	72%	73%	*	n.a.	n.a.	*	72%
Q34. Patient was always able to get help from ward staff when needed	75%	83%	*	n.a.	n.a.	*	79%
Q35. Patient was always able to discuss worries and fears with hospital staff	68%	73%	*	n.a.	n.a.	*	70%
Q36. Hospital staff always did everything they could to help the patient control pain	81%	92%	*	n.a.	n.a.	*	86%
Q37. Patient was always treated with respect and dignity while in hospital	91%	94%	*	n.a.	n.a.	*	92%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	90%	90%	*	n.a.	n.a.	*	90%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	74%	83%	*	n.a.	*	69%	78%

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	89%	*	n.a.	*	81%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	79%	88%	*	n.a.	n.a.	*	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	87%	n.a.	n.a.	*	*	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	76%	81%	n.a.	n.a.	*	*	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	82%	*	n.a.	n.a.	n.a.	*	85%
Q42_1. Patient completely had enough understandable information about progress with surgery	86%	87%	*	n.a.	*	86%	86%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	74%	80%	*	n.a.	n.a.	*	77%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	83%	73%	n.a.	n.a.	*	*	78%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	67%	69%	n.a.	n.a.	*	*	68%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	77%	*	n.a.	n.a.	n.a.	*	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	79%	84%	*	n.a.	*	87%	82%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
IMMEDIATE AND LONG TERM SIDE EFFECTS							
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	80%	*	n.a.	*	71%	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	72%	73%	*	n.a.	*	67%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	91%	*	n.a.	*	*	89%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	64%	*	n.a.	*	63%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	52%	57%	*	n.a.	*	59%	55%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
SUPPORT WHILE AT HOME							
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	51%	68%	*	n.a.	n.a.	*	60%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	53%	55%	*	n.a.	*	*	53%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
CARE FROM YOUR GP PRACTICE							
Q51. Patient definitely received the right amount of support from their GP practice during treatment	51%	56%	*	n.a.	*	*	53%
Q52. Patient has had a review of cancer care by GP practice	23%	21%	*	n.a.	*	14%	21%

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
LIVING WITH AND BEYOND CANCER							
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	27%	42%	*	n.a.	*	*	34%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	85%	*	n.a.	*	*	82%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	61%	70%	*	n.a.	*	65%	66%

Gender tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

YOUR OVERALL NHS CARE	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q56. The whole care team worked well together	93%	93%	*	n.a.	*	89%	93%
Q57. Administration of care was very good or good	88%	88%	*	n.a.	*	87%	88%
Q58. Cancer research opportunities were discussed with patient	56%	61%	*	n.a.	*	*	58%
Q59. Patient's average rating of care scored from very poor to very good	9.0	9.1	*	n.a.	*	8.6	9.0

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	*	71%	*	*	76%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	74%	*	58%	*	*	50%	72%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	95%	*	95%	100%	*	89%	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	87%	*	77%	100%	*	82%	87%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	83%	*	77%	*	*	79%	83%
Q8. Diagnostic test results were explained in a way the patient could completely understand	82%	*	77%	73%	*	79%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	97%	*	95%	100%	*	96%	97%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	67%	*	73%	86%	*	57%	67%
Q13. Patient was definitely told sensitively that they had cancer	74%	*	74%	93%	*	63%	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	80%	*	78%	71%	*	71%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	*	86%	100%	*	77%	84%
Q16. Patient was told they could go back later for more information about their diagnosis	83%	*	85%	92%	*	64%	82%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	91%	*	93%	100%	*	88%	91%
Q18. Patient found it very or quite easy to contact their main contact person	85%	*	75%	83%	*	80%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	*	92%	100%	*	98%	97%

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
DECIDING ON THE BEST TREATMENT							
Q20. Treatment options were explained in a way the patient could completely understand	83%	*	71%	79%	*	81%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	*	79%	86%	*	71%	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	76%	*	77%	75%	*	73%	76%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	55%	*	83%	62%	*	45%	55%

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

CARE PLANNING	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	73%	*	72%	62%	*	60%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	94%	*	91%	*	*	88%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	*	95%	*	*	100%	98%

SUPPORT FROM HOSPITAL STAFF	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	93%	*	81%	93%	*	95%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	78%	*	78%	86%	*	71%	78%
Q29. Patient was offered information about how to get financial help or benefits	75%	*	78%	73%	*	75%	75%

HOSPITAL CARE	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	87%	*	67%	*	n.a.	87%	86%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	66%	*	65%	*	n.a.	71%	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	*	63%	*	n.a.	66%	72%
Q34. Patient was always able to get help from ward staff when needed	79%	*	75%	*	n.a.	75%	79%
Q35. Patient was always able to discuss worries and fears with hospital staff	71%	*	63%	*	n.a.	67%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	87%	*	81%	*	n.a.	85%	86%
Q37. Patient was always treated with respect and dignity while in hospital	93%	*	81%	*	n.a.	79%	92%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	91%	*	80%	*	n.a.	86%	90%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	*	73%	85%	*	67%	78%

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

YOUR TREATMENT	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	*	94%	*	*	76%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	84%	*	75%	*	*	90%	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	*	81%	*	*	87%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	*	*	*	n.a.	73%	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	84%	n.a.	*	n.a.	*	*	85%
Q42_1. Patient completely had enough understandable information about progress with surgery	87%	*	81%	*	*	75%	86%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	76%	*	81%	*	*	86%	77%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	79%	*	81%	*	*	74%	78%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	68%	*	*	*	n.a.	73%	68%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	81%	n.a.	*	n.a.	*	*	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	82%	*	81%	69%	*	88%	82%

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	78%	*	81%	86%	*	69%	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	73%	*	67%	77%	*	65%	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	*	91%	75%	*	86%	89%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	61%	*	71%	54%	*	55%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	54%	*	63%	31%	*	59%	55%

SUPPORT WHILE AT HOME	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	60%	*	64%	*	*	61%	60%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	54%	*	56%	*	*	40%	53%

CARE FROM YOUR GP PRACTICE	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	53%	*	67%	*	*	41%	53%
Q52. Patient has had a review of cancer care by GP practice	20%	*	52%	33%	*	19%	21%

Ethnicity tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

LIVING WITH AND BEYOND CANCER	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	35%	*	36%	*	*	33%	34%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	*	89%	73%	*	79%	82%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	66%	*	52%	58%	*	67%	66%

YOUR OVERALL NHS CARE	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	93%	*	89%	86%	*	92%	93%
Q57. Administration of care was very good or good	88%	*	89%	100%	*	87%	88%
Q58. Cancer research opportunities were discussed with patient	58%	*	68%	82%	*	46%	58%
Q59. Patient's average rating of care scored from very poor to very good	9.0	*	8.7	8.8	*	8.8	9.0

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
SUPPORT FROM YOUR GP PRACTICE							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	71%	77%	79%	80%	78%	n.a.	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	71%	68%	69%	76%	70%	n.a.	72%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
DIAGNOSTIC TESTS							
Q5. Patient received all the information needed about the diagnostic test in advance	92%	92%	99%	93%	95%	n.a.	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	71%	87%	87%	88%	86%	n.a.	87%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	71%	84%	87%	83%	82%	n.a.	83%
Q8. Diagnostic test results were explained in a way the patient could completely understand	75%	83%	86%	81%	81%	n.a.	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	96%	95%	99%	96%	97%	n.a.	97%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
FINDING OUT THAT YOU HAD CANCER							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	66%	60%	63%	70%	68%	n.a.	67%
Q13. Patient was definitely told sensitively that they had cancer	72%	72%	76%	75%	72%	n.a.	73%
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	84%	83%	79%	78%	n.a.	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	87%	83%	87%	81%	n.a.	84%
Q16. Patient was told they could go back later for more information about their diagnosis	89%	77%	81%	85%	81%	n.a.	82%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
SUPPORT FROM A MAIN CONTACT PERSON							
Q17. Patient had a main point of contact within the care team	94%	90%	94%	91%	90%	n.a.	91%
Q18. Patient found it very or quite easy to contact their main contact person	83%	79%	86%	86%	84%	n.a.	85%
Q19. Patient found advice from main contact person was very or quite helpful	97%	93%	96%	97%	97%	n.a.	97%

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
DECIDING ON THE BEST TREATMENT							
Q20. Treatment options were explained in a way the patient could completely understand	88%	83%	85%	82%	83%	n.a.	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	81%	81%	81%	86%	80%	n.a.	82%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	74%	72%	79%	75%	76%	n.a.	76%
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	48%	44%	66%	53%	55%	n.a.	55%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
CARE PLANNING							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	82%	59%	74%	74%	72%	n.a.	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	96%	87%	93%	94%	95%	n.a.	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	96%	100%	99%	97%	n.a.	98%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
SUPPORT FROM HOSPITAL STAFF							
Q27. Staff provided the patient with relevant information on available support	85%	89%	96%	92%	93%	n.a.	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	86%	71%	83%	78%	77%	n.a.	78%
Q29. Patient was offered information about how to get financial help or benefits	76%	59%	85%	75%	74%	n.a.	75%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
HOSPITAL CARE							
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	75%	78%	85%	88%	87%	n.a.	86%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	69%	72%	67%	66%	n.a.	67%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	55%	60%	77%	71%	73%	n.a.	72%
Q34. Patient was always able to get help from ward staff when needed	82%	80%	83%	75%	80%	n.a.	79%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	*	79%	69%	70%	n.a.	70%
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	90%	88%	84%	n.a.	86%
Q37. Patient was always treated with respect and dignity while in hospital	100%	91%	93%	93%	91%	n.a.	92%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	*	90%	91%	91%	n.a.	90%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	82%	70%	83%	80%	77%	n.a.	78%

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

YOUR TREATMENT	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	95%	87%	93%	88%	90%	n.a.	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	80%	79%	86%	83%	n.a.	84%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	77%	84%	87%	89%	86%	n.a.	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	73%	82%	77%	n.a.	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	84%	81%	86%	n.a.	85%
Q42_1. Patient completely had enough understandable information about progress with surgery	84%	84%	91%	84%	87%	n.a.	86%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	71%	67%	74%	80%	78%	n.a.	77%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	82%	81%	77%	80%	78%	n.a.	78%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	72%	65%	66%	n.a.	68%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	74%	77%	86%	n.a.	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	83%	79%	82%	83%	82%	n.a.	82%

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	82%	78%	79%	80%	76%	n.a.	78%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	84%	66%	72%	73%	72%	n.a.	72%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	96%	85%	94%	90%	88%	n.a.	89%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	68%	58%	59%	63%	60%	n.a.	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	61%	42%	58%	57%	53%	n.a.	55%

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	67%	51%	61%	60%	60%	n.a.	60%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	53%	50%	53%	50%	56%	n.a.	53%

CARE FROM YOUR GP PRACTICE	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	54%	53%	50%	52%	55%	n.a.	53%
Q52. Patient has had a review of cancer care by GP practice	21%	29%	20%	20%	22%	n.a.	21%

IMD quintile tables

* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	*	24%	39%	34%	n.a.	34%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	74%	82%	85%	82%	n.a.	82%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	69%	65%	66%	63%	67%	n.a.	66%

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q56. The whole care team worked well together	82%	95%	96%	91%	93%	n.a.	93%
Q57. Administration of care was very good or good	89%	88%	93%	88%	86%	n.a.	88%
Q58. Cancer research opportunities were discussed with patient	52%	53%	56%	59%	59%	n.a.	58%
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.9	9.1	9.0	9.0	n.a.	9.0