

# **Cancer Patient Experience Survey**

2021 Results

## **St Helens and Knowsley Teaching Hospitals NHS Trust**

Published July 2022

## Executive Summary

### Questions Above Expected Range

	Case Mix Adjusted Scores			National Score
	2021 Score	Lower Expected Range	Upper Expected Range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	<b>84%</b>	70%	84%	<b>77%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	<b>87%</b>	73%	84%	<b>79%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	<b>99%</b>	91%	98%	<b>94%</b>
Q13. Patient was definitely told sensitively that they had cancer	<b>80%</b>	68%	79%	<b>73%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	<b>83%</b>	71%	82%	<b>76%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	<b>91%</b>	80%	89%	<b>84%</b>
Q18. Patient found it very or quite easy to contact their main contact person	<b>94%</b>	79%	91%	<b>85%</b>
Q20. Treatment options were explained in a way the patient could completely understand	<b>88%</b>	77%	87%	<b>82%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	<b>68%</b>	43%	62%	<b>52%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	<b>98%</b>	89%	97%	<b>93%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	<b>83%</b>	70%	81%	<b>76%</b>
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	<b>90%</b>	73%	88%	<b>81%</b>
Q41_1. Beforehand patient completely had enough understandable information about surgery	<b>94%</b>	85%	94%	<b>89%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	<b>100%</b>	61%	96%	<b>78%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	<b>94%</b>	53%	91%	<b>72%</b>
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	<b>81%</b>	69%	80%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	<b>77%</b>	63%	76%	<b>70%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	<b>91%</b>	81%	91%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	<b>70%</b>	53%	66%	<b>60%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	<b>62%</b>	46%	61%	<b>54%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	<b>72%</b>	56%	69%	<b>63%</b>
Q57. Administration of care was very good or good	<b>93%</b>	84%	93%	<b>88%</b>
Q59. Patient's average rating of care scored from very poor to very good	<b>9.2</b>	8.7	9.1	<b>8.9</b>

### Questions Below Expected Range

	Case Mix Adjusted Scores			National Score
	2021 Score	Lower Expected Range	Upper Expected Range	
Q3. Referral for diagnosis was explained in a way the patient could completely understand	<b>56%</b>	57%	71%	<b>64%</b>

## Introduction

The National Cancer Patient Experience Survey 2021 is the 11th iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2021 survey involved 134 NHS Trusts. Out of 107,412 people, 59,352 people responded to the survey, yielding a response rate of 55%.

## Methodology

### Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2021. The fieldwork for the survey was undertaken between October 2021 and February 2022.

As in the previous six years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

### Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Due to the significant changes made to the questionnaire no trend data or year on year comparisons are presented in results, and comparisons to previous years' results should not be made.

### Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allows us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a Trust is performing given their patient population. The factors taken into account in this case-mix adjustment are gender, age, ethnic group, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Trust. Case-mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

### Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's presented score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

## Suppression

### Question-level suppression

For scores where the base size per question is <11, the score will be suppressed and replaced with an asterisk (\*). The base size does not include non-scored response options.

### Double suppression

If any group within a particular sub-group breakdown (such as the tumour group breakdown) has <11 respondents, then the figure for this particular group is suppressed and replaced with an asterisk (\*).

If there is only one group within the sub-group breakdown that has <11 respondents, and is therefore suppressed, the group with the next lowest number of respondents is also suppressed and replaced with an asterisk (\*) (regardless if it is greater than or less than 11).

### **Additional suppression**

Additional suppression happens if only **one** Trust has a score suppressed. If this happens, we will suppress another Trust's results (both the Trust level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Trust.

The same rule applies to groups in each subgroup breakdown. For example, if only **one** Trust has the 85+ age group suppressed for Q25 we will need to suppress another Trust's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

## **Understanding the results**

This report shows how this Trust scored for each question in the survey compared with national results. It is aimed at helping individual Trusts to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

### **Expected range charts**

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (in grey) and a black diamond represents the actual score for this Trust.

Trusts whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Trust performs better than what Trusts of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Trust's size and demographics.

### **Comparability tables**

The comparability tables show the 2021 unadjusted scores for this Trust for each scored question. The adjusted 2021 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

### **Sub-group breakdowns**

Unadjusted scores are shown for tumour type, gender, age, IMD quintile and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Trusts may not be comparable, as they do not account for the impact that differing patient populations might have on results.

### **Tumour type tables**

The tumour type tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

### **Age group tables**

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

### **Gender tables**

The gender tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

### **Ethnicity tables**

The ethnicity tables show the unadjusted scores for six ethnicity groups.

### **IMD quintile tables**

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

### **Further information**

This research was carried out in accordance with the international standard for organisations conducting social research (accreditation to ISO20252:2012; certificate number GB08/74322). The 2021 survey data has been produced and published in line with the Code of Practice for Official Statistics.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2021 questionnaire and survey guidance on the website at [www.ncpes.co.uk](http://www.ncpes.co.uk). For all other outputs at Trust level, please see the Excel tables and dashboards at [www.ncpes.co.uk](http://www.ncpes.co.uk).

## Response Rate

### Overall Response Rate

269 patients responded out of a total of 530 patients, resulting in a response rate of 51%.

	Sample Size	Adjusted Sample	Completed	Response Rate
Overall response rate	558	530	269	51%
National	113,516	107,412	59,352	55%

### Respondents by Survey Type

	Number of Respondents
Paper	240
Online	29
Phone	0
Translation Service	0
<b>Total</b>	<b>269</b>

### Respondents by Tumour Group

	Number of Respondents
Brain / CNS	1
Breast	39
Colorectal / LGT	34
Gynaecological	5
Haematological	18
Head and Neck	0
Lung	7
Prostate	13
Sarcoma	2
Skin	93
Upper Gastro	10
Urological	18
Other	29
<b>Total</b>	<b>269</b>

### Respondents by Age and Gender

Respondents year of birth has been used to determine age. This information has been amalgamated into 8 age bands. The age and gender distribution for the Trust was as follows:





	Age 16-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65-74	Age 75-84	Age 85+	Total
Female	0	3	3	18	38	39	30	6	137
Male	0	1	1	7	21	43	41	12	126
Non-binary	0	0	0	0	0	0	0	0	0
Prefer to self-describe	0	0	0	0	0	0	0	0	0
Prefer not to say	0	0	0	0	0	0	0	0	0
Not given	0	0	0	0	0	1	4	1	6
<b>Total</b>	<b>0</b>	<b>4</b>	<b>4</b>	<b>25</b>	<b>59</b>	<b>83</b>	<b>75</b>	<b>19</b>	<b>269</b>

**Respondents by Ethnicity**





	Number of Respondents
<b>White</b>	
English / Welsh / Scottish / Northern Irish / British	259
Irish	2
Gypsy or Irish Traveller	0
Any other White background	0
<b>Mixed / Multiple Ethnic Groups</b>	
White and Black Caribbean	0
White and Black African	0
White and Asian	0
Any other Mixed / multiple ethnic background	0
<b>Asian or Asian British</b>	
Indian	0
Pakistani	0
Bangladeshi	0
Chinese	0
Any other Asian background	0
<b>Black / African / Caribbean / Black British</b>	
African	0
Caribbean	0
Any other Black / African / Caribbean background	0
<b>Other Ethnic Group</b>	
Arab	0
Any other ethnic background	0
<b>Not given</b>	
Not given	8
<b>Total</b>	<b>269</b>



## Expected Range Charts






## Expected Range Charts



## Expected Range Charts

Lower Expected Range    
  Within Expected Range    
  Upper Expected Range    
  Case Mix Adjusted Score




The left outer edge of the bars is the lowest score achieved of all Trusts. The right outer edge of the bars is the highest score achieved of all Trusts.



## Expected Range Charts

Lower Expected Range    
  Within Expected Range    
  Upper Expected Range    
  Case Mix Adjusted Score

The left outer edge of the bars is the lowest score achieved of all Trusts. The right outer edge of the bars is the highest score achieved of all Trusts.



## Comparability tables

\* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

<b>SUPPORT FROM YOUR GP PRACTICE</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	148	<b>87%</b>	<b>84%</b>	70%	84%	<b>77%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	191	<b>57%</b>	<b>56%</b>	57%	71%	<b>64%</b>

<b>DIAGNOSTIC TESTS</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q5. Patient received all the information needed about the diagnostic test in advance	210	<b>93%</b>	<b>92%</b>	89%	96%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	221	<b>87%</b>	<b>86%</b>	79%	89%	<b>84%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	224	<b>85%</b>	<b>86%</b>	77%	87%	<b>82%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	221	<b>87%</b>	<b>87%</b>	73%	84%	<b>79%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	224	<b>99%</b>	<b>99%</b>	91%	98%	<b>94%</b>

<b>FINDING OUT THAT YOU HAD CANCER</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	251	<b>66%</b>	<b>72%</b>	64%	79%	<b>71%</b>
Q13. Patient was definitely told sensitively that they had cancer	266	<b>82%</b>	<b>80%</b>	68%	79%	<b>73%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	268	<b>84%</b>	<b>83%</b>	71%	82%	<b>76%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	266	<b>90%</b>	<b>91%</b>	80%	89%	<b>84%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	242	<b>86%</b>	<b>86%</b>	78%	88%	<b>83%</b>

<b>SUPPORT FROM A MAIN CONTACT PERSON</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q17. Patient had a main point of contact within the care team	258	<b>94%</b>	<b>94%</b>	88%	96%	<b>92%</b>
Q18. Patient found it very or quite easy to contact their main contact person	217	<b>94%</b>	<b>94%</b>	79%	91%	<b>85%</b>
Q19. Patient found advice from main contact person was very or quite helpful	233	<b>97%</b>	<b>96%</b>	93%	98%	<b>96%</b>

## Comparability tables

\* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

<b>DECIDING ON THE BEST TREATMENT</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q20. Treatment options were explained in a way the patient could completely understand	248	<b>89%</b>	<b>88%</b>	77%	87%	<b>82%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	264	<b>86%</b>	<b>84%</b>	74%	85%	<b>79%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	215	<b>80%</b>	<b>80%</b>	68%	81%	<b>75%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	126	<b>67%</b>	<b>68%</b>	43%	62%	<b>52%</b>

<b>CARE PLANNING</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	239	<b>76%</b>	<b>75%</b>	66%	78%	<b>72%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	152	<b>97%</b>	<b>98%</b>	89%	97%	<b>93%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	127	<b>99%</b>	<b>99%</b>	97%	100%	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q27. Staff provided the patient with relevant information on available support	219	<b>93%</b>	<b>93%</b>	85%	94%	<b>90%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	259	<b>84%</b>	<b>83%</b>	70%	81%	<b>76%</b>
Q29. Patient was offered information about how to get financial help or benefits	143	<b>75%</b>	<b>77%</b>	60%	79%	<b>69%</b>

<b>HOSPITAL CARE</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	124	<b>92%</b>	<b>90%</b>	73%	88%	<b>81%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	100	<b>65%</b>	<b>63%</b>	50%	71%	<b>61%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	124	<b>78%</b>	<b>75%</b>	62%	79%	<b>70%</b>
Q34. Patient was always able to get help from ward staff when needed	123	<b>80%</b>	<b>78%</b>	68%	84%	<b>76%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	122	<b>68%</b>	<b>66%</b>	58%	76%	<b>67%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	111	<b>86%</b>	<b>85%</b>	79%	93%	<b>86%</b>
Q37. Patient was always treated with respect and dignity while in hospital	125	<b>95%</b>	<b>94%</b>	83%	95%	<b>89%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	120	<b>90%</b>	<b>89%</b>	82%	95%	<b>89%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	228	<b>84%</b>	<b>84%</b>	72%	84%	<b>78%</b>

## Comparability tables

\* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

YOUR TREATMENT	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	224	<b>94%</b>	<b>94%</b>	85%	94%	<b>89%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	65	<b>91%</b>	<b>90%</b>	76%	94%	<b>85%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	58	<b>91%</b>	<b>91%</b>	79%	96%	<b>88%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	22	<b>100%</b>	<b>100%</b>	61%	96%	<b>78%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	31	<b>87%</b>	<b>89%</b>	68%	98%	<b>83%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	221	<b>89%</b>	<b>87%</b>	80%	90%	<b>85%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	66	<b>79%</b>	<b>78%</b>	69%	88%	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	59	<b>83%</b>	<b>82%</b>	69%	90%	<b>80%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	21	<b>95%</b>	<b>94%</b>	53%	91%	<b>72%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	31	<b>87%</b>	<b>95%</b>	62%	95%	<b>79%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	261	<b>88%</b>	<b>87%</b>	70%	89%	<b>79%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	240	<b>82%</b>	<b>81%</b>	69%	80%	<b>74%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	231	<b>77%</b>	<b>77%</b>	63%	76%	<b>70%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	194	<b>91%</b>	<b>91%</b>	81%	91%	<b>86%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	222	<b>72%</b>	<b>70%</b>	53%	66%	<b>60%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	188	<b>65%</b>	<b>62%</b>	46%	61%	<b>54%</b>

SUPPORT WHILE AT HOME	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	166	<b>58%</b>	<b>56%</b>	47%	64%	<b>55%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	100	<b>60%</b>	<b>59%</b>	41%	62%	<b>51%</b>

CARE FROM YOUR GP PRACTICE	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	140	<b>37%</b>	<b>36%</b>	34%	53%	<b>44%</b>
Q52. Patient has had a review of cancer care by GP practice	257	<b>16%</b>	<b>16%</b>	13%	23%	<b>18%</b>



## Comparability tables

\* Indicates where a score has been suppressed to prevent individuals and their responses being identifiable in the data.

	Adjusted Score below Lower Expected Range
	Adjusted Score between Upper and Lower Expected Ranges
	Adjusted Score above Upper Expected Range

<b>LIVING WITH AND BEYOND CANCER</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	70	<b>34%</b>	<b>33%</b>	21%	43%	<b>32%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	152	<b>84%</b>	<b>80%</b>	71%	85%	<b>78%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	221	<b>79%</b>	<b>72%</b>	56%	69%	<b>63%</b>

<b>YOUR OVERALL NHS CARE</b>	Unadjusted Scores		Case Mix Adjusted Scores			National Score
	2021 n	2021 Score	2021 Score	Lower Expected Range	Upper Expected Range	
Q56. The whole care team worked well together	259	<b>92%</b>	<b>91%</b>	87%	95%	<b>91%</b>
Q57. Administration of care was very good or good	266	<b>93%</b>	<b>93%</b>	84%	93%	<b>88%</b>
Q58. Cancer research opportunities were discussed with patient	144	<b>45%</b>	<b>49%</b>	32%	56%	<b>44%</b>
Q59. Patient's average rating of care scored from very poor to very good	259	<b>9.2</b>	<b>9.2</b>	8.7	9.1	<b>8.9</b>



## Tumour type tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	n.a.	100%	75%	*	*	n.a.	*	*	*	90%	*	86%	89%	<b>87%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	n.a.	72%	44%	*	64%	n.a.	*	*	*	68%	*	38%	41%	<b>57%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q5. Patient received all the information needed about the diagnostic test in advance	*	87%	93%	*	87%	n.a.	*	*	*	97%	*	83%	92%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	91%	93%	*	73%	n.a.	*	*	*	88%	*	64%	88%	<b>87%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	88%	100%	*	87%	n.a.	*	*	*	78%	*	79%	80%	<b>85%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	94%	90%	*	86%	n.a.	*	*	*	84%	*	79%	80%	<b>87%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	100%	97%	*	100%	n.a.	*	*	*	100%	*	100%	100%	<b>99%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	69%	85%	*	75%	n.a.	*	69%	*	54%	*	56%	66%	<b>66%</b>
Q13. Patient was definitely told sensitively that they had cancer	*	92%	88%	*	82%	n.a.	*	69%	*	80%	*	67%	75%	<b>82%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	97%	88%	*	72%	n.a.	*	92%	*	82%	*	72%	79%	<b>84%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	97%	91%	*	88%	n.a.	*	100%	*	86%	*	82%	86%	<b>90%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	*	100%	90%	*	69%	n.a.	*	92%	*	82%	*	75%	84%	<b>86%</b>

## Tumour type tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q17. Patient had a main point of contact within the care team	*	100%	100%	*	88%	n.a.	*	100%	*	93%	*	89%	86%	<b>94%</b>
Q18. Patient found it very or quite easy to contact their main contact person	*	100%	97%	*	79%	n.a.	*	100%	*	94%	*	100%	89%	<b>94%</b>
Q19. Patient found advice from main contact person was very or quite helpful	*	97%	97%	*	86%	n.a.	*	100%	*	97%	*	100%	95%	<b>97%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q20. Treatment options were explained in a way the patient could completely understand	*	97%	91%	*	73%	n.a.	*	100%	*	87%	*	80%	81%	<b>89%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	85%	88%	*	72%	n.a.	*	92%	*	90%	*	83%	82%	<b>86%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	89%	83%	*	79%	n.a.	*	*	*	77%	*	77%	79%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	91%	67%	*	*	n.a.	*	*	*	61%	*	*	64%	<b>67%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	92%	72%	*	60%	n.a.	*	62%	*	73%	*	87%	68%	<b>76%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	97%	94%	*	*	n.a.	*	*	n.a.	98%	*	*	100%	<b>97%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	100%	100%	*	*	n.a.	*	*	n.a.	100%	*	*	100%	<b>99%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q27. Staff provided the patient with relevant information on available support	*	97%	93%	*	81%	n.a.	*	*	*	93%	*	93%	92%	<b>93%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	90%	81%	*	71%	n.a.	*	85%	*	90%	*	76%	82%	<b>84%</b>
Q29. Patient was offered information about how to get financial help or benefits	*	92%	53%	*	100%	n.a.	*	*	*	73%	*	67%	72%	<b>75%</b>

## Tumour type tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	*	88%	*	82%	n.a.	*	*	*	97%	*	100%	100%	<b>92%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	*	67%	*	*	n.a.	*	*	*	64%	*	67%	53%	<b>65%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	*	67%	*	75%	n.a.	*	*	*	90%	*	79%	88%	<b>78%</b>
Q34. Patient was always able to get help from ward staff when needed	*	*	64%	*	75%	n.a.	*	*	*	83%	*	93%	94%	<b>80%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	*	*	60%	*	58%	n.a.	*	*	*	72%	*	62%	71%	<b>68%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	*	*	83%	*	*	n.a.	*	*	*	96%	*	75%	93%	<b>86%</b>
Q37. Patient was always treated with respect and dignity while in hospital	*	*	92%	*	83%	n.a.	*	*	*	100%	*	100%	100%	<b>95%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	*	88%	*	73%	n.a.	*	*	*	96%	*	92%	94%	<b>90%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	91%	84%	*	82%	n.a.	*	91%	*	78%	*	100%	83%	<b>84%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q41_1. Beforehand patient completely had enough understandable information about surgery	n.a.	95%	97%	*	*	n.a.	*	92%	*	94%	*	100%	81%	<b>94%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	*	100%	n.a.	86%	n.a.	*	n.a.	n.a.	n.a.	*	*	83%	<b>91%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	93%	*	*	*	n.a.	*	*	n.a.	n.a.	*	*	*	<b>91%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	n.a.	100%	n.a.	n.a.	n.a.	n.a.	n.a.	*	n.a.	n.a.	n.a.	n.a.	*	<b>100%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	n.a.	n.a.	85%	n.a.	*	*	<b>87%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	n.a.	92%	83%	*	*	n.a.	*	83%	*	89%	*	94%	76%	<b>89%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	*	82%	n.a.	79%	n.a.	*	n.a.	n.a.	n.a.	*	*	67%	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	*	96%	*	*	*	n.a.	*	*	n.a.	n.a.	*	*	*	<b>83%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	n.a.	100%	n.a.	n.a.	n.a.	n.a.	n.a.	*	n.a.	n.a.	n.a.	n.a.	*	<b>95%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	*	n.a.	n.a.	77%	n.a.	*	*	<b>87%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	97%	91%	*	72%	n.a.	*	92%	*	85%	*	100%	83%	<b>88%</b>

## Tumour type tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	89%	81%	*	65%	n.a.	*	92%	*	80%	*	88%	71%	<b>82%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	86%	64%	*	71%	n.a.	*	77%	*	77%	*	73%	75%	<b>77%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	97%	85%	*	86%	n.a.	*	83%	*	94%	*	92%	91%	<b>91%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	94%	68%	*	71%	n.a.	*	62%	*	69%	*	56%	67%	<b>72%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	83%	62%	*	69%	n.a.	*	58%	*	65%	*	53%	65%	<b>65%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	88%	38%	*	62%	n.a.	*	*	*	44%	*	75%	59%	<b>58%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	55%	60%	*	*	n.a.	*	*	*	52%	*	*	64%	<b>60%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	36%	17%	*	*	n.a.	*	*	*	43%	*	58%	26%	<b>37%</b>
Q52. Patient has had a review of cancer care by GP practice	*	5%	19%	*	6%	n.a.	*	18%	*	16%	*	28%	11%	<b>16%</b>

## Tumour type tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that tumour group.

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	31%	44%	*	*	n.a.	*	*	*	42%	*	*	*	<b>34%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	91%	79%	*	*	n.a.	*	*	*	89%	*	*	*	<b>84%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	86%	67%	*	38%	n.a.	*	*	*	92%	*	81%	61%	<b>79%</b>

	Tumour Type													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and Neck	Lung	Prostate	Sarcoma	Skin	Upper Gastro	Urological	Other	All Cancers
Q56. The whole care team worked well together	*	87%	88%	*	94%	n.a.	*	100%	*	93%	*	88%	89%	<b>92%</b>
Q57. Administration of care was very good or good	*	97%	91%	*	89%	n.a.	*	92%	*	93%	*	94%	89%	<b>93%</b>
Q58. Cancer research opportunities were discussed with patient	*	56%	38%	*	*	n.a.	*	*	*	40%	*	50%	40%	<b>45%</b>
Q59. Patient's average rating of care scored from very poor to very good	*	9.4	8.9	*	8.9	n.a.	*	9.5	*	9.3	*	9.1	9.2	<b>9.2</b>

## Age group tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	n.a.	*	*	100%	85%	74%	97%	*	<b>87%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	n.a.	*	*	82%	63%	45%	56%	54%	<b>57%</b>

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q5. Patient received all the information needed about the diagnostic test in advance	n.a.	*	*	85%	89%	94%	96%	94%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	n.a.	*	*	86%	87%	88%	85%	89%	<b>87%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	n.a.	*	*	73%	81%	84%	89%	100%	<b>85%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	n.a.	*	*	82%	91%	81%	89%	94%	<b>87%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	n.a.	*	*	100%	100%	99%	98%	100%	<b>99%</b>

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	n.a.	*	*	52%	61%	70%	74%	67%	<b>66%</b>
Q13. Patient was definitely told sensitively that they had cancer	n.a.	*	*	80%	86%	77%	85%	89%	<b>82%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	n.a.	*	*	84%	86%	83%	89%	84%	<b>84%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	n.a.	*	*	84%	93%	90%	91%	94%	<b>90%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	n.a.	*	*	88%	94%	84%	81%	83%	<b>86%</b>

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q17. Patient had a main point of contact within the care team	n.a.	*	*	88%	97%	94%	94%	95%	<b>94%</b>
Q18. Patient found it very or quite easy to contact their main contact person	n.a.	*	*	95%	96%	89%	100%	86%	<b>94%</b>
Q19. Patient found advice from main contact person was very or quite helpful	n.a.	*	*	100%	98%	96%	98%	100%	<b>97%</b>

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q20. Treatment options were explained in a way the patient could completely understand	n.a.	*	*	83%	93%	87%	90%	94%	<b>89%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	n.a.	*	*	92%	90%	82%	89%	95%	<b>86%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	n.a.	*	*	71%	84%	72%	90%	94%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	n.a.	*	*	64%	71%	57%	70%	*	<b>67%</b>

## Age group tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

<b>CARE PLANNING</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	n.a.	*	*	78%	86%	70%	72%	93%	<b>76%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	n.a.	*	*	100%	100%	95%	97%	*	<b>97%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	n.a.	n.a.	*	100%	100%	97%	100%	*	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	n.a.	*	*	90%	98%	94%	89%	93%	<b>93%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	n.a.	*	*	80%	86%	83%	88%	89%	<b>84%</b>
Q29. Patient was offered information about how to get financial help or benefits	n.a.	*	*	82%	77%	78%	57%	*	<b>75%</b>

<b>HOSPITAL CARE</b>	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	n.a.	*	*	*	97%	93%	94%	*	<b>92%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	n.a.	*	*	*	83%	62%	70%	*	<b>65%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	n.a.	*	*	*	94%	68%	81%	*	<b>78%</b>
Q34. Patient was always able to get help from ward staff when needed	n.a.	*	*	*	90%	81%	74%	*	<b>80%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	n.a.	*	*	*	77%	65%	68%	*	<b>68%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	n.a.	*	*	*	85%	92%	90%	*	<b>86%</b>
Q37. Patient was always treated with respect and dignity while in hospital	n.a.	*	*	*	97%	100%	97%	*	<b>95%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	n.a.	*	*	*	97%	90%	87%	*	<b>90%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	n.a.	*	*	88%	89%	84%	81%	88%	<b>84%</b>



## Age group tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	n.a.	*	*	100%	96%	93%	92%	94%	<b>94%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	n.a.	*	*	*	100%	84%	92%	*	<b>91%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	n.a.	n.a.	*	*	100%	83%	*	*	<b>91%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	n.a.	n.a.	n.a.	*	*	*	*	*	<b>100%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	n.a.	n.a.	n.a.	*	*	78%	*	*	<b>87%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	n.a.	*	*	96%	88%	85%	89%	94%	<b>89%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	n.a.	*	*	*	94%	72%	75%	*	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	n.a.	n.a.	*	*	90%	72%	*	*	<b>83%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	n.a.	n.a.	n.a.	*	*	*	*	*	<b>95%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	n.a.	n.a.	n.a.	*	*	78%	*	*	<b>87%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	n.a.	*	*	88%	93%	85%	86%	94%	<b>88%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	n.a.	*	*	73%	88%	84%	78%	79%	<b>82%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	n.a.	*	*	78%	85%	71%	76%	85%	<b>77%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	n.a.	*	*	88%	90%	91%	92%	100%	<b>91%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	n.a.	*	*	78%	74%	71%	74%	54%	<b>72%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	n.a.	*	*	58%	65%	66%	67%	*	<b>65%</b>

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	n.a.	*	*	55%	61%	48%	73%	69%	<b>58%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	n.a.	*	*	*	57%	67%	59%	*	<b>60%</b>

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	n.a.	*	*	38%	36%	35%	41%	*	<b>37%</b>
Q52. Patient has had a review of cancer care by GP practice	n.a.	*	*	8%	12%	18%	16%	22%	<b>16%</b>



## Age group tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that age group.

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	n.a.	*	*	45%	53%	17%	33%	*	<b>34%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	n.a.	*	*	85%	89%	78%	88%	*	<b>84%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	n.a.	*	*	75%	78%	77%	89%	93%	<b>79%</b>

	Age								All
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	
Q56. The whole care team worked well together	n.a.	*	*	100%	91%	90%	91%	95%	<b>92%</b>
Q57. Administration of care was very good or good	n.a.	*	*	96%	93%	93%	90%	100%	<b>93%</b>
Q58. Cancer research opportunities were discussed with patient	n.a.	*	*	12%	50%	51%	48%	*	<b>45%</b>
Q59. Patient's average rating of care scored from very poor to very good	n.a.	*	*	9.3	9.4	9.3	9.2	9.1	<b>9.2</b>

## Gender tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>SUPPORT FROM YOUR GP PRACTICE</b>							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	86%	*	n.a.	n.a.	n.a.	*	<b>87%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	59%	*	n.a.	n.a.	n.a.	*	<b>57%</b>

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>DIAGNOSTIC TESTS</b>							
Q5. Patient received all the information needed about the diagnostic test in advance	90%	*	n.a.	n.a.	n.a.	*	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	*	n.a.	n.a.	n.a.	*	<b>87%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	83%	*	n.a.	n.a.	n.a.	*	<b>85%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	85%	*	n.a.	n.a.	n.a.	*	<b>87%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	99%	*	n.a.	n.a.	n.a.	*	<b>99%</b>

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>FINDING OUT THAT YOU HAD CANCER</b>							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	64%	*	n.a.	n.a.	n.a.	*	<b>66%</b>
Q13. Patient was definitely told sensitively that they had cancer	82%	*	n.a.	n.a.	n.a.	*	<b>82%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	82%	*	n.a.	n.a.	n.a.	*	<b>84%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	89%	*	n.a.	n.a.	n.a.	*	<b>90%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	83%	*	n.a.	n.a.	n.a.	*	<b>86%</b>

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>							
Q17. Patient had a main point of contact within the care team	97%	*	n.a.	n.a.	n.a.	*	<b>94%</b>
Q18. Patient found it very or quite easy to contact their main contact person	93%	*	n.a.	n.a.	n.a.	*	<b>94%</b>
Q19. Patient found advice from main contact person was very or quite helpful	95%	*	n.a.	n.a.	n.a.	*	<b>97%</b>

## Gender tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>DECIDING ON THE BEST TREATMENT</b>							
Q20. Treatment options were explained in a way the patient could completely understand	86%	*	n.a.	n.a.	n.a.	*	<b>89%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	82%	*	n.a.	n.a.	n.a.	*	<b>86%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	*	n.a.	n.a.	n.a.	*	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	63%	*	n.a.	n.a.	n.a.	*	<b>67%</b>

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>CARE PLANNING</b>							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	73%	*	n.a.	n.a.	n.a.	*	<b>76%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	97%	*	n.a.	n.a.	n.a.	*	<b>97%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	*	n.a.	n.a.	n.a.	*	<b>99%</b>

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
<b>SUPPORT FROM HOSPITAL STAFF</b>							
Q27. Staff provided the patient with relevant information on available support	91%	*	n.a.	n.a.	n.a.	*	<b>93%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	80%	*	n.a.	n.a.	n.a.	*	<b>84%</b>
Q29. Patient was offered information about how to get financial help or benefits	77%	*	n.a.	n.a.	n.a.	*	<b>75%</b>

## Gender tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	97%	n.a.	n.a.	n.a.	*	<b>92%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	76%	n.a.	n.a.	n.a.	*	<b>65%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	83%	n.a.	n.a.	n.a.	*	<b>78%</b>
Q34. Patient was always able to get help from ward staff when needed	*	88%	n.a.	n.a.	n.a.	*	<b>80%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	*	78%	n.a.	n.a.	n.a.	*	<b>68%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	*	91%	n.a.	n.a.	n.a.	*	<b>86%</b>
Q37. Patient was always treated with respect and dignity while in hospital	*	97%	n.a.	n.a.	n.a.	*	<b>95%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	94%	n.a.	n.a.	n.a.	*	<b>90%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	83%	*	n.a.	n.a.	n.a.	*	<b>84%</b>

	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	94%	*	n.a.	n.a.	n.a.	*	<b>94%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	*	n.a.	n.a.	n.a.	*	<b>91%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	95%	*	n.a.	n.a.	n.a.	*	<b>91%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	n.a.	n.a.	n.a.	n.a.	<b>100%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	88%	*	n.a.	n.a.	n.a.	*	<b>87%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	88%	*	n.a.	n.a.	n.a.	*	<b>89%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	79%	*	n.a.	n.a.	n.a.	*	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	92%	*	n.a.	n.a.	n.a.	*	<b>83%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	n.a.	n.a.	n.a.	n.a.	<b>95%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	88%	*	n.a.	n.a.	n.a.	*	<b>87%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	86%	*	n.a.	n.a.	n.a.	*	<b>88%</b>

## Gender tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
<b>IMMEDIATE AND LONG TERM SIDE EFFECTS</b>							
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	80%	*	n.a.	n.a.	n.a.	*	<b>82%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	77%	*	n.a.	n.a.	n.a.	*	<b>77%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	92%	*	n.a.	n.a.	n.a.	*	<b>91%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	78%	*	n.a.	n.a.	n.a.	*	<b>72%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	71%	*	n.a.	n.a.	n.a.	*	<b>65%</b>

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
<b>SUPPORT WHILE AT HOME</b>							
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	62%	n.a.	n.a.	n.a.	*	<b>58%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	53%	*	n.a.	n.a.	n.a.	*	<b>60%</b>

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
<b>CARE FROM YOUR GP PRACTICE</b>							
Q51. Patient definitely received the right amount of support from their GP practice during treatment	36%	*	n.a.	n.a.	n.a.	*	<b>37%</b>
Q52. Patient has had a review of cancer care by GP practice	11%	*	n.a.	n.a.	n.a.	*	<b>16%</b>

	Gender						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
<b>LIVING WITH AND BEYOND CANCER</b>							
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	30%	*	n.a.	n.a.	n.a.	*	<b>34%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	*	n.a.	n.a.	n.a.	*	<b>84%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	80%	*	n.a.	n.a.	n.a.	*	<b>79%</b>

## Gender tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that gender group.

YOUR OVERALL NHS CARE	Gender						All
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	
Q56. The whole care team worked well together	91%	*	n.a.	n.a.	n.a.	*	<b>92%</b>
Q57. Administration of care was very good or good	93%	*	n.a.	n.a.	n.a.	*	<b>93%</b>
Q58. Cancer research opportunities were discussed with patient	43%	*	n.a.	n.a.	n.a.	*	<b>45%</b>
Q59. Patient's average rating of care scored from very poor to very good	9.2	*	n.a.	n.a.	n.a.	*	<b>9.2</b>

## Ethnicity tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
<b>SUPPORT FROM YOUR GP PRACTICE</b>							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	n.a.	n.a.	n.a.	n.a.	*	<b>87%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	n.a.	n.a.	n.a.	n.a.	*	<b>57%</b>

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
<b>DIAGNOSTIC TESTS</b>							
Q5. Patient received all the information needed about the diagnostic test in advance	*	n.a.	n.a.	n.a.	n.a.	*	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	n.a.	n.a.	n.a.	n.a.	*	<b>87%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	n.a.	n.a.	n.a.	n.a.	*	<b>85%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	n.a.	n.a.	n.a.	n.a.	*	<b>87%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	n.a.	n.a.	n.a.	n.a.	*	<b>99%</b>

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
<b>FINDING OUT THAT YOU HAD CANCER</b>							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	n.a.	n.a.	n.a.	n.a.	*	<b>66%</b>
Q13. Patient was definitely told sensitively that they had cancer	*	n.a.	n.a.	n.a.	n.a.	*	<b>82%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	*	n.a.	n.a.	n.a.	n.a.	*	<b>84%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	*	n.a.	n.a.	n.a.	n.a.	*	<b>90%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	*	n.a.	n.a.	n.a.	n.a.	*	<b>86%</b>

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>							
Q17. Patient had a main point of contact within the care team	*	n.a.	n.a.	n.a.	n.a.	*	<b>94%</b>
Q18. Patient found it very or quite easy to contact their main contact person	*	n.a.	n.a.	n.a.	n.a.	*	<b>94%</b>
Q19. Patient found advice from main contact person was very or quite helpful	*	n.a.	n.a.	n.a.	n.a.	*	<b>97%</b>

	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
<b>DECIDING ON THE BEST TREATMENT</b>							
Q20. Treatment options were explained in a way the patient could completely understand	*	n.a.	n.a.	n.a.	n.a.	*	<b>89%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	*	n.a.	n.a.	n.a.	n.a.	*	<b>86%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	*	n.a.	n.a.	n.a.	n.a.	*	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	*	n.a.	n.a.	n.a.	n.a.	*	<b>67%</b>

## Ethnicity tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

<b>CARE PLANNING</b>	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	n.a.	n.a.	n.a.	n.a.	*	<b>76%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	n.a.	n.a.	n.a.	n.a.	*	<b>97%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	n.a.	n.a.	n.a.	n.a.	*	<b>99%</b>

<b>SUPPORT FROM HOSPITAL STAFF</b>	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	*	n.a.	n.a.	n.a.	n.a.	*	<b>93%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	*	n.a.	n.a.	n.a.	n.a.	*	<b>84%</b>
Q29. Patient was offered information about how to get financial help or benefits	*	n.a.	n.a.	n.a.	n.a.	*	<b>75%</b>

<b>HOSPITAL CARE</b>	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	n.a.	n.a.	n.a.	n.a.	*	<b>92%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	n.a.	n.a.	n.a.	n.a.	*	<b>65%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	n.a.	n.a.	n.a.	n.a.	*	<b>78%</b>
Q34. Patient was always able to get help from ward staff when needed	*	n.a.	n.a.	n.a.	n.a.	*	<b>80%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	*	n.a.	n.a.	n.a.	n.a.	*	<b>68%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	*	n.a.	n.a.	n.a.	n.a.	*	<b>86%</b>
Q37. Patient was always treated with respect and dignity while in hospital	*	n.a.	n.a.	n.a.	n.a.	*	<b>95%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	n.a.	n.a.	n.a.	n.a.	*	<b>90%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	n.a.	n.a.	n.a.	n.a.	*	<b>84%</b>



## Ethnicity tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

YOUR TREATMENT	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	n.a.	n.a.	n.a.	n.a.	*	<b>94%</b>
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	n.a.	n.a.	n.a.	n.a.	*	<b>91%</b>
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	91%	n.a.	n.a.	n.a.	n.a.	n.a.	<b>91%</b>
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	100%	n.a.	n.a.	n.a.	n.a.	n.a.	<b>100%</b>
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	n.a.	n.a.	n.a.	n.a.	*	<b>87%</b>
Q42_1. Patient completely had enough understandable information about progress with surgery	*	n.a.	n.a.	n.a.	n.a.	*	<b>89%</b>
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	*	n.a.	n.a.	n.a.	n.a.	*	<b>79%</b>
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	83%	n.a.	n.a.	n.a.	n.a.	n.a.	<b>83%</b>
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	95%	n.a.	n.a.	n.a.	n.a.	n.a.	<b>95%</b>
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	n.a.	n.a.	n.a.	n.a.	*	<b>87%</b>
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	*	n.a.	n.a.	n.a.	n.a.	*	<b>88%</b>

IMMEDIATE AND LONG TERM SIDE EFFECTS	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	*	n.a.	n.a.	n.a.	n.a.	*	<b>82%</b>
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	*	n.a.	n.a.	n.a.	n.a.	*	<b>77%</b>
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	n.a.	n.a.	n.a.	n.a.	*	<b>91%</b>
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	n.a.	n.a.	n.a.	n.a.	*	<b>72%</b>
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	n.a.	n.a.	n.a.	n.a.	*	<b>65%</b>

SUPPORT WHILE AT HOME	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	n.a.	n.a.	n.a.	n.a.	*	<b>58%</b>
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	n.a.	n.a.	n.a.	n.a.	*	<b>60%</b>

CARE FROM YOUR GP PRACTICE	Ethnic group						All
	White	Mixed	Asian	Black	Other	Not given	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	n.a.	n.a.	n.a.	n.a.	*	<b>37%</b>
Q52. Patient has had a review of cancer care by GP practice	*	n.a.	n.a.	n.a.	n.a.	*	<b>16%</b>

## Ethnicity tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that ethnicity group.

<b>LIVING WITH AND BEYOND CANCER</b>	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	n.a.	n.a.	n.a.	n.a.	*	<b>34%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	n.a.	n.a.	n.a.	n.a.	*	<b>84%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	n.a.	n.a.	n.a.	n.a.	*	<b>79%</b>

<b>YOUR OVERALL NHS CARE</b>	Ethnic group						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	*	n.a.	n.a.	n.a.	n.a.	*	<b>92%</b>
Q57. Administration of care was very good or good	*	n.a.	n.a.	n.a.	n.a.	*	<b>93%</b>
Q58. Cancer research opportunities were discussed with patient	*	n.a.	n.a.	n.a.	n.a.	*	<b>45%</b>
Q59. Patient's average rating of care scored from very poor to very good	*	n.a.	n.a.	n.a.	n.a.	*	<b>9.2</b>

## IMD quintile tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM YOUR GP PRACTICE</b>							
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	81%	82%	81%	100%	97%	82%	<b>87%</b>
Q3. Referral for diagnosis was explained in a way the patient could completely understand	56%	50%	66%	58%	61%	50%	<b>57%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>DIAGNOSTIC TESTS</b>							
Q5. Patient received all the information needed about the diagnostic test in advance	89%	97%	97%	86%	95%	100%	<b>93%</b>
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	80%	91%	97%	90%	83%	88%	<b>87%</b>
Q7. Patient felt the length of time waiting for diagnostic test results was about right	89%	94%	83%	83%	78%	71%	<b>85%</b>
Q8. Diagnostic test results were explained in a way the patient could completely understand	89%	86%	94%	93%	80%	71%	<b>87%</b>
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	98%	100%	100%	97%	100%	100%	<b>99%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>FINDING OUT THAT YOU HAD CANCER</b>							
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	73%	68%	69%	69%	60%	43%	<b>66%</b>
Q13. Patient was definitely told sensitively that they had cancer	87%	73%	82%	86%	77%	80%	<b>82%</b>
Q14. Cancer diagnosis explained in a way the patient could completely understand	87%	80%	93%	84%	80%	80%	<b>84%</b>
Q15. Patient was definitely told about their diagnosis in an appropriate place	96%	87%	92%	92%	86%	76%	<b>90%</b>
Q16. Patient was told they could go back later for more information about their diagnosis	91%	78%	89%	94%	78%	77%	<b>86%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM A MAIN CONTACT PERSON</b>							
Q17. Patient had a main point of contact within the care team	92%	95%	97%	97%	94%	91%	<b>94%</b>
Q18. Patient found it very or quite easy to contact their main contact person	97%	91%	94%	100%	90%	89%	<b>94%</b>
Q19. Patient found advice from main contact person was very or quite helpful	98%	100%	91%	97%	95%	100%	<b>97%</b>

## IMD quintile tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>DECIDING ON THE BEST TREATMENT</b>							
Q20. Treatment options were explained in a way the patient could completely understand	88%	89%	97%	89%	87%	85%	<b>89%</b>
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	84%	93%	90%	83%	84%	88%	<b>86%</b>
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	78%	86%	86%	87%	73%	78%	<b>80%</b>
Q23. Patient could get further advice or a second opinion before making decisions about their treatment options	73%	74%	82%	67%	50%	45%	<b>67%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>CARE PLANNING</b>							
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	75%	79%	79%	80%	70%	<b>76%</b>
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	98%	100%	95%	96%	100%	91%	<b>97%</b>
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	100%	*	100%	100%	*	<b>99%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>SUPPORT FROM HOSPITAL STAFF</b>							
Q27. Staff provided the patient with relevant information on available support	95%	94%	88%	93%	95%	85%	<b>93%</b>
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	82%	85%	87%	86%	83%	83%	<b>84%</b>
Q29. Patient was offered information about how to get financial help or benefits	70%	83%	*	75%	70%	*	<b>75%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
<b>HOSPITAL CARE</b>							
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	92%	94%	89%	82%	94%	100%	<b>92%</b>
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	68%	80%	82%	53%	50%	58%	<b>65%</b>
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	76%	88%	74%	76%	67%	93%	<b>78%</b>
Q34. Patient was always able to get help from ward staff when needed	82%	82%	74%	81%	76%	80%	<b>80%</b>
Q35. Patient was always able to discuss worries and fears with hospital staff	71%	81%	53%	71%	61%	71%	<b>68%</b>
Q36. Hospital staff always did everything they could to help the patient control pain	77%	87%	88%	94%	94%	92%	<b>86%</b>
Q37. Patient was always treated with respect and dignity while in hospital	92%	100%	95%	88%	100%	100%	<b>95%</b>
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	95%	94%	78%	94%	76%	100%	<b>90%</b>
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	87%	88%	82%	82%	83%	75%	<b>84%</b>

## IMD quintile tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

YOUR TREATMENT	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	93%	100%	97%	94%	89%	95%	94%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	96%	82%	*	*	*	n.a.	91%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	95%	*	*	*	*	*	91%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	*	*	*	n.a.	100%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	*	*	*	*	87%
Q42_1. Patient completely had enough understandable information about progress with surgery	88%	90%	94%	92%	82%	90%	89%
Q42_2. Patient completely had enough understandable information about progress with chemotherapy	79%	88%	*	*	*	n.a.	79%
Q42_3. Patient completely had enough understandable information about progress with radiotherapy	77%	*	*	*	*	*	83%
Q42_4. Patient completely had enough understandable information about progress with hormone therapy	*	*	*	*	*	n.a.	95%
Q42_5. Patient completely had enough understandable information about progress with immunotherapy	*	*	*	*	*	*	87%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	91%	92%	87%	92%	77%	88%	88%

IMMEDIATE AND LONG TERM SIDE EFFECTS	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	85%	86%	81%	81%	76%	75%	82%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	82%	80%	83%	74%	68%	62%	77%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	92%	85%	92%	92%	97%	82%	91%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	76%	78%	72%	68%	63%	65%	72%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	70%	73%	57%	59%	58%	67%	65%

SUPPORT WHILE AT HOME	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	73%	61%	45%	57%	42%	50%	58%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	57%	75%	*	46%	64%	*	60%

CARE FROM YOUR GP PRACTICE	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	42%	33%	29%	*	36%	*	37%
Q52. Patient has had a review of cancer care by GP practice	21%	24%	11%	11%	10%	12%	16%

## IMD quintile tables

\* Indicates where a score has been suppressed because there are less than 11 responses. n.a. Indicates that there were no respondents for that quintile group.

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	33%	*	*	*	*	*	<b>34%</b>
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	90%	81%	83%	82%	93%	<b>84%</b>
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	72%	79%	82%	75%	85%	91%	<b>79%</b>

	IMD Quintile						
	1 (most deprived)	2	3	4	5 (least deprived)	Non-England	All
Q56. The whole care team worked well together	93%	100%	95%	81%	90%	92%	<b>92%</b>
Q57. Administration of care was very good or good	93%	100%	93%	97%	86%	92%	<b>93%</b>
Q58. Cancer research opportunities were discussed with patient	55%	39%	45%	48%	50%	14%	<b>45%</b>
Q59. Patient's average rating of care scored from very poor to very good	9.3	9.4	9.2	9.3	9.0	9.2	<b>9.2</b>