

Cancer Patient Experience Survey

2023 Results

Norfolk and Norwich University Hospitals NHS Foundation Trust

Published July 2024

The Cancer Patient Experience Survey is undertaken by Picker on behalf of NHS England

Contents

| Executive summary | 3 |
|-------------------------------------|----|
| | 4 |
| Methodology | 4 |
| Understanding the results | 5 |
| Further information | 7 |
| Response rate | 8 |
| Expected range charts | 10 |
| Comparability tables | 14 |
| Tumour group tables | 18 |
| Age group tables | 23 |
| Male/Female/Non-binary/Other tables | 27 |
| Ethnicity tables | 32 |
| IMD quintile tables | 36 |
| Long-term condition status tables | 40 |
| Year on year charts | 44 |

Executive summary

Questions above expected range

| | Case | Case mix adjusted scores | | | | | |
|--|------------|----------------------------|----------------------------|-------------------|--|--|--|
| | 2023 score | Lower expected range | Upper expected range | National score | | | |
| Q17. Patient had a main point of contact within the care team | 94% | 88% | 94% | 91% | | | |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 86% | 71% | 86% | 78% | | | |

Questions below expected range

| | Case | Case mix adjusted scores | | | | |
|--|------------|----------------------------|----------------------------|-------------------|--|--|
| | 2023 score | Lower expected range | Upper expected range | National score | | |
| Q34. Patient was always able to get help from ward staff when needed | 64% | 67% | 78% | 73% | | |
| Q35. Patient was always able to discuss worries and fears with hospital staff | 59% | 60% | 70% | 65% | | |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | 77% | 77% | 90% | 84% | | |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | 66% | 67% | 73% | 70% | | |
| Q52. Patient has had a review of cancer care by GP practice | 20% | 20% | 25% | 23% | | |

Introduction

The National Cancer Patient Experience Survey 2023 is the thirteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a national Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2023 survey involved 132 NHS Trusts. Out of 121,121 people, 63,428 people responded to the survey, yielding a response rate of 52%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS Trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2023. The fieldwork for the survey was undertaken between November 2023 and February 2024.

As in the previous eight years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021, 2022 and 2023 are included in this report for most questions. A review of the questionnaire in 2023 saw four changes being made:

- The question text for Q23 and Q42 were amended. These questions are no longer deemed comparable to 2021 and 2022.
- The long-term condition question (Q67) was amended to include "Autism or autism spectrum condition" as a response option. And the "Neurological condition" answer option was updated to include an example condition changing it to "Neurological condition, such as epilepsy". These changes see the answer option "Neurological condition, such as epilepsy" as no longer being deemed comparable to 2021 and 2022.
- The ethnic group question (Q71) was amended to include "Roma" as an answer option. The ethnic group question is still deemed comparable to 2021 and 2022.

Case-mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case-mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case-mix adjusted estimates we can obtain a greater understanding of how a Trust is performing given their patient population. The factors taken into account in this case-mix adjustment are Male/Female/Non-binary/Other, age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the Trust. Casemix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave

Cancer Patient Experience Survey 2023

Norfolk and Norwich University Hospitals NHS Foundation Trust

the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

Statistical significance

In the reporting of 2023 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular Trust, the results are not shown for that question for that Trust.

For Trusts with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

Additional suppression

Additional suppression happens if only **one** Trust has a score suppressed. If this happens, we will suppress another Trust's results (both the Trust level and sub-group results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual Trust.

The same rule applies to groups in each sub-group breakdown. For example, if only one Trust has the 85+ age group suppressed for Q25 we will need to suppress another Trust's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this Trust scored for each question in the survey compared with national results. It is aimed at helping individual Trusts to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this Trust.

Trusts whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the Trust performs better than what Trusts of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the Trust's size and demographics.

Comparability tables

The comparability tables show the 2022 and 2023 unadjusted scores for this Trust for each scored question. The Change 2022-2023 and Change overall columns show whether the scores show a statistically significant variation between years. This is shown between 2022-2023 and as an overall

Cancer Patient Experience Survey 2023

Norfolk and Norwich University Hospitals NHS Foundation Trust

between 2021-2023. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease and no arrow indicates no statistically significant change.

The adjusted 2023 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Sub-group breakdowns

Unadjusted scores are shown for tumour group, Male/Female/Non-binary/Other, age, IMD quintile, long-term condition status and ethnicity breakdowns. Unadjusted scores for the same sub-group across different Trusts may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour group tables

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

Male/Female/Non-binary/Other tables

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Year on year charts

The year on year charts show three columns representing the unadjusted scores of the last three years (2021, 2022 and 2023) for each scored question.

National level and England level data

In some cases (343 respondents in 2023), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS Trusts for treatment. These patients are described as 'Non-England' in the data.

National level data (England and Non-England) is used for:

- Response rate section
- National column in comparability tables section
- Sub-group tables section (Tumour group tables, Age group tables, Male/Female/Non-binary/Other tables, Ethnicity tables, IMD quintile tables and Long-term condition status tables)

England only level data is used for:

- Expected range charts section (as case-mix adjustment includes IMD data specific to England)
- Comparability tables section
- Year on year charts section.

Further information

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

For more information on the methodology, please see the Technical Document. It can be viewed along with the 2023 questionnaire and survey guidance on the website at <u>www.ncpes.co.uk</u>. For all other outputs at Trust level, please see the Excel tables and dashboards at <u>www.ncpes.co.uk</u>.

Response rate

Overall response rate

875 patients responded out of a total of 1,437 patients, resulting in a response rate of 61%.

| | Sample size | Adjusted sample | Completed | Response rate |
|-----------------------|-------------|-----------------|-----------|---------------|
| Overall response rate | 1,514 | 1,437 | 875 | 61% |
| National | 129,231 | 121,121 | 63,438 | 52% |

Respondents by survey type

| | Number of respondents |
|---------------------|--------------------------|
| Paper | 726 |
| Online | 149 |
| Phone | 0 |
| Translation service | 0 |
| Total | 875 |

Respondents by tumour group

| | Number of respondents |
|------------------|--------------------------|
| Brain / CNS | 2 |
| Breast | 161 |
| Colorectal / LGT | 61 |
| Gynaecological | 44 |
| Haematological | 123 |
| Head and neck | 24 |
| Lung | 49 |
| Prostate | 129 |
| Sarcoma | 3 |
| Skin | 18 |
| Upper gastro | 55 |
| Urological | 76 |
| Other | 130 |
| Total | 875 |

Respondents by ethnicity

| | Number of respondents |
|---|--------------------------|
| White | |
| English / Welsh / Scottish / Northern Irish / British | 795 |
| Irish | * |
| Gypsy or Irish Traveller | * |
| Roma | * |
| Any other White background | 12 |
| Mixed / Multiple Ethnic Groups | |
| White and Black Caribbean | * |
| White and Black African | * |
| White and Asian | * |
| Any other Mixed / multiple ethnic background | * |
| Asian or Asian British | |
| Indian | * |
| Pakistani | * |
| Bangladeshi | * |
| Chinese | * |
| Any other Asian background | * |
| Black / African / Caribbean / Black British | I |
| African | * |
| Caribbean | * |
| Any other Black / African / Caribbean background | * |
| Other Ethnicity | |
| Arab | * |
| Any other ethnic group | * |
| Not given | |
| Not given | 51 |
| Total | 875 |

* indicates the count is not shown due to suppression

| Lower expected range Within expected range The left outer edge of the bars is the lowest score achieved of all Trust | | right ou | •• | • | ed range bars is t | | | Case n e achiev | | | |
|---|----------|----------|-----|-----|-----------------------|-----|-----|--------------------|-----------------|-----------------|---------|
| SUPPORT FROM YOUR GP PRACTICE Q2. Patient only spoke to primary care professional once or twi before cancer diagnosis Q3. Referral for diagnosis was explained in a way the patient could completely understand | 0% ce | 10% | 20% | 30% | 40% | 50% | | 70% 68% ♦ | 80% 79% ♦ | 90% | 100% |
| DIAGNOSTIC TESTS Q5. Patient received all the information needed about the diagnostic test in advance | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% 92% ♦ | |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patientQ7. Patient felt the length of time waiting for diagnostic test results was about right | | | | | | | | 749 | 85 | 9% | |
| Q8. Diagnostic test results were explained in a way the patient could completely understandQ9. Enough privacy was always given to the patient when receiving diagnostic test results | | | | | | | | | 80% ◆ | 96 | 5% • |
| FINDING OUT THAT YOU HAD CANCER | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q12. Patient was told they could have a family member, carer of friend with them when told diagnosis | or | | | | | | | | 81% ◆ | | |
| Q13. Patient was definitely told sensitively that they had cancer | r | | | | | | | 75 | % • | | |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | | | | | | | | | 78% ◆ | | |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | | | | | | | | | | 5% ▶ 5% | |
| Q16. Patient was told they could go back later for more information about their diagnosis | | | | | | | | | | • | |
| SUPPORT FROM A MAIN CONTACT PERSON | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | |
| Q17. Patient had a main point of contact within the care team Q18. Patient found it very or quite easy to contact their main | | | | | | | | | 8 | 94° | % |
| contact person Q19. Patient found advice from main contact person was very o quite helpful | or | | | | | | | | | 96 | 5% ▶ |

| Lower expected range Within expected range The left outer edge of the bars is the lowest score achieved of all Trusts | s. The | right ou | •• | expecte e of the l | 0 | | | Case r e achie | | | |
|---|---------|----------|-----|-----------------------|-----|-----|----------|-------------------|-----------------------------------|------------|------------------|
| DECIDING ON THE BEST TREATMENT Q20. Treatment options were explained in a way the patient could completely understand Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | | 10% | 20% | 30% | 40% | 50% | 60% % | 70% | 80% 839 ◆ 78% ◆ 84 | | 100% |
| CARE PLANNING Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment Q25. A member of their care team helped the patient create a care plan to address any needs or concerns Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | 0% r | 10% | 20% | 30% | 40% | 50% | 60% | 70% 72% | 80% | 90% | 100% % 99% |
| SUPPORT FROM HOSPITAL STAFF Q27. Staff provided the patient with relevant information on available support Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff Q29. Patient was offered information about how to get financial help or benefits | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% 74 €88% | 80% | 90% 939 | 100% |
| HOSPITAL CARE Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospita Q33. Patient was always involved in decisions about their care and treatment whilst in hospital Q34. Patient was always able to get help from ward staff when needed Q35. Patient was always able to discuss worries and fears with hospital staff Q36. Hospital staff always did everything they could to help the patient control pain Q37. Patient was always treated with respect and dignity while i hospital Q38. Patient received easily understandable information about what they should or should not do after leaving hospital Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | | 10% | 20% | 30% | 40% | 50% | | 68% ♦ | | | 100% |

| Lower expected range Within expected range The left outer edge of the bars is the lowest score achieved of all Trust | | e right | | • | • | ed rang bars is t | | est scor | | nix adju ved of a | | |
|---|----|---------|-----|----|-----|----------------------|----------|------------------------------|----------|----------------------|----------|------|
| YOUR TREATMENT | 0% | 10 | % 2 | 0% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | | | | | | | | | | | 91% ◆ |) |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | | | | | | | | | | 839 • | % | |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | | | | | | | | | | | 90% ♦ | |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | | | | | | | | | | 81% ♦ | | |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | | | | | | | | | 7 | 77% ◆ | | |
| Q42_1. Patient completely had enough understandable nformation about their response to surgery | | | | | | | | | | 8 | 6% ◆ | |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | | | | | | | | | | 79% ♦ | | |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | | | | | | | | | | 85 | 5% | |
| Q42_4. Patient completely had enough understandable nformation about their response to hormone therapy | | | | | | | | | | 81% ♦ | | |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy | | | | | | | | | 7 | 6% ♦ | | |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | | | | | | | | | | 8 | 6% ◆ | |
| MMEDIATE AND LONG TERM SIDE EFFECTS | 0% | 10 | % 2 | 0% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | | | | | | | | | 739 ♦ | % | | |
| Q45. Patient was always offered practical advice on dealing wit any immediate side effects from treatment | h | | | | | | | 6 | 6% ◆ | | | |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | ut | | | | | | | | | 3 | 37% ♦ | |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their reatment | | | | | | | | 59% ◆ | | | | |
| Q48. Patient was definitely able to discuss options for managing he impact of any long-term side effects | g | | | | | | 52% ◆ | | | | | |
| SUPPORT WHILE AT HOME | 0% | 10 | % 2 | 0% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q49. Care team gave family, or someone close, all the nformation needed to help care for the patient at home | | | | | | | | 65 | 5% • | | | |
| Q50. During treatment, the patient definitely got enough care ar support at home from community or voluntary services | nd | | | | | | 51% | | | | | |

| Lower expected range Within expecte The left outer edge of the bars is the lowest score achieved of | 0 | right out | | • | ed range bars is t | Case mix adjusted score hest score achieved of all Trusts. | | | | | |
|---|------------|-----------|-----|----------|-----------------------|--|-----|-----|----------|----------|------|
| CARE FROM YOUR GP PRACTICE | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q51. Patient definitely received the right amount of supp their GP practice during treatment | port from | | 20% | | | 48% ◆ | | | | | |
| Q52. Patient has had a review of cancer care by GP pra | actice | | • | | | | | | | | |
| LIVING WITH AND BEYOND CANCER | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q53. After treatment, the patient definitely could get enco emotional support at home from community or voluntary | | | | 32% ♦ | | | | | | | |
| Q54. The right amount of information and support was c to the patient between final treatment and the follow up appointment | offered | | | | | | | | 80% ♦ | | |
| Q55. Patient was given enough information about the po and signs of cancer coming back or spreading | ossibility | | | | | | 65 | % | | | |
| YOUR OVERALL NHS CARE | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% | 100% |
| Q56. The whole care team worked well together | | | | | | | | | | 90% | |
| Q57. Administration of care was very good or good | | | | | 38% | | | | | 88% ◆ | |
| Q58. Cancer research opportunities were discussed with | h patient | | | | • | | | | | | |
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Q59. Patient's average rating of care scored from very p very good | poor to | | | | | | | | | 8.9 | |

Comparability tables

 Indicates where a score is not available due to suppression or a low base size.

ra ▲ _{or} ▼

Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023).

Adjusted Score below Lower Expected Range Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

** No score available for 2022.

| | | | Unadjust | ted score | Case n | | | | | |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| SUPPORT FROM YOUR GP PRACTICE | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 495 | 78% | 421 | 80% | | | 79% | 74% | 82% | 78% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 662 | 65% | 605 | 68% | | • | 68% | 63% | 70% | 67% |

| | | | Unadjus | ted score | es | | Case n | | | |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| DIAGNOSTIC TESTS | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q5. Patient received all the information needed about the diagnostic test in advance | 838 | 94% | 685 | 92% | | | 92% | 90% | 94% | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 878 | 85% | 729 | 85% | | | 85% | 81% | 86% | 83% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | 875 | 75% | 720 | 74% | | ▼ | 74% | 74% | 82% | 78% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | 877 | 78% | 727 | 80% | | | 80% | 75% | 81% | 78% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | 882 | 94% | 731 | 96% | | | 96% | 93% | 96% | 95% |

| | | | Unadjus | ted score | es | | Case n | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| FINDING OUT THAT YOU HAD CANCER | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 946 | 76% | 801 | 81% | | | 81% | 78% | 84% | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | 1007 | 75% | 855 | 75% | | | 75% | 71% | 77% | 74% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | 1011 | 77% | 858 | 78% | | | 78% | 74% | 80% | 77% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | 1010 | 85% | 850 | 85% | | | 85% | 83% | 88% | 86% |
| Q16. Patient was told they could go back later for more information about their diagnosis | 877 | 84% | 743 | 85% | | | 86% | 81% | 87% | 84% |

| | | | Unadjust | ed score | | Case n | | | | |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| SUPPORT FROM A MAIN CONTACT PERSON | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q17. Patient had a main point of contact within the care team | 981 | 95% | 843 | 94% | | | 94% | 88% | 94% | 91% |
| Q18. Patient found it very or quite easy to contact their main contact person | 864 | 84% | 728 | 88% | | | 88% | 80% | 88% | 84% |
| Q19. Patient found advice from main contact person was very or quite helpful | 889 | 96% | 755 | 96% | | | 96% | 94% | 97% | 96% |

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

ora ▲ or ▼ Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023).

Adjusted Score below Lower Expected Range Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

** No score available for 2022.

| | | | Unadjus | Case n | | | | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| DECIDING ON THE BEST TREATMENT | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q20. Treatment options were explained in a way the patient could completely understand | 924 | 80% | 803 | 83% | | | 83% | 80% | 85% | 82% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | 995 | 77% | 852 | 78% | | | 78% | 77% | 82% | 80% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | 847 | 77% | 726 | 84% | | | 84% | 81% | 86% | 83% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | ** | ** | 459 | 54% | | | 54% | 52% | 61% | 57% |

| | | | Unadjust | ted score | s | | Case n | nix adjuste | d scores | |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| CARE PLANNING | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | 895 | 72% | 770 | 71% | | | 72% | 69% | 75% | 72% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 502 | 93% | 440 | 94% | | | 94% | 91% | 96% | 94% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | 389 | 99% | 345 | 99% | | | 99% | 98% | 100% | 99% |

| | | | Unadjus | ted score | es | | Case n | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| SUPPORT FROM HOSPITAL STAFF | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q27. Staff provided the patient with relevant information on available support | 832 | 89% | 723 | 93% | | | 93% | 89% | 93% | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 1007 | 74% | 851 | 75% | | | 74% | 72% | 80% | 76% |
| Q29. Patient was offered information about how to get financial help or benefits | 516 | 66% | 417 | 67% | | | 68% | 64% | 76% | 70% |

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

ra ▲ _{or} ▼ Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023).

Adjusted Score below Lower Expected Range Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

| ** | No score available for 2022. | |
|----|------------------------------|--|

| | | | Unadjus | ted score | es | | Case n | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| HOSPITAL CARE | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | Nationa score |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital | 437 | 73% | 349 | 77% | | | 76% | 73% | 82% | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 342 | 64% | 284 | 67% | | | 67% | 64% | 76% | 70% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | 432 | 67% | 340 | 68% | | | 68% | 66% | 75% | 70% |
| Q34. Patient was always able to get help from ward staff when needed | 432 | 63% | 334 | 64% | | | 64% | 67% | 78% | 73% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | 414 | 58% | 326 | 59% | | | 59% | 60% | 70% | 65% |
| Q36. Hospital staff always did everything they could to help the patient control pain | 387 | 82% | 310 | 85% | | | 84% | 80% | 88% | 84% |
| Q37. Patient was always treated with respect and dignity while in hospital | 434 | 85% | 344 | 86% | | | 86% | 84% | 91% | 87% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital | 429 | 85% | 340 | 86% | | | 86% | 85% | 92% | 88% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | 874 | 78% | 731 | 80% | | | 80% | 76% | 82% | 79% |
| | | | Linadiue | ted score | 20 | | Caso | nix adiuste | d scores | |

| | | | Unadjus | ted score | es | | Case r | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| YOUR TREATMENT | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | 566 | 87% | 448 | 91% | | | 91% | 87% | 93% | 90% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | 461 | 83% | 374 | 83% | | | 83% | 82% | 89% | 86% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | 254 | 87% | 193 | 90% | | | 90% | 84% | 93% | 89% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | 182 | 76% | 174 | 82% | | | 81% | 73% | 85% | 79% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | 136 | 77% | 120 | 77% | | | 77% | 77% | 90% | 84% |
| Q42_1. Patient completely had enough understandable information about their response to surgery | ** | ** | 441 | 87% | | | 86% | 83% | 90% | 86% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | ** | ** | 370 | 79% | | | 79% | 77% | 85% | 81% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | ** | ** | 192 | 85% | | | 85% | 80% | 90% | 85% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy | ** | ** | 174 | 82% | | | 81% | 70% | 83% | 76% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy | ** | ** | 118 | 75% | | | 76% | 73% | 88% | 81% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 992 | 87% | 832 | 86% | | | 86% | 71% | 86% | 78% |

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

ra ▲ _{or} ▼ Change 2022-2023: Indicates where 2023 score is significantly higher or lower than 2022 score. Change overall: Indicates significant change overall (2021, 2022, and 2023). Adjusted Score below Lower Expected Range Adjusted Score between Upper and Lower Expected Ranges Adjusted Score above Upper Expected Range

** No score available for 2022.

| | | Unadjusted scores Case mix adjuster | | | | | | | | | | |
|--|-----------|-------------------------------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|--|--|
| IMMEDIATE AND LONG TERM SIDE EFFECTS | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score | | |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | 957 | 72% | 809 | 73% | | | 73% | 71% | 77% | 74% | | |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | 905 | 68% | 757 | 66% | | | 66% | 67% | 73% | 70% | | |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | 730 | 87% | 597 | 87% | | | 87% | 84% | 90% | 87% | | |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 885 | 58% | 749 | 59% | | | 59% | 56% | 64% | 60% | | |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | 772 | 54% | 653 | 51% | | | 52% | 50% | 59% | 55% | | |

| | | | Unadjust | ted score | | Case n | | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| SUPPORT WHILE AT HOME | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | 657 | 57% | 580 | 65% | | | 65% | 58% | 66% | 62% |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 356 | 51% | 333 | 51% | | | 51% | 47% | 58% | 52% |

| | | | Unadjust | ted score | | Case n | | | | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| CARE FROM YOUR GP PRACTICE | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 596 | 47% | 522 | 48% | | | 48% | 42% | 51% | 46% |
| Q52. Patient has had a review of cancer care by GP practice | 974 | 19% | 833 | 19% | | | 20% | 20% | 25% | 23% |

| | | | Unadjust | ted score | s | | Case m | nix adjuste | d scores | |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| LIVING WITH AND BEYOND CANCER | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | 200 | 31% | 163 | 31% | | | 32% | 25% | 39% | 32% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 450 | 81% | 367 | 80% | | | 80% | 74% | 84% | 79% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | 768 | 63% | 661 | 65% | | | 65% | 59% | 68% | 64% |

| | | | Unadjus | ted score | es | | Case n | nix adjuste | d scores | |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|-------------------|
| YOUR OVERALL NHS CARE | 2022 n | 2022 score | 2023 n | 2023 score | Change 2022- 2023 | Change overall | 2023 score | Lower expected range | Upper expected range | National score |
| Q56. The whole care team worked well together | 968 | 89% | 822 | 90% | | | 90% | 88% | 92% | 90% |
| Q57. Administration of care was very good or good | 1000 | 88% | 856 | 88% | | | 88% | 84% | 90% | 87% |
| Q58. Cancer research opportunities were discussed with patient | 614 | 39% | 493 | 38% | | | 38% | 35% | 55% | 45% |
| Q59. Patient's average rating of care scored from very poor to very good | 969 | 8.9 | 844 | 8.9 | | | 8.9 | 8.8 | 9.0 | 8.9 |

Tumour group tables

| SUPPORT FROM YOUR GP PRACTICE | | | | | | | Tumo | our gro | up | | | | | |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | * | 97% | 86% | 77% | 80% | 83% | 81% | 83% | * | 92% | 63% | 76% | 59% | 80% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | * | 83% | 76% | 67% | 53% | 69% | 60% | 72% | * | 73% | 47% | 66% | 67% | 68% |

| DIAGNOSTIC TESTS | | | | | | | Tumo | our gro | up | | | | | |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q5. Patient received all the information needed about the diagnostic test in advance | * | 92% | 96% | 87% | 90% | 94% | 97% | 93% | * | 94% | 93% | 91% | 91% | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | * | 89% | 86% | 88% | 80% | 94% | 89% | 91% | * | 94% | 86% | 82% | 78% | 85% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | * | 75% | 76% | 62% | 90% | 78% | 69% | 72% | * | 82% | 70% | 79% | 66% | 74% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | * | 82% | 78% | 66% | 75% | 82% | 82% | 83% | * | 82% | 93% | 82% | 75% | 80% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | * | 97% | 96% | 95% | 98% | 100% | 92% | 97% | * | 94% | 98% | 99% | 90% | 96% |

| FINDING OUT THAT YOU HAD CANCER | | | | | | | Tumo | our gro | oup | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | * | 91% | 83% | 88% | 73% | 74% | 84% | 75% | * | 72% | 88% | 73% | 81% | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | * | 83% | 78% | 77% | 74% | 64% | 73% | 72% | * | 89% | 72% | 72% | 71% | 75% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | * | 81% | 80% | 80% | 73% | 82% | 81% | 79% | * | 89% | 76% | 77% | 75% | 78% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | * | 93% | 85% | 81% | 83% | 90% | 90% | 87% | * | 83% | 79% | 85% | 80% | 85% |
| Q16. Patient was told they could go back later for more information about their diagnosis | * | 89% | 88% | 83% | 89% | 90% | 80% | 86% | * | 94% | 88% | 79% | 79% | 85% |

Tumour group tables

| SUPPORT FROM A MAIN CONTACT PERSO | N | | | | | | Tumo | our gro | oup | | | | | |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q17. Patient had a main point of contact within the care team | * | 97% | 93% | 98% | 95% | 92% | 94% | 93% | * | 100% | 98% | 88% | 91% | 94% |
| Q18. Patient found it very or quite easy to contact their main contact person | * | 87% | 85% | 93% | 92% | 90% | 89% | 89% | * | 77% | 84% | 88% | 83% | 88% |
| Q19. Patient found advice from main contact person was very or quite helpful | * | 95% | 92% | 100% | 99% | 100% | 100% | 96% | * | 100% | 90% | 96% | 94% | 96% |

| DECIDING ON THE BEST TREATMENT | | | | | | | Tumo | our gro | up | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q20. Treatment options were explained in a way the patient could completely understand | * | 82% | 84% | 83% | 83% | 100% | 81% | 79% | * | 89% | 84% | 80% | 82% | 83% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | * | 75% | 83% | 82% | 86% | 83% | 87% | 76% | * | 89% | 78% | 70% | 72% | 78% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | * | 81% | 94% | 92% | 84% | 86% | 98% | 83% | * | 86% | 92% | 71% | 80% | 84% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | * | 53% | 50% | 52% | 62% | 55% | 58% | 50% | * | * | 61% | 47% | 54% | 54% |

| CARE PLANNING | | | | | | - | Tumo | our gro | up | | | | | - |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | * | 74% | 71% | 76% | 70% | 82% | 60% | 73% | * | 73% | 76% | 67% | 69% | 71% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | * | 95% | 91% | 96% | 96% | 100% | 89% | 95% | * | * | 91% | 91% | 96% | 94% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | * | 100% | 100% | 95% | 100% | 100% | 100% | 100% | * | * | 100% | 100% | 98% | 99% |

| SUPPORT FROM HOSPITAL STAFF | | | | | | | Tumo | our gro | oup | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q27. Staff provided the patient with relevant information on available support | * | 96% | 91% | 93% | 95% | 95% | 95% | 94% | * | 100% | 93% | 91% | 86% | 93% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | * | 72% | 73% | 79% | 76% | 86% | 75% | 78% | * | 83% | 70% | 73% | 72% | 75% |
| Q29. Patient was offered information about how to get financial help or benefits | * | 78% | 52% | 78% | 68% | 100% | 74% | 56% | * | * | 68% | 48% | 57% | 67% |

Tumour group tables

*

| HOSPITAL CARE | | | | | | | Tumo | our gro | up | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital | * | 78% | 76% | 72% | 74% | 79% | 70% | 86% | * | * | 82% | 89% | 59% | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | * | 66% | 65% | 72% | 59% | 64% | 63% | 69% | * | * | 84% | 68% | 60% | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | * | 82% | 69% | 62% | 66% | 74% | 63% | 74% | * | * | 78% | 74% | 46% | 68% |
| Q34. Patient was always able to get help from ward staff when needed | * | 62% | 59% | 68% | 65% | 67% | 72% | 80% | * | * | 52% | 71% | 47% | 64% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | * | 66% | 54% | 67% | 62% | 78% | 54% | 62% | * | * | 56% | 69% | 40% | 59% |
| Q36. Hospital staff always did everything they could to help the patient control pain | * | 87% | 83% | 88% | 88% | 94% | 80% | 93% | * | * | 79% | 84% | 74% | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital | * | 89% | 83% | 82% | 83% | 100% | 74% | 95% | * | * | 86% | 94% | 77% | 86% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital | * | 91% | 89% | 89% | 88% | 94% | 78% | 88% | * | * | 86% | 88% | 71% | 86% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | * | 78% | 76% | 79% | 89% | 95% | 76% | 85% | * | 83% | 83% | 68% | 75% | 80% |

| YOUR TREATMENT | | | | | | | Tumo | our gro | up | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | * | 92% | 91% | 97% | * | 94% | 100% | 93% | * | 100% | 100% | 86% | 84% | 91% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | * | 79% | 86% | 100% | 83% | * | 67% | * | * | * | 78% | 93% | 80% | 83% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | * | 88% | 91% | * | * | 100% | * | 93% | * | * | * | * | 85% | 90% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | * | 79% | * | * | * | * | * | 86% | * | * | * | * | 89% | 82% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | * | 77% | * | * | 80% | * | 62% | * | * | * | * | 70% | 85% | 77% |
| Q42_1. Patient completely had enough understandable information about their response to surgery | * | 88% | 84% | 91% | * | 100% | 91% | 82% | * | 100% | 96% | 86% | 73% | 87% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | * | 76% | 79% | 88% | 87% | * | 61% | * | * | * | 78% | 78% | 72% | 79% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | * | 87% | 64% | * | * | 93% | * | 90% | * | * | * | * | 85% | 85% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy | * | 77% | * | * | * | * | * | 85% | * | * | * | * | 90% | 82% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy | * | 73% | * | * | 83% | * | 54% | * | * | * | * | 70% | 82% | 75% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | * | 84% | 92% | 90% | 88% | 92% | 91% | 87% | * | 78% | 94% | 84% | 81% | 86% |

Tumour group tables

*

| IMMEDIATE AND LONG TERM SIDE EFFEC | TS | | | | | | Tumo | our gro | up | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | * | 68% | 69% | 79% | 77% | 86% | 66% | 78% | * | 81% | 68% | 65% | 75% | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | * | 70% | 65% | 69% | 67% | 90% | 66% | 63% | * | 77% | 70% | 56% | 60% | 66% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | * | 92% | 84% | 93% | 89% | 94% | 82% | 82% | * | * | 90% | 82% | 88% | 87% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | * | 57% | 60% | 64% | 54% | 76% | 50% | 66% | * | 67% | 59% | 55% | 57% | 59% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | * | 50% | 51% | 56% | 45% | 67% | 53% | 51% | * | * | 49% | 51% | 55% | 51% |

| SUPPORT WHILE AT HOME | | | | | | | Tumo | our gro | oup | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | * | 63% | 64% | 86% | 65% | 82% | 71% | 54% | * | * | 80% | 55% | 60% | 65% |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | * | 53% | 59% | 59% | 47% | * | 40% | 48% | * | * | 50% | 54% | 49% | 51% |

| CARE FROM YOUR GP PRACTICE | | | | | | | Tumo | our gro | up | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | * | 45% | 57% | 41% | 50% | 77% | 38% | 53% | * | * | 47% | 33% | 46% | 48% |
| Q52. Patient has had a review of cancer care by GP practice | * | 19% | 29% | 26% | 9% | 17% | 17% | 20% | * | 17% | 20% | 25% | 18% | 19% |

Tumour group tables

| LIVING WITH AND BEYOND CANCER | | | | | | | Tumo | our gro | up | | | | | |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | * | 38% | 41% | * | 11% | * | 33% | 32% | * | * | * | 23% | 26% | 31% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | * | 81% | 79% | 88% | 85% | 89% | 76% | 77% | * | * | 83% | 77% | 68% | 80% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | * | 61% | 54% | 66% | 75% | 61% | 58% | 59% | * | 80% | 67% | 67% | 68% | 65% |

| YOUR OVERALL NHS CARE | | | | | | | Tumo | our gro | up | | | | | |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|----------------|
| | Brain / CNS | Breast | Colorectal / LGT | Gynaecological | Haematological | Head and neck | Lung | Prostate | Sarcoma | Skin | Upper gastro | Urological | Other | All cancers |
| Q56. The whole care team worked well together | * | 88% | 88% | 83% | 90% | 100% | 91% | 92% | * | 94% | 88% | 83% | 94% | 90% |
| Q57. Administration of care was very good or good | * | 90% | 88% | 84% | 86% | 100% | 92% | 88% | * | 89% | 90% | 84% | 87% | 88% |
| Q58. Cancer research opportunities were discussed with patient | * | 21% | 32% | 41% | 57% | 62% | 38% | 31% | * | * | 47% | 23% | 42% | 38% |
| Q59. Patient's average rating of care scored from very poor to very good | * | 9.0 | 8.6 | 8.9 | 9.0 | 9.3 | 8.9 | 8.8 | * | 9.1 | 8.9 | 8.7 | 8.8 | 8.9 |

Age group tables

| SUPPORT FROM YOUR GP PRACTICE | | | | | Age | | | | |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | * | * | * | 71% | 78% | 80% | 83% | 75% | 80% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | * | * | 92% | 75% | 73% | 69% | 62% | 64% | 68% |

| DIAGNOSTIC TESTS | | | | | Age | | | | |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q5. Patient received all the information needed about the diagnostic test in advance | * | * | 80% | 90% | 92% | 94% | 92% | 90% | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | * | * | 90% | 91% | 85% | 87% | 82% | 89% | 85% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | * | * | 50% | 60% | 61% | 77% | 79% | 89% | 74% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | * | * | 80% | 79% | 78% | 83% | 77% | 81% | 80% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | * | * | 100% | 91% | 92% | 97% | 98% | 98% | 96% |

| FINDING OUT THAT YOU HAD CANCER | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | * | * | 80% | 84% | 80% | 81% | 79% | 89% | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | * | * | 92% | 65% | 66% | 77% | 77% | 78% | 75% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | * | * | 83% | 71% | 73% | 81% | 79% | 75% | 78% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | * | * | 92% | 79% | 79% | 89% | 84% | 96% | 85% |
| Q16. Patient was told they could go back later for more information about their diagnosis | * | * | 92% | 88% | 89% | 85% | 84% | 78% | 85% |

| SUPPORT FROM A MAIN CONTACT PERSO | N | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q17. Patient had a main point of contact within the care team $% \left({{\left[{{{\rm{A}}} \right]}_{{\rm{A}}}}_{{\rm{A}}}} \right)$ | * | * | 92% | 91% | 96% | 95% | 94% | 94% | 94% |
| Q18. Patient found it very or quite easy to contact their main contact person | * | * | 82% | 88% | 86% | 86% | 90% | 95% | 88% |
| Q19. Patient found advice from main contact person was very or quite helpful | * | * | 100% | 94% | 96% | 96% | 97% | 98% | 96% |

| DECIDING ON THE BEST TREATMENT | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q20. Treatment options were explained in a way the patient could completely understand | * | * | 69% | 78% | 79% | 85% | 83% | 89% | 83% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | * | * | 54% | 71% | 75% | 80% | 81% | 84% | 78% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | * | * | 62% | 80% | 85% | 89% | 80% | 91% | 84% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | * | * | * | 59% | 55% | 54% | 49% | 70% | 54% |

Age group tables

| CARE PLANNING | | | | | Age | | | | |
|---|---------|---------|---------|---------|---------|---------|---------|------|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | * | * | 75% | 78% | 68% | 72% | 69% | 83% | 71% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | * | * | * | 94% | 92% | 94% | 94% | 96% | 94% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | * | * | * | 100% | 97% | 100% | 99% | 100% | 99% |

| SUPPORT FROM HOSPITAL STAFF | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q27. Staff provided the patient with relevant information on available support | * | * | 100% | 89% | 94% | 94% | 92% | 94% | 93% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | * | * | 33% | 65% | 68% | 76% | 78% | 86% | 75% |
| Q29. Patient was offered information about how to get financial help or benefits | * | * | 100% | 72% | 65% | 71% | 55% | 80% | 67% |

| HOSPITAL CARE | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital | * | * | * | 63% | 66% | 79% | 81% | 83% | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | * | * | * | 86% | 60% | 68% | 63% | 82% | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | * | * | * | 63% | 59% | 74% | 71% | 58% | 68% |
| Q34. Patient was always able to get help from ward staff when needed | * | * | * | 47% | 56% | 65% | 74% | 75% | 64% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | * | * | * | 53% | 57% | 59% | 61% | * | 59% |
| Q36. Hospital staff always did everything they could to help the patient control pain | * | * | * | 82% | 77% | 87% | 88% | 91% | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital | * | * | * | 79% | 80% | 88% | 88% | 92% | 86% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital | * | * | * | 89% | 82% | 88% | 86% | 73% | 86% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an butpatient or day case | * | * | 58% | 66% | 80% | 84% | 80% | 88% | 80% |

Age group tables

| YOUR TREATMENT | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|------|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | * | * | 100% | 96% | 88% | 92% | 92% | 95% | 91% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | * | * | * | 74% | 79% | 89% | 79% | 95% | 83% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | * | * | * | 94% | 89% | 93% | 91% | * | 90% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | * | * | * | 73% | 79% | 80% | 87% | * | 82% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | * | * | * | 73% | 67% | 88% | 74% | * | 77% |
| Q42_1. Patient completely had enough understandable information about their response to surgery | * | * | 90% | 93% | 81% | 86% | 89% | 100% | 87% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | * | * | * | 68% | 77% | 85% | 75% | 95% | 79% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | * | * | * | 94% | 82% | 84% | 90% | * | 85% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy | * | * | * | 73% | 79% | 81% | 87% | * | 82% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy | * | * | * | 55% | 79% | 87% | 69% | * | 75% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | * | * | 100% | 83% | 85% | 86% | 87% | 90% | 86% |

| IMMEDIATE AND LONG TERM SIDE EFFEC | TS | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | * | * | 69% | 74% | 73% | 76% | 68% | 74% | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | * | * | 67% | 63% | 64% | 71% | 63% | 54% | 66% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | * | * | 100% | 92% | 85% | 88% | 86% | 82% | 87% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | * | * | 46% | 53% | 55% | 64% | 58% | 53% | 59% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | * | * | 38% | 48% | 46% | 57% | 51% | 46% | 51% |

| SUPPORT WHILE AT HOME | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | * | * | 50% | 63% | 62% | 66% | 68% | 65% | 65% |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | * | * | * | 40% | 48% | 53% | 52% | 58% | 51% |

| CARE FROM YOUR GP PRACTICE | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | * | * | 50% | 32% | 46% | 55% | 44% | 54% | 48% |
| Q52. Patient has had a review of cancer care by GP practice | * | * | 23% | 16% | 17% | 22% | 18% | 19% | 19% |

Age group tables

| LIVING WITH AND BEYOND CANCER | | | | Age | | | | | |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | * | * | * | 31% | 21% | 37% | 34% | * | 31% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | * | * | * | 62% | 78% | 83% | 83% | 77% | 80% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | * | * | 55% | 57% | 58% | 68% | 67% | 73% | 65% |

| YOUR OVERALL NHS CARE | | | | | Age | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|------|-----|
| | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q56. The whole care team worked well together | * | * | 100% | 83% | 89% | 89% | 90% | 100% | 90% |
| Q57. Administration of care was very good or good | * | * | 100% | 87% | 85% | 88% | 88% | 94% | 88% |
| Q58. Cancer research opportunities were discussed with patient | * | * | * | 26% | 40% | 38% | 40% | 29% | 38% |
| Q59. Patient's average rating of care scored from very poor to very good | * | * | 8.8 | 8.7 | 8.6 | 9.0 | 8.9 | 9.1 | 8.9 |

| SUPPORT FROM YOUR GP PRACTICE | | | Male/Female/Non-binary/Other | | | | | |
|---|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All | |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 82% | 77% | * | * | * | 81% | 80% | |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 70% | 65% | * | * | * | 72% | 68% | |

| DIAGNOSTIC TESTS | | | Male/Fema | le/Non-bina | ry/Other | | |
|---|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q5. Patient received all the information needed about the diagnostic test in advance | 91% | 93% | * | * | * | 94% | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 84% | 87% | * | * | * | 86% | 85% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | 71% | 77% | * | * | * | 83% | 74% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | 78% | 83% | * | * | * | 74% | 80% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | 94% | 98% | * | * | * | 100% | 96% |

| FINDING OUT THAT YOU HAD CANCER | | | Male/Fema | ale/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 84% | 78% | * | * | * | 75% | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | 76% | 73% | * | * | * | 78% | 75% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | 78% | 77% | * | * | * | 83% | 78% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | 86% | 85% | * | * | * | 90% | 85% |
| Q16. Patient was told they could go back later for more information about their diagnosis | 86% | 85% | * | * | * | 90% | 85% |

| SUPPORT FROM A MAIN CONTACT PERSO | N | | Male/Female/Non-binary/Other | | | | | | |
|---|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|--|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All | | |
| Q17. Patient had a main point of contact within the care team | 95% | 93% | * | * | * | 95% | 94% | | |
| Q18. Patient found it very or quite easy to contact their main contact person | 88% | 88% | * | * | * | 85% | 88% | | |
| Q19. Patient found advice from main contact person was very or quite helpful | 96% | 97% | * | * | * | 97% | 96% | | |

| DECIDING ON THE BEST TREATMENT | | | Male/Female/Non-binary/Other | | | | | | |
|--|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|--|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All | | |
| Q20. Treatment options were explained in a way the patient could completely understand | 83% | 83% | * | * | * | 82% | 83% | | |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | 78% | 79% | * | * | * | 79% | 78% | | |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | 84% | 86% | * | * | * | 76% | 84% | | |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 51% | 58% | * | * | * | 43% | 54% | | |

| CARE PLANNING | | | Male/Female/Non-binary/Other | | | | | | |
|---|--------|------|------------------------------|--------------------------------|----------------------|-----------|-----|--|--|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All | | |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | 69% | 72% | * | * | * | 82% | 71% | | |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 93% | 94% | * | * | * | 95% | 94% | | |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | 99% | 99% | * | * | * | 100% | 99% | | |

| SUPPORT FROM HOSPITAL STAFF | | | Male/Fema | le/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q27. Staff provided the patient with relevant information on available support | 93% | 93% | * | * | * | 97% | 93% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 70% | 78% | * | * | * | 86% | 75% |
| Q29. Patient was offered information about how to get financial help or benefits | 70% | 63% | * | * | * | 73% | 67% |

| HOSPITAL CARE | | | Male/Fema | ale/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q31. Patient had confidence and trust in all of the team ooking after them during their stay in hospital | 74% | 80% | * | * | * | 67% | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 62% | 69% | * | * | * | 91% | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | 65% | 71% | * | * | * | 64% | 68% |
| Q34. Patient was always able to get help from ward staff when needed | 60% | 69% | * | * | * | 60% | 64% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | 55% | 62% | * | * | * | * | 59% |
| Q36. Hospital staff always did everything they could to help the patient control pain | 83% | 86% | * | * | * | 82% | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital | 84% | 89% | * | * | * | 82% | 86% |
| Q38. Patient received easily understandable nformation about what they should or should not do after leaving hospital | 82% | 89% | * | * | * | 92% | 86% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | 76% | 84% | * | * | * | 82% | 80% |

| YOUR TREATMENT | | | Male/Fema | ale/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | 91% | 92% | * | * | * | 96% | 91% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | 82% | 85% | * | * | * | 77% | 83% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | 87% | 92% | * | * | * | * | 90% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | 78% | 87% | * | * | * | * | 82% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | 68% | 87% | * | * | * | * | 77% |
| Q42_1. Patient completely had enough understandable information about their response to surgery | 87% | 88% | * | * | * | 78% | 87% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | 76% | 83% | * | * | * | 75% | 79% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | 84% | 85% | * | * | * | * | 85% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy | 79% | 85% | * | * | * | * | 82% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy | 69% | 80% | * | * | * | * | 75% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 85% | 88% | * | * | * | 87% | 86% |

| IMMEDIATE AND LONG TERM SIDE EFFEC | rs | | Male/Fema | ale/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | 71% | 76% | * | * | * | 65% | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | 66% | 66% | * | * | * | 67% | 66% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | 88% | 86% | * | * | * | 92% | 87% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 55% | 62% | * | * | * | 59% | 59% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | 48% | 54% | * | * | * | 60% | 51% |

| SUPPORT WHILE AT HOME | | | Male/Fema | le/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | 63% | 66% | * | * | * | 76% | 65% |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 51% | 53% | * | * | * | 40% | 51% |

| CARE FROM YOUR GP PRACTICE | | | Male/Fema | le/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 44% | 51% | * | * | * | 48% | 48% |
| Q52. Patient has had a review of cancer care by GP practice | 18% | 19% | * | * | * | 30% | 19% |

| LIVING WITH AND BEYOND CANCER | | | Male/Fema | le/Non-bina | ry/Other | | |
|---|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | 32% | 34% | * | * | * | 10% | 31% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 77% | 82% | * | * | * | 94% | 80% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | 62% | 67% | * | * | * | 69% | 65% |

Male/Female/Non-binary/Other tables

| YOUR OVERALL NHS CARE | | | Male/Fema | ale/Non-bina | ry/Other | | |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
| | Female | Male | Non- binary | Prefer to self- describe | Prefer not to say | Not given | All |
| Q56. The whole care team worked well together | 88% | 91% | * | * | * | 89% | 90% |
| Q57. Administration of care was very good or good | 87% | 89% | * | * | * | 85% | 88% |
| Q58. Cancer research opportunities were discussed with patient | 30% | 45% | * | * | * | 33% | 38% |
| Q59. Patient's average rating of care scored from very poor to very good | 8.8 | 8.9 | * | * | * | 8.9 | 8.9 |

Ethnicity tables

*

| SUPPORT FROM YOUR GP PRACTICE | | | | Ethnicity | | | |
|---|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 80% | * | * | * | * | 77% | 80% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 68% | * | * | * | * | 67% | 68% |

| DIAGNOSTIC TESTS | | | | Ethnicity | | | |
|---|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q5. Patient received all the information needed about the diagnostic test in advance | 92% | * | * | * | * | 95% | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 86% | * | * | * | * | 80% | 85% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | 74% | * | * | * | * | 82% | 74% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | 80% | * | * | * | * | 77% | 80% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | 96% | * | * | * | * | 100% | 96% |

| FINDING OUT THAT YOU HAD CANCER | | | | Ethnicity | | | |
|--|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 80% | * | * | * | * | 83% | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | 75% | * | * | * | * | 78% | 75% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | 78% | * | * | * | * | 86% | 78% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | 85% | * | * | * | * | 92% | 85% |
| Q16. Patient was told they could go back later for more information about their diagnosis | 85% | * | * | * | * | 90% | 85% |

| SUPPORT FROM A MAIN CONTACT PERSO | N | | | | | | |
|---|-------|-------|-------|-------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q17. Patient had a main point of contact within the care team | 94% | * | * | * | * | 96% | 94% |
| Q18. Patient found it very or quite easy to contact their main contact person | 88% | * | * | * | * | 84% | 88% |
| Q19. Patient found advice from main contact person was very or quite helpful | 96% | * | * | * | * | 96% | 96% |

| DECIDING ON THE BEST TREATMENT | | Ethnicity | | | | | |
|--|-------|-----------|-------|-------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q20. Treatment options were explained in a way the patient could completely understand | 83% | * | * | * | * | 80% | 83% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | 78% | * | * | * | * | 74% | 78% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | 85% | * | * | * | * | 76% | 84% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 54% | * | * | * | * | 52% | 54% |

Ethnicity tables

*

| CARE PLANNING | | | Ethnicity | | | | | |
|---|-------|-------|-----------|-------|-------|-----------|-----|--|
| | White | Mixed | Asian | Black | Other | Not given | All | |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | 71% | * | * | * | * | 75% | 71% | |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 94% | * | * | * | * | 97% | 94% | |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | 99% | * | * | * | * | 100% | 99% | |

| SUPPORT FROM HOSPITAL STAFF | | | | | | | |
|--|-------|-------|-------|-------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q27. Staff provided the patient with relevant information on available support | 93% | * | * | * | * | 97% | 93% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 74% | * | * | * | * | 83% | 75% |
| Q29. Patient was offered information about how to get financial help or benefits | 67% | * | * | * | * | 75% | 67% |

| HOSPITAL CARE | | | | Ethnicity | | | |
|--|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital | 78% | * | * | * | * | 61% | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 66% | * | * | * | * | 73% | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | 68% | * | * | * | * | 72% | 68% |
| Q34. Patient was always able to get help from ward staff when needed | 64% | * | * | * | * | 69% | 64% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | 59% | * | * | * | * | 60% | 59% |
| Q36. Hospital staff always did everything they could to help the patient control pain | 85% | * | * | * | * | 76% | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital | 86% | * | * | * | * | 89% | 86% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital | 86% | * | * | * | * | 94% | 86% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | 80% | * | * | * | * | 83% | 80% |

Ethnicity tables

| YOUR TREATMENT | | | | Ethnicity | | | |
|--|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | 91% | * | * | * | * | 93% | 91% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | 83% | * | * | * | * | 78% | 83% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | 89% | * | * | * | * | 100% | 90% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | 82% | * | * | * | * | * | 82% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | 76% | * | * | * | * | 80% | 77% |
| Q42_1. Patient completely had enough understandable information about their response to surgery | 87% | * | * | * | * | 78% | 87% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | 79% | * | * | * | * | 84% | 79% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | 85% | * | * | * | * | 100% | 85% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy | 82% | * | * | * | * | * | 82% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy | 74% | * | * | * | * | 90% | 75% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 86% | * | * | * | * | 90% | 86% |

| IMMEDIATE AND LONG TERM SIDE EFFECT | S | | | Ethnicity | | | |
|--|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | 73% | * | * | * | * | 63% | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | 66% | * | * | * | * | 69% | 66% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | 87% | * | * | * | * | 90% | 87% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 59% | * | * | * | * | 59% | 59% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | 51% | * | * | * | * | 58% | 51% |

| SUPPORT WHILE AT HOME | | | Ethnicity | | | | | |
|--|-------|-------|-----------|-------|-------|-----------|-----|--|
| | White | Mixed | Asian | Black | Other | Not given | All | |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | 65% | * | * | * | * | 74% | 65% | |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 51% | * | * | * | * | 42% | 51% | |

| CARE FROM YOUR GP PRACTICE | Ethnicity | | | | | | |
|--|-----------|-------|-------|-------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 47% | * | * | * | * | 50% | 48% |
| Q52. Patient has had a review of cancer care by GP practice | 19% | * | * | * | * | 27% | 19% |

Ethnicity tables

*

| LIVING WITH AND BEYOND CANCER | | Ethnicity | | | | | | |
|--|-------|-----------|-------|-------|-------|-----------|-----|--|
| | White | Mixed | Asian | Black | Other | Not given | All | |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | 31% | * | * | * | * | 30% | 31% | |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 78% | * | * | * | * | 96% | 80% | |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | 64% | * | * | * | * | 71% | 65% | |

| YOUR OVERALL NHS CARE | | | | Ethnicity | | | |
|--|-------|-------|-------|-----------|-------|-----------|-----|
| | White | Mixed | Asian | Black | Other | Not given | All |
| Q56. The whole care team worked well together | 89% | * | * | * | * | 92% | 90% |
| Q57. Administration of care was very good or good | 88% | * | * | * | * | 90% | 88% |
| Q58. Cancer research opportunities were discussed with patient | 37% | * | * | * | * | 41% | 38% |
| Q59. Patient's average rating of care scored from very poor to very good | 8.9 | * | * | * | * | 8.9 | 8.9 |

IMD quintile tables

*

| SUPPORT FROM YOUR GP PRACTICE | | | IMD quintile | | | | | |
|---|-------------------|-----|--------------|-----|--------------------|-----------------|-----|--|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All | |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 71% | 76% | 77% | 83% | 84% | * | 80% | |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 65% | 65% | 67% | 69% | 72% | * | 68% | |

| DIAGNOSTIC TESTS | | | IN | 1D quintile | | | |
|---|----------------------|-----|-----|-------------|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q5. Patient received all the information needed about the diagnostic test in advance | 89% | 91% | 93% | 91% | 94% | * | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 78% | 90% | 86% | 85% | 83% | * | 85% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | 73% | 75% | 75% | 74% | 73% | * | 74% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | 80% | 78% | 82% | 81% | 76% | * | 80% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | 94% | 94% | 97% | 96% | 98% | * | 96% |

| FINDING OUT THAT YOU HAD CANCER | IMD quintile | | | | | | |
|--|----------------------|-----|-----|-----|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 84% | 79% | 80% | 82% | 81% | * | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | 74% | 71% | 76% | 81% | 68% | * | 75% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | 83% | 77% | 78% | 77% | 78% | * | 78% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | 85% | 85% | 85% | 84% | 88% | * | 85% |
| Q16. Patient was told they could go back later for more information about their diagnosis | 85% | 80% | 86% | 88% | 85% | * | 85% |

| SUPPORT FROM A MAIN CONTACT PERSON | | IMD quintile | | | | | |
|--|----------------------|--------------|-----|-----|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q17. Patient had a main point of contact within the care team $% \left({{\left[{{{\rm{A}}} \right]}_{{\rm{A}}}}_{{\rm{A}}}} \right)$ | 96% | 96% | 94% | 94% | 93% | * | 94% |
| Q18. Patient found it very or quite easy to contact their main contact person | 89% | 85% | 88% | 89% | 88% | * | 88% |
| Q19. Patient found advice from main contact person was very or quite helpful | 96% | 96% | 95% | 98% | 96% | * | 96% |

IMD quintile tables

| DECIDING ON THE BEST TREATMENT | | IMD quintile | | | | | | | |
|--|----------------------|--------------|-----|-----|--------------------|-----------------|-----|--|--|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All | | |
| Q20. Treatment options were explained in a way the patient could completely understand | 87% | 78% | 82% | 85% | 84% | * | 83% | | |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | 81% | 76% | 81% | 78% | 75% | * | 78% | | |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | 93% | 84% | 80% | 88% | 85% | * | 84% | | |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 45% | 56% | 52% | 54% | 58% | * | 54% | | |

| CARE PLANNING | | | | | | | |
|---|-------------------|------|-----|-----|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | 82% | 64% | 72% | 72% | 72% | * | 71% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 93% | 92% | 95% | 97% | 91% | * | 94% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | 96% | 100% | 99% | 99% | 100% | * | 99% |

| SUPPORT FROM HOSPITAL STAFF | | | IN | | | | |
|--|----------------------|-----|-----|-----|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q27. Staff provided the patient with relevant information on available support | 96% | 91% | 94% | 92% | 93% | * | 93% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 79% | 70% | 77% | 76% | 70% | * | 75% |
| Q29. Patient was offered information about how to get financial help or benefits | 81% | 57% | 73% | 67% | 63% | * | 67% |

| HOSPITAL CARE | | | IN | ID quintile | | | |
|--|----------------------|-----|-----|-------------|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital | 89% | 80% | 87% | 61% | 69% | * | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 75% | 72% | 72% | 55% | 63% | * | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | 68% | 76% | 69% | 61% | 67% | * | 68% |
| Q34. Patient was always able to get help from ward staff when needed | 73% | 68% | 68% | 60% | 55% | * | 64% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | 64% | 64% | 65% | 51% | 51% | * | 59% |
| Q36. Hospital staff always did everything they could to help the patient control pain | 76% | 88% | 84% | 85% | 85% | * | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital | 85% | 92% | 88% | 76% | 88% | * | 86% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital | 80% | 89% | 89% | 86% | 78% | * | 86% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | 89% | 80% | 82% | 79% | 76% | * | 80% |

IMD quintile tables

| YOUR TREATMENT | | | IN | 1D quintile | | | |
|--|----------------------|-----|-----|-------------|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | 100% | 88% | 91% | 91% | 94% | * | 91% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | 87% | 81% | 85% | 86% | 78% | * | 83% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | 100% | 90% | 89% | 93% | 83% | * | 90% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | * | 74% | 81% | 88% | 81% | * | 82% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | * | 91% | 73% | 80% | 65% | * | 77% |
| Q42_1. Patient completely had enough understandable nformation about their response to surgery | 79% | 88% | 85% | 86% | 90% | * | 87% |
| Q42_2. Patient completely had enough understandable nformation about their response to chemotherapy | 76% | 75% | 83% | 80% | 76% | * | 79% |
| Q42_3. Patient completely had enough understandable nformation about their response to radiotherapy | 83% | 79% | 85% | 89% | 86% | * | 85% |
| Q42_4. Patient completely had enough understandable nformation about their response to hormone therapy | * | 79% | 81% | 85% | 78% | * | 82% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy | * | 86% | 77% | 70% | 74% | * | 75% |
| Q43. Patient felt the length of waiting time at clinic and lay unit for cancer treatment was about right | 92% | 88% | 85% | 83% | 89% | * | 86% |

| IMMEDIATE AND LONG TERM SIDE EFFEC | TS | | IN | 1D quintile | | | |
|--|----------------------|-----|-----|-------------|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | 85% | 69% | 72% | 78% | 67% | * | 73% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | 76% | 61% | 68% | 69% | 60% | * | 66% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | 85% | 84% | 86% | 89% | 91% | * | 87% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 62% | 55% | 60% | 60% | 58% | * | 59% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | 56% | 45% | 52% | 58% | 48% | * | 51% |

| SUPPORT WHILE AT HOME | | IMD quintile | | | | | |
|--|----------------------|--------------|-----|-----|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | 68% | 63% | 65% | 67% | 64% | * | 65% |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 47% | 47% | 51% | 56% | 49% | * | 51% |

| CARE FROM YOUR GP PRACTICE | IMD quintile | | | | | | | |
|--|----------------------|-----|-----|-----|--------------------|-----------------|-----|--|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All | |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 57% | 53% | 43% | 47% | 47% | * | 48% | |
| Q52. Patient has had a review of cancer care by GP practice | 22% | 16% | 21% | 19% | 18% | * | 19% | |

IMD quintile tables

| LIVING WITH AND BEYOND CANCER | | IMD quintile | | | | | | |
|---|----------------------|--------------|-----|-----|--------------------|-----------------|-----|--|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All | |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | 30% | 38% | 31% | 39% | 19% | * | 31% | |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 77% | 74% | 85% | 84% | 73% | * | 80% | |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | 73% | 59% | 64% | 65% | 69% | * | 65% | |

| YOUR OVERALL NHS CARE | | IMD quintile | | | | | |
|--|----------------------|--------------|-----|-----|--------------------|-----------------|-----|
| | 1 (most deprived) | 2 | 3 | 4 | 5 (least deprived) | Non- England | All |
| Q56. The whole care team worked well together | 89% | 88% | 92% | 90% | 86% | * | 90% |
| Q57. Administration of care was very good or good | 89% | 88% | 87% | 88% | 89% | * | 88% |
| Q58. Cancer research opportunities were discussed with patient | 41% | 38% | 39% | 35% | 35% | * | 38% |
| Q59. Patient's average rating of care scored from very poor to very good | 8.6 | 8.8 | 9.0 | 9.0 | 8.6 | * | 8.9 |

Long-term condition status tables

| SUPPORT FROM YOUR GP PRACTICE | Long-term condition status | | | | | | |
|---|----------------------------|-----|-----------|-----|--|--|--|
| | Yes | No | Not given | All | | | |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 78% | 83% | 74% | 80% | | | |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 66% | 72% | 63% | 68% | | | |

| DIAGNOSTIC TESTS | | Long-term con | dition status | |
|---|-----|---------------|---------------|-----|
| | Yes | No | Not given | All |
| Q5. Patient received all the information needed about the diagnostic test in advance | 92% | 93% | 90% | 92% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 84% | 88% | 87% | 85% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right | 73% | 75% | 81% | 74% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand | 81% | 78% | 74% | 80% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results | 96% | 97% | 94% | 96% |

| FINDING OUT THAT YOU HAD CANCER | Long-term condition status | | | |
|--|----------------------------|-----|-----------|-----|
| | Yes | No | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 82% | 79% | 81% | 81% |
| Q13. Patient was definitely told sensitively that they had cancer | 74% | 76% | 77% | 75% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand | 76% | 81% | 80% | 78% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place | 85% | 86% | 86% | 85% |
| Q16. Patient was told they could go back later for more information about their diagnosis | 84% | 87% | 88% | 85% |

| SUPPORT FROM A MAIN CONTACT PERSON | | Long-term condition status | | |
|---|-----|----------------------------|-----------|-----|
| | Yes | No | Not given | All |
| Q17. Patient had a main point of contact within the care team | 94% | 94% | 97% | 94% |
| Q18. Patient found it very or quite easy to contact their main contact person | 89% | 86% | 86% | 88% |
| Q19. Patient found advice from main contact person was very or quite helpful | 96% | 95% | 95% | 96% |

| DECIDING ON THE BEST TREATMENT | Long-term condition status | | | |
|--|----------------------------|-----|-----------|-----|
| | Yes | No | Not given | All |
| Q20. Treatment options were explained in a way the patient could completely understand | 82% | 85% | 80% | 83% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment | 78% | 80% | 75% | 78% |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options | 85% | 85% | 78% | 84% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 53% | 54% | 56% | 54% |

Long-term condition status tables

| CARE PLANNING | Long-term condition status | | | |
|---|----------------------------|------|-----------|-----|
| | Yes | No | Not given | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment | 70% | 72% | 72% | 71% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 93% | 95% | 92% | 94% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date | 99% | 100% | 97% | 99% |

| SUPPORT FROM HOSPITAL STAFF | Long-term condition status | | | |
|--|----------------------------|-----|-----------|-----|
| | Yes | No | Not given | All |
| Q27. Staff provided the patient with relevant information on available support | 92% | 93% | 98% | 93% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 74% | 75% | 77% | 75% |
| Q29. Patient was offered information about how to get financial help or benefits | 62% | 74% | 76% | 67% |

| HOSPITAL CARE | | Long-term cor | dition status | |
|--|-----|---------------|---------------|-----|
| | Yes | No | Not given | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital | 73% | 84% | 62% | 77% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 64% | 70% | 74% | 67% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital | 66% | 73% | 57% | 68% |
| Q34. Patient was always able to get help from ward staff when needed | 65% | 64% | 60% | 64% |
| Q35. Patient was always able to discuss worries and fears with hospital staff | 57% | 62% | 63% | 59% |
| Q36. Hospital staff always did everything they could to help the patient control pain | 83% | 87% | 90% | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital | 85% | 90% | 71% | 86% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital | 85% | 88% | 86% | 86% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case | 79% | 82% | 84% | 80% |

Long-term condition status tables

| YOUR TREATMENT | | Long-term co | ndition status | |
|--|-----|--------------|----------------|-----|
| | Yes | No | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery | 90% | 94% | 85% | 91% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy | 82% | 85% | 85% | 83% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy | 85% | 93% | 100% | 90% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy | 79% | 86% | 92% | 82% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy | 80% | 69% | 79% | 77% |
| Q42_1. Patient completely had enough understandable information about their response to surgery | 87% | 89% | 72% | 87% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy | 78% | 83% | 65% | 79% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy | 79% | 90% | 95% | 85% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy | 81% | 82% | 83% | 82% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy | 79% | 65% | 86% | 75% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 87% | 85% | 87% | 86% |

| IMMEDIATE AND LONG TERM SIDE EFFECTS | | Long-term condition status | | | |
|--|-----|----------------------------|-----------|-----|--|
| | Yes | No | Not given | All | |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand | 71% | 77% | 66% | 73% | |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment | 64% | 69% | 67% | 66% | |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment | 86% | 89% | 91% | 87% | |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 57% | 63% | 57% | 59% | |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects | 49% | 56% | 53% | 51% | |

| SUPPORT WHILE AT HOME | Long-term condition status | | | |
|--|----------------------------|-----|-----------|-----|
| | Yes | No | Not given | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home | 60% | 73% | 72% | 65% |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 48% | 58% | 50% | 51% |

| CARE FROM YOUR GP PRACTICE | Long-term condition status | | | | |
|--|----------------------------|-----|-----|-----|--|
| | Yes No Not given Al | | | | |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 49% | 46% | 43% | 48% | |
| Q52. Patient has had a review of cancer care by GP practice | 18% | 22% | 20% | 19% | |


Long-term condition status tables

| LIVING WITH AND BEYOND CANCER | Long-term condition status | | | |
|---|----------------------------|-----|-----------|-----|
| | Yes | No | Not given | All |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services | 32% | 32% | 23% | 31% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 76% | 84% | 87% | 80% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading | 64% | 63% | 72% | 65% |


| YOUR OVERALL NHS CARE | Long-term condition status | | | |
|--|----------------------------|-----|-----------|-----|
| | Yes | No | Not given | All |
| Q56. The whole care team worked well together | 90% | 90% | 87% | 90% |
| Q57. Administration of care was very good or good | 86% | 90% | 89% | 88% |
| Q58. Cancer research opportunities were discussed with patient | 33% | 40% | 59% | 38% |
| Q59. Patient's average rating of care scored from very poor to very good | 8.8 | 9.0 | 8.9 | 8.9 |

Year on year charts


| * Ind to s | licates where a score is not avail suppression or a low base size. | able due ** No score available for these y | rears. The scores are unadjusted and based on England scores only. |
|---------------|--|---|--|
| | ORT FROM YOUR GP P | PRACTICE e professional once or twice before cance | er diagnosis |
| 100% | | | |
| 80% | 770/ | 78% | 80% |
| 60% | 77% | 1070 | |
| 40% | | | |
| 20% | | | |
| 0% | 2021 | 2022 | 2023 |




DIAGNOSTIC TESTS





| Q6. Diagnost | ic test staff appeared to complet | ely have all the information they needed about th | e patient |
|--------------|-----------------------------------|---|-----------|
| 100% | | | |
| 80% | 86% | 85% | 85% |
| 60% | | | |
| 40% | | | |
| 20% | | | |
| 0% | 2021 | 2022 | 2023 |




| * | Indicates where a to suppression or | score is not avai a low base size. | lable due ** No score ava | ailable for these y | ears. The sco England | res are unadjusted and based on scores only. | |
|------|-------------------------------------|---------------------------------------|----------------------------|---------------------|--------------------------|--|--|
| | - | esults were expla | ained in a way the patient | could completel | y understand | | |
| 1009 | % | | | | | | |
| 80% | 6 | 80% | | 78% | | 80% | |
| 60% | 6 | | | 1070 | | | |
| 40% | 6 | | | | | | |
| 20% | 6 | | | | | | |
| 0% | | 2021 | | 2022 | | 2023 | |













| Indicates where to suppression | e a score is not available due or a low base size. | ** No score available for these years. | The scores are unadjusted and based on England scores only. |
|--|---|--|--|
| Q15. Patient was d | lefinitely told about their diag | nosis in an appropriate place | |
| 80% 60% | 83% | 85% | 85% |
| 40% | | | |
| 20% 0% | 2021 | 2022 | 2023 |













Year on year charts

| * Ind to | dicates where a score is not available suppression or a low base size. | due ** No score available for these yea | rs. The scores are unadjusted and based on England scores only. |
|-------------|--|---|--|
| DECI | DING ON THE BEST TREAT | MENT | |
| Q20. T | reatment options were explained in | a way the patient could completely une | derstand |
| 100% | | | |
| 80% | 85% | 80% | 83% |
| 60% | | 0078 | |
| 40% | | | |
| 20% | | | |
| 0% | | | |
| | 2021 | 2022 | 2023 |





 Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options

 100%

 80%

 60%

 40%

 20%

 0%

 2021 **


 2022 **

CARE PLANNING


| Q24. Patient was definitely able to have a dis | scussion about their needs or concerns prior to tr | eatment |
|--|--|---------|
| 100% | | |
| 80% | | |
| 60% 69% | 72% | 71% |
| 40% | | |
| 20% | | |
| 0% 2021 | 2022 | 2023 |


Year on year charts


| Indicates where to suppression | e a score is not availa or a low base size. | able due ** No score ava | ailable for these ye | ears. The scores England sc | are unadjusted and based or ores only. | on |
|--|--|----------------------------|----------------------|--------------------------------|--|----|
| | their care team help | ped the patient create a c | care plan to addr | ess any needs or conce | rns | |
| 100% | 93% | | 93% | | 94% | |
| 80% | 9370 | | 93 /0 | | 5470 | |
| 60% | | | | | | |
| 40% | | | | | | |
| 20% | | | | | | |
| 0% | 2021 | | 2022 | | 2023 | |





SUPPORT FROM HOSPITAL STAFF

























| Indicates when to suppression | re a score is not available due n or a low base size. | ** No score available for these years. | The scores are unadjusted and based on England scores only. |
|---|--|--|--|
| Q36. Hospital staf | f always did everything they | could to help the patient control pain | |
| 100% | | | |
| 80% | 82% | 82% | 85% |
| 60% | | | |
| 40% | | | |
| 20% | | | |
| 0% | | | |
| | 2021 | 2022 | 2023 |



























| * Ind to s | icates where a score is not available due ** N suppression or a low base size. | No score available for these years. | The scores are unadjusted and based on England scores only. | |
|---------------|---|--|--|--|
| Q42_2. | Patient completely had enough understand | able information about their response to | chemotherapy | |
| 100% | | | | |
| 80% | | | 79% | |
| 60% | | | 1370 | |
| 40% | | | | |
| 20% | | | | |
| 0% | 2021 ** | 2022 ** | 2023 | |













| Indicates where to suppression of | a score is not available due or a low base size. | ** No score available for these years. | The scores are unadjusted and based on England scores only. |
|---|---|--|--|
| | | | |
| 100% | effects from treatment were | definitely explained in a way the patient co | |
| 80% 60% | 73% | 72% | 73% |
| 40% | | | |
| 0% | 2021 | 2022 | 2023 |











Year on year charts

Indicates where a score is not available due ** No score available for these years. The scores are unadjusted and based on to suppression or a low base size. England scores only. SUPPORT WHILE AT HOME Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home 100% 80% 60% 65% 58% 57% 40% 20% 0% 2021 2022 2023



CARE FROM YOUR GP PRACTICE Q51. Patient definitely received the right amount of support from their GP practice during treatment 100% 80% 60% 40% 47% 40% 47% 20% 41% 0% 2021 2022




LIVING WITH AND BEYOND CANCER


| Q53. Aft | er treatment, the patient defini | itely could get enough emotional support | at home from community or voluntary se | rvices |
|----------|----------------------------------|--|--|--------|
| 100% | | | | |
| 80% | | | | |
| 60% | | | | |
| 40% | | | | |
| 20% | 29% | 31% | 31% | |
| 0% | 2021 | 2022 | 2023 | |

Year on year charts


Indicates where a score is not available due ** No score available for these years. The scores are unadjusted and based on to suppression or a low base size. England scores only. Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment 100% 80% 81% 80% 76% 60% 40% 20% 0% 2022 2023 2021




YOUR OVERALL NHS CARE









| | ere a score is not available on or a low base size. | e due ** No score available for these years. | The scores are unadjusted and based of England scores only. | on |
|-------------------|--|--|---|----|
| 259. Patient's av | verage rating of care sco | red from very poor to very good | | |
| 8 | 8.9 | 8.9 | 8.9 | |
| 6 | 0.5 | 0.5 | 0.5 | |
| | | | | |
| 2 | | | | |
| 0 | 2021 | 2022 | 2023 | |