

# National Cancer Patient Experience Survey

2024 Results

# **Cheshire and Merseyside Cancer Alliance**

Published July 2025

The National Cancer Patient Experience Survey is undertaken by Picker on behalf of NHS England

# Contents

| Executive summary                         | <u>3</u>  |
|---|-----------|
| Introduction                              | <u>5</u>  |
| Methodology                               | <u>5</u>  |
| Understanding the results                 | <u>7</u>  |
| Further information                       | <u>8</u>  |
| Response rate                             | <u>9</u>  |
| Expected range charts                     | <u>11</u> |
| Comparability tables                      | <u>15</u> |
| Tumour group tables                       | <u>20</u> |
| Age group tables                          | <u>25</u> |
| Which of the following best describes you | <u>29</u> |
| Ethnicity tables                          | <u>34</u> |
| IMD quintile tables                       | <u>38</u> |
| Long-term condition status tables         | <u>42</u> |
| Number of long-term condition tables      | <u>46</u> |
| Year on year charts                       | <u>51</u> |
| Expected range summary                    | <u>64</u> |

# **Executive summary**

|  | Case       | cores                      |                            |                  |
|--|------------|----------------------------|----------------------------|------------------|
| Questions above expected range   | 2024 score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q08. Diagnostic test results were explained in a way the patient could completely understand                                       | 82%        | 76%                        | 82%                        | 79%              |
| Q14. Cancer diagnosis explained in a way the patient could completely understand   | 81%        | 75%                        | 79%                        | 77%              |
| Q20. Treatment options were explained in a way the patient could completely understand   | 86%        | 80%                        | 85%                        | 83%              |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                               | 84%        | 77%                        | 84%                        | 80%              |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 82%        | 75%                        | 81%                        | 78%              |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 74%        | 68%                        | 74%                        | 71%              |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 75%        | 69%                        | 75%                        | 72%              |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 71%        | 62%                        | 70%                        | 66%              |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | 91%        | 84%                        | 90%                        | 87%              |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy                                      | 92%        | 85%                        | 92%                        | 89%              |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy                                   | 87%        | 74%                        | 85%                        | 80%              |
| Q42_1. Patient completely had enough understandable information about their response to surgery                                    | 89%        | 85%                        | 89%                        | 87%              |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy                            | 84%        | 71%                        | 82%                        | 77%              |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services       | 40%        | 27%                        | 40%                        | 34%              |



## **Executive summary**

### **Questions below expected range**

Cheshire and Merseyside Cancer Alliance has no scores below expected range.



## Introduction

### National Cancer Patient Experience Survey 2024 Cheshire and Merseyside Cancer Alliance

The National Cancer Patient Experience Survey 2024 is the fourteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a National Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2024 survey involved 131 NHS trusts. Out of 127,021 people, 64,055 people responded to the survey, yielding a response rate of 50%.

### Methodology

### Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2024. The fieldwork for the survey was undertaken between November 2024 and February 2025.

As in the previous nine years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

### Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021, 2022, 2023 and 2024 are included in this report for most questions. There were three changes to the questionnaire over the last two years:

- In 2023 the question text for Q23 and Q42 were amended. These questions are no longer deemed comparable to 2021 and 2022. Data is only comparable for 2023 and 2024.
- In 2023 the long-term condition question (Q67) was amended to include "Autism or autism spectrum condition" as a response option. And the "Neurological condition" answer option was updated to include an example condition changing it to "Neurological condition, such as epilepsy". These changes see the answer option "Neurological condition, such as epilepsy" as no longer being deemed comparable to 2021 and 2022. Data is only comparable for 2023 and 2024.
- In 2023 the ethnic group question (Q71) was amended to include "Roma" as an answer option. The ethnic group question is still deemed comparable to 2021 and 2022. Data for the answer option is only available for 2023 and 2024.

### How alliance results are derived

Alliance and ICB results are not derived by mapping trust results. Alliance and ICB results are derived using the postcode of each patient. Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint. This mapping is achieved using lookup files released by the Office for National Statistics. Alliance and ICB results are therefore presented at the 'England' level and exclude other UK postcodes. Please note that due to updates in Cancer Alliance boundaries, historical data has been recalculated for certain alliances.



### Case mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case mix adjusted estimates we can obtain a greater understanding of how an alliance is performing given their patient population. The factors taken into account in this case mix adjustment are 'Which of the following best describes you?', age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the alliance. Case mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

#### Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

The full scoring for all questions at an alliance level is available in the Cancer Alliance Excel tables available at <u>www.ncpes.co.uk</u>. Excel tables are also available at a national, trust and ICB level.

#### **Statistical significance**

In the reporting of 2024 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

#### **Suppression**

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular trust, the results are not shown for that question for that alliance.

For alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

#### Additional suppression

Additional suppression happens if only **one** alliance has a score suppressed. If this happens, we will suppress another alliance's results (both the alliance level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual alliance.

The same rule applies to groups in each subgroup breakdown. For example, if only one alliance has the 85+ age group suppressed for Q25 we will need to suppress another alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.



# **Understanding the results**

This report shows how this alliance scored for each question in the survey compared with England results. It is aimed at helping individual alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

### **Expected range charts**

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the alliance performs better than what alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the alliance's size and demographics.

### **Comparability tables**

The comparability tables show the 2023 and 2024 unadjusted scores for this trust for each scored question. The Change 2023-2024 and Change overall columns show whether the scores show a statistically significant variation between years. This is shown between 2023-2024 and as an overall between 2021-2024. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant change.

The adjusted 2024 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

#### Subgroup breakdowns

Unadjusted scores are shown for tumour group, 'Which of the following best describes you?', age, IMD quintile, long-term condition status, number of long-term conditions and ethnicity breakdowns. Unadjusted scores for the same subgroup across different alliance may not be comparable, as they do not account for the impact that differing patient populations might have on results.

### **Tumour group tables**

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

#### Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

#### 'Which of the following best describes you?'

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.



The ethnicity tables show the unadjusted scores for six ethnicity groups.

### Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

### Number of long-term conditions tables

The number of long-term conditions tables show the unadjusted scores for four groups: those who indicate they have one long-term condition, two long-term conditions, three or more long-term conditions, and those who indicate that they have no long-term conditions.

#### IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

#### Year on year charts

The year on year charts show four columns representing the unadjusted scores of the last four years (2021, 2022, 2023 and 2024) for each scored question.

#### **Trust expected range summary**

The number of scored questions that fell below, within and above the expected range for each trust within the alliance.

#### ICB expected range summary

The number of scored questions that fell below, within and above the expected range for each ICB within the alliance.

### National level and England level data

In some cases (389 respondents in 2024), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS trusts for treatment. These patients are described as 'Non-England' in the data.

Overall response rate at response rate sections shows national level counts and response rate. For cancer alliances and its comparison at comparability tables section, all data is presented at the England level.

### **Further information**

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

The 2024 questionnaire and survey guidance can be found on the website at <u>www.ncpes.co.uk</u>, and more information on the methodology in the Technical Document can be viewed on the website at <u>www.ncpes.co.uk</u>. For all other outputs at trust level, please see the Excel tables and dashboards at <u>www.ncpes.co.uk</u>.



### **Response rate**

### **Overall response rate**

1,895 patients responded out of a total of 3,868 patients, resulting in a response rate of 49%.

|                       | Sample size | Adjusted sample | Completed | Response rate |
|-----------------------|-------------|-----------------|-----------|---------------|
| Overall response rate | 4,141       | 3,868           | 1,895     | 49%           |
| National              | 135,429     | 127,021         | 64,055    | 50%           |

### Respondents by survey type

|                     | Number of<br>respondents |
|---------------------|--------------------------|
| Paper               | 1,490                    |
| Online              | 403                      |
| Phone               | 1                        |
| Translation service | 1                        |
| Total               | 1,895                    |

### Respondents by tumour group

|                  | Number of<br>respondents |
|------------------|--------------------------|
| Brain / CNS      | 5                        |
| Breast           | 321                      |
| Colorectal / LGT | 205                      |
| Gynaecological   | 88                       |
| Haematological   | 287                      |
| Head and neck    | 52                       |
| Lung             | 165                      |
| Prostate         | 143                      |
| Sarcoma          | 23                       |
| Skin             | 146                      |
| Upper gastro     | 81                       |
| Urological       | 174                      |
| Other            | 205                      |
| Total            | 1,895                    |



### **Respondents by ethnicity**

|   | Number of respondents |
|---|-----------------------|
| White   |                       |
| English / Welsh / Scottish / Northern Irish / British | 1,693                 |
| Irish   | 12                    |
| Gypsy or Irish Traveller                              | *                     |
| Roma  | *                     |
| Any other White background                            | 28                    |
| Mixed / Multiple Ethnic Groups                        |                       |
| White and Black Caribbean                             | 8                     |
| White and Black African                               | *                     |
| White and Asian                                       | *                     |
| Any other Mixed / multiple ethnic background          | *                     |
| Asian or Asian British                                |                       |
| Indian  | 7                     |
| Pakistani   | *                     |
| Bangladeshi   | *                     |
| Chinese   | 9                     |
| Any other Asian background                            | 5                     |
| Black / African / Caribbean / Black British           |                       |
| African   | 6                     |
| Caribbean   | *                     |
| Any other Black / African / Caribbean background      | *                     |
| Other Ethnic Group                                    |                       |
| Arab  | *                     |
| Any other ethnic group                                | *                     |
| Not given   |                       |
| Not given   | 109                   |
| Total   | 1,895                 |



### **Expected range charts**

| Lower expected range Wit  | hin expected range       |        | U       | oper ex | pected | range    |           | ♦ C     | Case m   | ix adjus   | sted sco   | ore  |
|---|--------------------------|--------|---------|---------|--------|----------|-----------|---------|----------|------------|------------|------|
| The left outer edge of the bars is the lowest score alliances.                          | e achieved of all allian | ces. T | he righ | t outer | edge o | f the ba | irs is th | e highe | st score | e achiev   | /ed of a   | all  |
| SUPPORT FROM YOUR GP PRACT  | ICE                      | 0%     | 10%     | 20%     | 30%    | 40%      | 50%       | 60%     | 70%      | 80%<br>79% | 90%        | 100% |
| Q2. Patient only spoke to primary care profes twice before cancer diagnosis             | sional once or           |        |         |         |        |          |           |         |          | •          |            |      |
| Q3. Referral for diagnosis was explained in a could completely understand               | way the patient          |        |         |         |        |          |           |         | 70%      |            |            |      |
| DIAGNOSTIC TESTS  |                          | 0%     | 10%     | 20%     | 30%    | 40%      | 50%       | 60%     | 70%      | 80%        | 90%<br>93% |      |
| Q5. Patient received all the information needed diagnostic test in advance              | ed about the             |        |         |         |        |          |           |         |          | 84         | •          | 0    |
| Q6. Diagnostic test staff appeared to complet information they needed about the patient | ely have all the         |        |         |         |        |          |           |         | -        | 78%        |            |      |
| Q7. Patient felt the length of time waiting for or results was about right              | diagnostic test          |        |         |         |        |          |           |         |          | ◆<br>82%   |            |      |
| Q8. Diagnostic test results were explained in could completely understand               | a way the patient        |        |         |         |        |          |           |         |          | •          | ,<br>95'   | %    |
| Q9. Enough privacy was always given to the preceiving diagnostic test results           | patient when             |        |         |         |        |          |           |         |          |            |            |      |
| FINDING OUT THAT YOU HAD CAN  | CER                      | 0%     | 10%     | 20%     | 30%    | 40%      | 50%       | 60%     | 70%      |            | 90%        | 100% |
| Q12. Patient was told they could have a family friend with them when told diagnosis     | y member, carer or       |        |         |         |        |          |           |         |          | 83%        | 0          |      |
| Q13. Patient was definitely told sensitively that                                       | at they had cancer       |        |         |         |        |          |           |         | 7        | 7%<br>     |            |      |

Q14. Cancer diagnosis explained in a way the patient could completely understand

Q15. Patient was definitely told about their diagnosis in an appropriate place

Q16. Patient was told they could go back later for more information about their diagnosis

| SUPPORT FROM A MAIN CONTACT PERSON  | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90% 100% |
|---|----|-----|-----|-----|-----|-----|-----|-----|-----|----------|
| Q17. Patient had a main point of contact within the care team                 |    |     |     |     |     |     |     |     |     | 93%      |
| Q18. Patient found it very or quite easy to contact their main contact person |    |     |     |     |     |     |     |     | 85  | 07%      |
| Q19. Patient found advice from main contact person was very or quite helpful  |    |     |     |     |     |     |     |     |     | •        |

81%

87%

**\*** 86%

٠

### Expected range charts

| Expected range charts  |        |         |          |        |         |           |          |          |             |            |      |
|--|--------|---------|----------|--------|---------|-----------|----------|----------|-------------|------------|------|
| Lower expected range Within expected range   |        |         | • •      | •      | d range |           |          |          | iix adjuste |            |      |
| The left outer edge of the bars is the lowest score achieved of all allia<br>alliances.  | ances. | rne ngr | il ouler | edge d |         | ars is tr | ie nigne | est scor | e achieve   |            |      |
| DECIDING ON THE BEST TREATMENT   | 0%     | 10%     | 20%      | 30%    | 40%     | 50%       | 60%      | 70%      | 80% 9       |            | 100% |
| Q20. Treatment options were explained in a way the patient could completely understand   |        |         |          |        |         |           |          |          | 869         | %<br>►     |      |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 |        |         |          |        |         |           |          |          | 84%         |            |      |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   |        |         |          |        |         |           | 610/     |          | 86%         | 6          |      |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options |        |         |          |        |         |           | 61%<br>• |          |             |            |      |
| CARE PLANNING  | 0%     | 10%     | 20%      | 30%    | 40%     | 50%       | 60%      | 70%      |             | 90%        | 100% |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment                               |        |         |          |        |         |           |          | 75       | •%          |            |      |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns                              |        |         |          |        |         |           |          |          |             | 959        |      |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date  |        |         |          |        |         |           |          |          |             |            | 99%  |
| SUPPORT FROM HOSPITAL STAFF  | 0%     | 10%     | 20%      | 30%    | 40%     | 50%       | 60%      | 70%      |             | 90%<br>91% | 100% |
| Q27. Staff provided the patient with relevant information on available support   |        |         |          |        |         |           |          |          | 80%         | •          |      |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff                   |        |         |          |        |         |           |          | 69%      |             |            |      |
| Q29. Patient was offered information about how to get financial help or benefits   |        |         |          |        |         |           |          | ٠        |             |            |      |
| HOSPITAL CARE  | 0%     | 10%     | 20%      | 30%    | 40%     | 50%       | 60%      | 70%      |             | 90%        | 100% |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                            |        |         |          |        |         |           |          |          | 82%         |            |      |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital   |        |         |          |        |         |           |          | 749      |             |            |      |
| Q33. Patient was always involved in decisions about their care<br>and treatment whilst in hospital                                   |        |         |          |        |         |           |          | 75       | 5%<br>7%    |            |      |
| Q34. Patient was always able to get help from ward staff when needed   |        |         |          |        |         |           |          | 7<br>71% | ◆           |            |      |
| Q35. Patient was always able to discuss worries and fears with hospital staff  |        |         |          |        |         |           |          | i 1 70   | 85%         |            |      |
|  |        |         |          |        |         |           |          |          | 0070        |            |      |

Q36. Hospital staff always did everything they could to help the patient control pain

Q37. Patient was always treated with respect and dignity while in hospital




90%

# **Expected range charts**

|                     | U        | pper ex  | pected                              | d range   |   | • (                    | Case m  | ix adjus   | sted sc  | ore   |
|---------------------|----------|----------|-------------------------------------|---|---|------------------------|---|--|--|---|
| ances. <sup>-</sup> | The righ | nt outer | edge o                              | of the ba   | ars is th   | e highe                | est scor  | e achie  | ved of a   | all   |
| 0%                  | 10%      | 20%      | 30%                                 | 40%   | 50%   | 60%                    | 70%   | 80%<br>82%   | 91%  | 100%  |
| 0%                  | 10%      | 20%      | 30%                                 | 40%   | 50%   | 60%                    | 70%   | 80%  | 91%<br>•   | 100%  |
|                     |          |          |                                     |   |   |                        |   |  | •  | ,<br>0  |
|                     |          |          |                                     |   |   |                        |   |  |  |   |
|                     |          |          |                                     |   |   |                        |   |  | •  |   |
|                     |          |          |                                     |   |   |                        |   |  |  |   |
|                     |          |          |                                     |   |   |                        |   |  |  |   |
|                     |          |          |                                     |   |   |                        |   |  | •  |   |
|                     |          |          |                                     |   |   |                        |   | •  |  |   |
|                     |          |          |                                     |   |   |                        |   | •  |  |   |
|                     | 0%       | 0% 10%   | 0%   10%   20%     0   0%   0%   0% | ances. The right outer edge of     0%   10%   20%   30%     0   10%   20%   30% | ances. The right outer edge of the base   0% 10% 20% 30% 40%   0 0 0% 10% 20% 30% 40% | 0% 10% 20% 30% 40% 50% | ances. The right outer edge of the bars is the higher   0% 10% 20% 30% 40% 50% 60%   0% 10% 20% 30% 40% 50% 60% | ances. The right outer edge of the bars is the highest scor   0% 10% 20% 30% 40% 50% 60% 70%   0 10% 20% 30% 40% 50% 60% 70% | ances. The right outer edge of the bars is the highest score achieven and the second state of | ances. The right outer edge of the bars is the highest score achieved of a   0% 10% 20% 30% 40% 50% 60% 70% 80% 90%   91% 91% 91% 91% 91% |

| IMMEDIATE AND LONG-TERM SIDE EFFECTS   | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80%          | 90%      | 100% |
|--|----|-----|-----|-----|-----|-----|-----|-----|--------------|----------|------|
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                |    |     |     |     |     |     |     | 76  | 5%<br>♦<br>6 |          |      |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               |    |     |     |     |     |     |     | •   |              | 88%      |      |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            |    |     |     |     |     |     | 649 | )/  |              | <b>•</b> |      |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment |    |     |     |     |     |     | 59% | /0  |              |          |      |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                |    |     |     |     |     |     | •   |     |              |          |      |



# **Expected range charts**

| Lower expected range Within expected range   |        | U        | pper ex  | xpected | d range  | •         | • (        | Case m   | ix adju | sted so | ore  |
|--|--------|----------|----------|---------|----------|-----------|------------|----------|---------|---------|------|
| The left outer edge of the bars is the lowest score achieved of all allia alliances.                                   | ances. | The righ | nt outer | edge c  | f the ba | ars is th | ie highe   | est scor | e achie | eved of | all  |
| SUPPORT WHILE AT HOME  | 0%     | 10%      | 20%      | 30%     | 40%      | 50%       | 60%<br>64  | 70%      | 80%     | 90%     | 100% |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home          |        |          |          |         |          | 5         | <b>6</b> % |          |         |         |      |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services |        |          |          |         |          |           | •          |          |         |         |      |
| CARE FROM YOUR GP PRACTICE   | 0%     | 10%      | 20%      | 30%     | 40%      |           | 60%        | 70%      | 80%     | 90%     | 100% |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment                   |        |          |          |         |          | 49%       |            |          |         |         |      |
| Q52. Patient has had a review of cancer care by GP practice  |        |          | 24       | %<br>•  |          |           |            |          |         |         |      |

| LIVING WITH AND BEYOND CANCER   | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70%     | 80% | 90% | 100% |
|---|----|-----|-----|-----|-----|-----|-----|---------|-----|-----|------|
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      |    |     |     |     | 40% |     |     |         |     |     |      |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment |    |     |     |     |     |     | 6   | 60/     | 82% |     |      |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      |    |     |     |     |     |     | 6   | 6%<br>◆ |     |     |      |

| YOUR OVERALL NHS CARE  | 0% | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 80% | 90%<br>92%  | 100% |
|--|----|-----|-----|-----|-----|-----|-----|-----|-----|-------------|------|
| Q56. The whole care team worked well together                            |    |     |     |     |     |     |     |     |     | 92%<br>\$8% |      |
| Q57. Administration of care was very good or good                        |    |     |     |     | 449 | %   |     |     |     | <b>•</b>    |      |
| Q58. Cancer research opportunities were discussed with patient           |    |     |     |     |     |     |     |     |     |             |      |
|  | 0  | 1   | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9           | 10   |
| Q59. Patient's average rating of care scored from very poor to very good |    |     |     |     |     |     |     |     |     | 9.0         |      |



# **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size. Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.

▲ or ▼ Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).

Adjusted score below lower expected range Adjusted score between upper and lower expected ranges

Adjusted score above upper

63%

70%

67%

71%

- No score available.

expected range Unadjusted scores Case mix adjusted scores SUPPORT FROM YOUR GP PRACTICE England Change 2023-2024 Upper Lower Change 2023 2023 2024 2024 2024 score expected expected overall score n score n score range range Q2. Patient only spoke to primary care professional once or 842 80% 79% 861 79% 79% 76% 81% twice before cancer diagnosis

69%

▲

| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 1155 | 64% | 1161     |
|---|------|-----|----------|
|   |      |     | Linedium |

|   |           |               | Unadjust  | ed score      | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| DIAGNOSTIC TESTS  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 1487      | 92%           | 1542      | 93%           |                         |                   | 93%           | 91%                        | 94%                        | 93%              |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 1559      | 84%           | 1622      | 84%           |                         |                   | 84%           | 81%                        | 86%                        | 83%              |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 1565      | 78%           | 1623      | 78%           |                         | ▼                 | 78%           | 75%                        | 80%                        | 78%              |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 1564      | 80%           | 1625      | 82%           |                         |                   | 82%           | 76%                        | 82%                        | 79%              |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 1571      | 96%           | 1631      | 95%           |                         |                   | 95%           | 93%                        | 96%                        | 95%              |

|  |           |               | Unadjust  | ted score     | es                      |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| FINDING OUT THAT YOU HAD CANCER  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 1659      | 80%           | 1754      | 83%           |                         |                   | 83%           | 80%                        | 86%                        | 83%              |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 1776      | 74%           | 1872      | 77%           |                         |                   | 77%           | 72%                        | 78%                        | 75%              |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 1784      | 78%           | 1880      | 81%           |                         |                   | 81%           | 75%                        | 79%                        | 77%              |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 1786      | 85%           | 1871      | 87%           |                         |                   | 87%           | 84%                        | 88%                        | 86%              |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 1575      | 81%           | 1676      | 86%           |                         |                   | 86%           | 81%                        | 88%                        | 85%              |

|   |           |               | Unadjust  | ed score      | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| SUPPORT FROM A MAIN CONTACT PERSON  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q17. Patient had a main point of contact within the care team                 | 1711      | 92%           | 1811      | 92%           |                         |                   | 93%           | 89%                        | 94%                        | 91%              |
| Q18. Patient found it very or quite easy to contact their main contact person | 1420      | 86%           | 1512      | 86%           |                         | ▼                 | 85%           | 81%                        | 88%                        | 85%              |
| Q19. Patient found advice from main contact person was very or quite helpful  | 1504      | 95%           | 1586      | 97%           |                         |                   | 97%           | 94%                        | 97%                        | 96%              |

# **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size.

- No score available.

Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.

▲ or ▼ Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).

|  |           |               | Unadjust  | ed score      | S                       |                   | Case m        | nix adjuste                | d scores                   |                  |  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|--|
| DECIDING ON THE BEST TREATMENT   | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |  |
| Q20. Treatment options were explained in a way the patient could completely understand   | 1659      | 85%           | 1764      | 87%           |                         |                   | 86%           | 80%                        | 85%                        | 83%              |  |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 1758      | 80%           | 1860      | 84%           |                         |                   | 84%           | 77%                        | 84%                        | 80%              |  |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   | 1526      | 84%           | 1636      | 86%           |                         |                   | 86%           | 83%                        | 87%                        | 85%              |  |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 988       | 60%           | 1010      | 62%           |                         |                   | 61%           | 53%                        | 62%                        | 58%              |  |

|   |           |               | Unadjust  | ed score      |                         | Case m            |               |                            |                            |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| CARE PLANNING   | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 1600      | 74%           | 1688      | 76%           |                         |                   | 75%           | 69%                        | 77%                        | 73%              |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 966       | 94%           | 1051      | 95%           |                         | <b></b>           | 95%           | 92%                        | 95%                        | 94%              |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 768       | 99%           | 859       | 99%           |                         | ▼                 | 99%           | 98%                        | 100%                       | 99%              |

|  |           |               | Unadjust  | ed score      | s                       |                   | Case m        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| SUPPORT FROM HOSPITAL STAFF  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q27. Staff provided the patient with relevant information on available support                                     | 1431      | 89%           | 1511      | 91%           |                         |                   | 91%           | 90%                        | 95%                        | 92%              |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 1771      | 78%           | 1864      | 80%           |                         |                   | 80%           | 74%                        | 81%                        | 78%              |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 925       | 63%           | 921       | 69%           |                         |                   | 69%           | 68%                        | 76%                        | 72%              |



# **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size.

- No score available.

Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.

▲ or ▼ Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).

|  |           |               | Unadjust  | ed score      | es                      |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| HOSPITAL CARE  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 900       | 80%           | 954       | 83%           |                         |                   | 82%           | 75%                        | 81%                        | 78%              |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 741       | 72%           | 819       | 75%           |                         |                   | 74%           | 68%                        | 74%                        | 71%              |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 883       | 72%           | 945       | 76%           |                         |                   | 75%           | 69%                        | 75%                        | 72%              |
| Q34. Patient was always able to get help from ward staff when needed   | 892       | 77%           | 937       | 78%           |                         | ▼                 | 77%           | 70%                        | 78%                        | 74%              |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 860       | 68%           | 924       | 72%           |                         |                   | 71%           | 62%                        | 70%                        | 66%              |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 793       | 85%           | 839       | 85%           |                         | ▼                 | 85%           | 81%                        | 87%                        | 84%              |
| Q37. Patient was always treated with respect and dignity while in hospital   | 896       | 89%           | 955       | 90%           |                         |                   | 90%           | 85%                        | 90%                        | 88%              |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | 878       | 90%           | 936       | 91%           |                         |                   | 91%           | 84%                        | 90%                        | 87%              |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 1542      | 83%           | 1618      | 83%           |                         |                   | 82%           | 77%                        | 83%                        | 80%              |

|  |           |               | Unadjust  | ted score     | es                      |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| YOUR TREATMENT   | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 1126      | 90%           | 1281      | 92%           |                         |                   | <b>91%</b>    | 89%                        | 92%                        | 90%              |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 681       | 87%           | 688       | 89%           |                         |                   | 88%           | 83%                        | 89%                        | 86%              |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 453       | 89%           | 500       | 92%           |                         |                   | 92%           | 85%                        | 92%                        | 89%              |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 201       | 86%           | 219       | 86%           |                         |                   | 87%           | 74%                        | 85%                        | 80%              |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 217       | 82%           | 231       | 88%           |                         |                   | 88%           | 79%                        | 89%                        | 84%              |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 1114      | 88%           | 1264      | 89%           |                         |                   | 89%           | 85%                        | 89%                        | 87%              |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 679       | 82%           | 687       | 85%           |                         |                   | 84%           | 79%                        | 85%                        | 82%              |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 449       | 82%           | 497       | 86%           |                         |                   | 85%           | 81%                        | 88%                        | 85%              |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 200       | 81%           | 215       | 84%           |                         |                   | 84%           | 71%                        | 82%                        | 77%              |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | 214       | 78%           | 227       | 82%           |                         |                   | 82%           | 76%                        | 86%                        | 81%              |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 1695      | 84%           | 1826      | 83%           |                         |                   | 82%           | 74%                        | 85%                        | 79%              |

# **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size.

- No score available.

Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.

▲ or ▼ Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).

|  |           |               | Unadjust  | ed score      |                         | Case n            | d scores      |                            |                            |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| IMMEDIATE AND LONG-TERM SIDE EFFECTS   | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | 1625      | 76%           | 1727      | 76%           |                         |                   | 76%           | 72%                        | 78%                        | 75%              |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 1547      | 72%           | 1659      | 74%           |                         |                   | 73%           | 67%                        | 75%                        | 71%              |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | 1252      | 87%           | 1329      | 88%           |                         |                   | 88%           | 85%                        | 91%                        | 88%              |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 1543      | 62%           | 1613      | 65%           |                         |                   | 64%           | 57%                        | 65%                        | 61%              |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | 1346      | 56%           | 1410      | 60%           |                         |                   | 59%           | 51%                        | 60%                        | 56%              |

|  |           |               | Unadjust  | ed score      | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| SUPPORT WHILE AT HOME  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home          | 1168      | 66%           | 1294      | 65%           |                         |                   | 64%           | 59%                        | 67%                        | 63%              |
| Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services | 660       | 53%           | 719       | 56%           |                         |                   | 56%           | 46%                        | 61%                        | 53%              |

|  |           |               | Unadjust  | ed score      | s                       |                   | Case m        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| CARE FROM YOUR GP PRACTICE   | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 981       | 48%           | 1069      | 49%           |                         | ۸                 | 49%           | 43%                        | 52%                        | 48%              |
| Q52. Patient has had a review of cancer care by GP practice  | 1691      | 23%           | 1774      | 23%           |                         |                   | 24%           | 21%                        | 26%                        | 23%              |

|   |           |               | Unadjust  | ed score      | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|---|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| LIVING WITH AND BEYOND CANCER   | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | 404       | 32%           | 457       | 40%           |                         |                   | 40%           | 27%                        | 40%                        | 34%              |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 917       | 81%           | 1005      | 82%           |                         |                   | 82%           | 77%                        | 84%                        | 81%              |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 1424      | 68%           | 1491      | 68%           |                         |                   | 66%           | 61%                        | 69%                        | 65%              |

# **Comparability tables**

 Indicates where a score is not available due to suppression or a low base size.

- No score available.

Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.

▲ or ▼ Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).

|  |           |               | Unadjust  | ed score      | s                       |                   | Case n        | nix adjuste                | d scores                   |                  |
|--|-----------|---------------|-----------|---------------|-------------------------|-------------------|---------------|----------------------------|----------------------------|------------------|
| YOUR OVERALL NHS CARE  | 2023<br>n | 2023<br>score | 2024<br>n | 2024<br>score | Change<br>2023-<br>2024 | Change<br>overall | 2024<br>score | Lower<br>expected<br>range | Upper<br>expected<br>range | England<br>score |
| Q56. The whole care team worked well together                            | 1693      | 91%           | 1766      | 92%           |                         |                   | 92%           | 88%                        | 92%                        | 90%              |
| Q57. Administration of care was very good or good                        | 1740      | 88%           | 1836      | 88%           |                         | ▼                 | 88%           | 86%                        | 90%                        | 88%              |
| Q58. Cancer research opportunities were discussed with patient           | 1002      | 47%           | 1050      | 45%           |                         |                   | 44%           | 37%                        | 54%                        | 46%              |
| Q59. Patient's average rating of care scored from very poor to very good | 1707      | 9.0           | 1791      | 9.1           |                         |                   | 9.0           | 8.8                        | 9.1                        | 8.9              |



| SUPPORT FROM YOUR GP PRACTICE   |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | *              | 95%    | 79%                 | 81%            | 52%            | 73%              | 83%  | 87%      | 53%     | 88%  | 62%             | 84%        | 80%   | 79% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | *              | 78%    | 72%                 | 81%            | 59%            | 65%              | 56%  | 77%      | 56%     | 74%  | 53%             | 72%        | 63%   | 69% |

| DIAGNOSTIC TESTS  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | АІ  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | *              | 93%    | 96%                 | 92%            | 94%            | 93%              | 95%  | 92%      | 90%     | 94%  | 94%             | 91%        | 93%   | 93% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | *              | 85%    | 86%                 | 87%            | 84%            | 83%              | 81%  | 88%      | 86%     | 91%  | 82%             | 81%        | 77%   | 84% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | *              | 73%    | 87%                 | 76%            | 83%            | 79%              | 87%  | 72%      | 67%     | 76%  | 76%             | 79%        | 72%   | 78% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | *              | 87%    | 89%                 | 85%            | 73%            | 73%              | 86%  | 84%      | 81%     | 87%  | 76%             | 81%        | 78%   | 82% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | *              | 97%    | 95%                 | 95%            | 93%            | 92%              | 94%  | 95%      | 100%    | 96%  | 96%             | 92%        | 95%   | 95% |

| FINDING OUT THAT YOU HAD CANCER  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | *              | 93%    | 93%                 | 73%            | 76%            | 80%              | 86%  | 83%      | 74%     | 72%  | 85%             | 81%        | 78%   | 83% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | *              | 87%    | 82%                 | 68%            | 72%            | 73%              | 78%  | 76%      | 77%     | 77%  | 73%             | 78%        | 71%   | 77% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | *              | 86%    | 85%                 | 79%            | 70%            | 77%              | 83%  | 82%      | 78%     | 84%  | 77%             | 85%        | 79%   | 81% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | *              | 94%    | 86%                 | 84%            | 82%            | 79%              | 88%  | 92%      | 87%     | 87%  | 89%             | 86%        | 86%   | 87% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | *              | 95%    | 89%                 | 85%            | 77%            | 82%              | 83%  | 90%      | 89%     | 85%  | 83%             | 85%        | 81%   | 86% |

\*

| SUPPORT FROM A MAIN CONTACT PERSON  | N              |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q17. Patient had a main point of contact within the care team                 | *              | 97%    | 94%                 | 96%            | 94%            | 85%              | 93%  | 95%      | 91%     | 87%  | 94%             | 88%        | 86%   | 92% |
| Q18. Patient found it very or quite easy to contact their main contact person | *              | 86%    | 89%                 | 87%            | 87%            | 88%              | 88%  | 75%      | 81%     | 88%  | 89%             | 84%        | 84%   | 86% |
| Q19. Patient found advice from main contact person was very or quite helpful  | *              | 95%    | 99%                 | 100%           | 97%            | 94%              | 96%  | 93%      | 95%     | 99%  | 97%             | 95%        | 98%   | 97% |

| <b>DECIDING ON THE BEST TREATMENT</b>  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q20. Treatment options were explained in a way the patient could completely understand   | *              | 89%    | 88%                 | 88%            | 86%            | 88%              | 86%  | 88%      | 90%     | 87%  | 79%             | 87%        | 85%   | 87% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | *              | 86%    | 85%                 | 89%            | 80%            | 82%              | 89%  | 90%      | 83%     | 85%  | 79%             | 82%        | 82%   | 84% |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   | *              | 89%    | 87%                 | 91%            | 85%            | 87%              | 85%  | 90%      | 82%     | 88%  | 84%             | 77%        | 84%   | 86% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | *              | 68%    | 63%                 | 62%            | 64%            | 56%              | 61%  | 70%      | 64%     | 55%  | 57%             | 51%        | 59%   | 62% |

| CARE PLANNING   |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | *              | 78%    | 78%                 | 85%            | 71%            | 73%              | 76%  | 78%      | 68%     | 76%  | 74%             | 78%        | 69%   | 76% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | *              | 94%    | 98%                 | 97%            | 97%            | 100%             | 98%  | 96%      | 85%     | 93%  | 94%             | 90%        | 93%   | 95% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | *              | 97%    | 100%                | 98%            | 98%            | 96%              | 100% | 100%     | 91%     | 100% | 98%             | 99%        | 100%  | 99% |

| SUPPORT FROM HOSPITAL STAFF  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q27. Staff provided the patient with relevant information on available support                                     | *              | 94%    | 93%                 | 91%            | 91%            | 84%              | 90%  | 92%      | 87%     | 90%  | 89%             | 87%        | 87%   | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | *              | 81%    | 81%                 | 86%            | 82%            | 69%              | 84%  | 82%      | 70%     | 83%  | 76%             | 78%        | 76%   | 80% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | *              | 75%    | 66%                 | 73%            | 75%            | 69%              | 74%  | 53%      | 71%     | 67%  | 73%             | 59%        | 63%   | 69% |



\*

| HOSPITAL CARE  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                                | *              | 73%    | 77%                 | 90%            | 88%            | 80%              | 87%  | 82%      | 90%     | 90%  | 85%             | 75%        | 90%   | 83% |
| Q32. Patient's family, or someone close, was definitely<br>able to talk to a member of the team looking after the<br>patient in hospital | *              | 68%    | 79%                 | 83%            | 71%            | 74%              | 81%  | 67%      | 72%     | 72%  | 75%             | 70%        | 80%   | 75% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital  | *              | 73%    | 75%                 | 83%            | 76%            | 66%              | 77%  | 83%      | 84%     | 76%  | 73%             | 65%        | 83%   | 76% |
| Q34. Patient was always able to get help from ward staff when needed   | *              | 74%    | 79%                 | 80%            | 78%            | 73%              | 79%  | 78%      | 80%     | 86%  | 69%             | 72%        | 88%   | 78% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | *              | 60%    | 74%                 | 75%            | 74%            | 68%              | 73%  | 75%      | 71%     | 95%  | 68%             | 67%        | 77%   | 72% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | *              | 81%    | 87%                 | 87%            | 85%            | 87%              | 88%  | 83%      | 100%    | 94%  | 88%             | 75%        | 87%   | 85% |
| Q37. Patient was always treated with respect and<br>dignity while in hospital  | *              | 85%    | 91%                 | 93%            | 92%            | 93%              | 89%  | 91%      | 95%     | 95%  | 85%             | 87%        | 93%   | 90% |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital             | *              | 88%    | 91%                 | 95%            | 90%            | 93%              | 89%  | 92%      | 85%     | 90%  | 90%             | 89%        | 94%   | 91% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case           | *              | 80%    | 84%                 | 91%            | 86%            | 86%              | 76%  | 87%      | 83%     | 82%  | 82%             | 80%        | 79%   | 83% |

| YOUR TREATMENT   |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | АІ  |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | *              | 93%    | 94%                 | 99%            | 92%            | 87%              | 91%  | 87%      | 90%     | 91%  | 91%             | 90%        | 90%   | 92% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | *              | 88%    | 92%                 | 87%            | 88%            | 86%              | 92%  | *        | *       | *    | 94%             | 88%        | 86%   | 89% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | *              | 92%    | 88%                 | 100%           | 95%            | 77%              | 87%  | 96%      | *       | *    | 100%            | 83%        | 96%   | 92% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | *              | 85%    | *                   | *              | *              | *                | *    | 93%      | *       | *    | *               | *          | 87%   | 86% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | *              | 77%    | *                   | *              | 83%            | *                | 95%  | *        | *       | 95%  | *               | 91%        | 91%   | 88% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | *              | 89%    | 91%                 | 99%            | 94%            | 77%              | 84%  | 84%      | 90%     | 88%  | 89%             | 90%        | 92%   | 89% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | *              | 88%    | 84%                 | 69%            | 83%            | 93%              | 92%  | *        | *       | *    | 93%             | 78%        | 87%   | 85% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | *              | 88%    | 92%                 | 81%            | 81%            | 80%              | 78%  | 94%      | *       | *    | 80%             | 75%        | 84%   | 86% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | *              | 81%    | *                   | *              | *              | *                | *    | 88%      | *       | *    | *               | *          | 92%   | 84% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | *              | 81%    | *                   | *              | 79%            | *                | 93%  | *        | *       | 68%  | *               | 86%        | 81%   | 82% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | *              | 83%    | 90%                 | 81%            | 77%            | 82%              | 87%  | 88%      | 70%     | 81%  | 72%             | 90%        | 79%   | 83% |

| IMMEDIATE AND LONG-TERM SIDE EFFECT  | S              |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | *              | 78%    | 79%                 | 77%            | 68%            | 76%              | 76%  | 85%      | 77%     | 77%  | 74%             | 77%        | 81%   | 76% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | *              | 74%    | 73%                 | 75%            | 71%            | 69%              | 79%  | 75%      | 76%     | 75%  | 78%             | 73%        | 74%   | 74% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | *              | 91%    | 89%                 | 91%            | 83%            | 94%              | 86%  | 90%      | 85%     | 91%  | 88%             | 88%        | 88%   | 88% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | *              | 70%    | 63%                 | 63%            | 54%            | 57%              | 72%  | 73%      | 86%     | 71%  | 65%             | 63%        | 63%   | 65% |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | *              | 65%    | 62%                 | 63%            | 54%            | 51%              | 65%  | 67%      | 73%     | 70%  | 46%             | 52%        | 58%   | 60% |

| SUPPORT WHILE AT HOME  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | *              | 62%    | 71%                 | 60%            | 62%            | 64%              | 73%  | 62%      | 67%     | 66%  | 68%             | 65%        | 63%   | 65% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | *              | 55%    | 61%                 | 59%            | 55%            | 58%              | 52%  | 44%      | 38%     | 69%  | 57%             | 55%        | 60%   | 56% |

| CARE FROM YOUR GP PRACTICE   |   |     |     |     |     | ٦   | umou | r grou | р   |     |       |     |     |     |
|--|---|-----|-----|-----|-----|-----|------|--------|-----|-----|-------|-----|-----|-----|
|  | Brain /<br>CNS<br>CNS<br>Breast<br>Breast<br>Colorectal /<br>LGT<br>Gynaecological<br>Head and<br>neck<br>Lung<br>Prostate<br>Sarcoma<br>Skin<br>Urological |     |     |     |     |     |      |        |     |     | Other | AII |     |     |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | *   | 50% | 50% | 50% | 43% | 39% | 48%  | 44%    | 44% | 55% | 57%   | 56% | 46% | 49% |
| Q52. Patient has had a review of cancer care by GP practice  | *   | 21% | 26% | 36% | 21% | 18% | 29%  | 22%    | 10% | 20% | 33%   | 23% | 21% | 23% |

\*

| LIVING WITH AND BEYOND CANCER   |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|---|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|   | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | АІ  |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | *              | 37%    | 48%                 | 53%            | 29%            | 36%              | 48%  | 33%      | 46%     | 21%  | 39%             | 39%        | 46%   | 40% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | *              | 80%    | 86%                 | 81%            | 81%            | 81%              | 81%  | 86%      | 73%     | 86%  | 74%             | 85%        | 79%   | 82% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | *              | 59%    | 66%                 | 60%            | 78%            | 49%              | 63%  | 68%      | 71%     | 87%  | 58%             | 77%        | 69%   | 68% |

| YOUR OVERALL NHS CARE  |                |        |                     |                |                | Т                | umou | r grou   | р       |      |                 |            |       |     |
|--|----------------|--------|---------------------|----------------|----------------|------------------|------|----------|---------|------|-----------------|------------|-------|-----|
|  | Brain /<br>CNS | Breast | Colorectal /<br>LGT | Gynaecological | Haematological | Head and<br>neck | Lung | Prostate | Sarcoma | Skin | Upper<br>gastro | Urological | Other | AII |
| Q56. The whole care team worked well together                            | *              | 94%    | 93%                 | 91%            | 91%            | 90%              | 93%  | 90%      | 74%     | 96%  | 88%             | 90%        | 91%   | 92% |
| Q57. Administration of care was very good or good                        | *              | 92%    | 91%                 | 92%            | 86%            | 85%              | 94%  | 83%      | 83%     | 87%  | 81%             | 86%        | 89%   | 88% |
| Q58. Cancer research opportunities were discussed with patient           | *              | 32%    | 57%                 | 40%            | 56%            | 35%              | 54%  | 31%      | 25%     | 30%  | 50%             | 46%        | 45%   | 45% |
| Q59. Patient's average rating of care scored from very poor to very good | *              | 9.3    | 9.2                 | 9.2            | 9.1            | 8.7              | 9.1  | 9.1      | 8.8     | 9.1  | 8.9             | 8.9        | 8.8   | 9.1 |



| SUPPORT FROM YOUR GP PRACTICE   |         |         |         |         | Age     |         |         |     |     |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | *       | *       | 64%     | 85%     | 72%     | 77%     | 84%     | 87% | 79% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | *       | *       | 81%     | 67%     | 74%     | 68%     | 68%     | 67% | 69% |

| DIAGNOSTIC TESTS  |         |         |         |         | Age     |         |         |     |     |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | *       | 92%     | 90%     | 94%     | 95%     | 93%     | 92%     | 96% | 93% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | *       | 91%     | 77%     | 77%     | 87%     | 84%     | 84%     | 86% | 84% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | *       | 67%     | 50%     | 65%     | 75%     | 78%     | 84%     | 89% | 78% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | *       | 67%     | 74%     | 79%     | 80%     | 83%     | 86%     | 84% | 82% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | *       | 92%     | 88%     | 91%     | 94%     | 95%     | 95%     | 97% | 95% |

| FINDING OUT THAT YOU HAD CANCER  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | *       | 86%     | 89%     | 82%     | 81%     | 82%     | 84%     | 87% | 83% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | *       | 77%     | 82%     | 70%     | 73%     | 77%     | 82%     | 78% | 77% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | *       | 71%     | 71%     | 74%     | 80%     | 81%     | 84%     | 82% | 81% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | *       | 77%     | 74%     | 83%     | 83%     | 89%     | 90%     | 91% | 87% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | *       | 75%     | 84%     | 92%     | 87%     | 87%     | 83%     | 83% | 86% |

| SUPPORT FROM A MAIN CONTACT PERSON  | I       |         |         |         | Age     |         |         |     |     |
|---|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q17. Patient had a main point of contact within the care team                 | *       | 75%     | 100%    | 90%     | 92%     | 95%     | 91%     | 90% | 92% |
| Q18. Patient found it very or quite easy to contact their main contact person | *       | *       | 71%     | 81%     | 83%     | 86%     | 90%     | 92% | 86% |
| Q19. Patient found advice from main contact person was very or quite helpful  | *       | *       | 92%     | 95%     | 96%     | 97%     | 97%     | 94% | 97% |

| DECIDING ON THE BEST TREATMENT   |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q20. Treatment options were explained in a way the patient could completely understand   | *       | 92%     | 82%     | 81%     | 88%     | 89%     | 86%     | 82% | 87% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | *       | 93%     | 71%     | 76%     | 84%     | 85%     | 86%     | 85% | 84% |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   | *       | 85%     | 76%     | 82%     | 85%     | 87%     | 86%     | 88% | 86% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | *       | 55%     | 63%     | 52%     | 62%     | 64%     | 62%     | 57% | 62% |



| CARE PLANNING   |         |         |         |         | Age     |         |         |      |     |
|---|---------|---------|---------|---------|---------|---------|---------|------|-----|
|   | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+  | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | *       | 77%     | 62%     | 70%     | 73%     | 77%     | 76%     | 85%  | 76% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | *       | *       | 96%     | 90%     | 93%     | 97%     | 95%     | 95%  | 95% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | *       | *       | 100%    | 98%     | 98%     | 98%     | 100%    | 100% | 99% |

| SUPPORT FROM HOSPITAL STAFF  | Age     |         |         |         |         |         |         |     |     |  |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|--|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |  |
| Q27. Staff provided the patient with relevant<br>information on available support                                  | *       | 67%     | 97%     | 87%     | 90%     | 92%     | 89%     | 95% | 91% |  |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | *       | 77%     | 59%     | 71%     | 76%     | 82%     | 83%     | 86% | 80% |  |
| Q29. Patient was offered information about how to get financial help or benefits                                   | *       | 55%     | 76%     | 72%     | 72%     | 68%     | 63%     | 76% | 69% |  |

| HOSPITAL CARE  |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | *       | 90%     | 67%     | 73%     | 77%     | 85%     | 87%     | 87% | 83% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | *       | *       | 64%     | 69%     | 64%     | 78%     | 79%     | 86% | 75% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | *       | *       | 54%     | 72%     | 74%     | 75%     | 81%     | 77% | 76% |
| Q34. Patient was always able to get help from ward staff when needed   | *       | 60%     | 67%     | 69%     | 70%     | 82%     | 81%     | 83% | 78% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | *       | *       | 54%     | 69%     | 70%     | 74%     | 75%     | 74% | 72% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | *       | *       | 65%     | 81%     | 84%     | 88%     | 87%     | 85% | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital   | *       | 90%     | 74%     | 89%     | 87%     | 92%     | 93%     | 89% | 90% |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital       | *       | 90%     | 92%     | 89%     | 88%     | 93%     | 88%     | 96% | 91% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | *       | 75%     | 68%     | 79%     | 83%     | 86%     | 81%     | 84% | 83% |

| YOUR TREATMENT   |         |         |         |         | Age     |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | *       | *       | 75%     | 86%     | 92%     | 93%     | 93%     | 92% | 92% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | *       | *       | 79%     | 86%     | 92%     | 89%     | 86%     | 94% | 89% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | *       | *       | 92%     | 85%     | 94%     | 94%     | 91%     | 92% | 92% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | *       | *       | *       | 72%     | 87%     | 88%     | 89%     | *   | 86% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | *       | *       | *       | 90%     | 92%     | 91%     | 86%     | *   | 88% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | *       | *       | 78%     | 87%     | 89%     | 90%     | 90%     | 90% | 89% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | *       | *       | 83%     | 85%     | 85%     | 84%     | 86%     | 94% | 85% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | *       | *       | 91%     | 81%     | 88%     | 88%     | 82%     | 84% | 86% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | *       | *       | *       | 75%     | 83%     | 84%     | 86%     | *   | 84% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | *       | *       | *       | 89%     | 80%     | 91%     | 75%     | *   | 82% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | *       | 64%     | 66%     | 83%     | 80%     | 86%     | 82%     | 85% | 83% |

| <b>IMMEDIATE AND LONG-TERM SIDE EFFECTS</b>  | S       |         |         |         | Age     |         |         |     |     |  |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|--|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |  |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | *       | 69%     | 72%     | 73%     | 79%     | 77%     | 74%     | 83% | 76% |  |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | *       | 69%     | 68%     | 71%     | 73%     | 76%     | 71%     | 81% | 74% |  |
| Q46. Patient was given information that they could<br>access about support in dealing with immediate side<br>effects from treatment      | *       | 82%     | 82%     | 83%     | 91%     | 90%     | 86%     | 87% | 88% |  |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | *       | 71%     | 64%     | 50%     | 66%     | 69%     | 61%     | 72% | 65% |  |
| Q48. Patient was definitely able to discuss options for<br>managing the impact of any long-term side effects                             | *       | 57%     | 53%     | 53%     | 62%     | 63%     | 56%     | 69% | 60% |  |

| SUPPORT WHILE AT HOME  | Age     |         |         |         |         |         |         |     |     |  |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|--|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |  |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | *       | 77%     | 59%     | 58%     | 61%     | 67%     | 66%     | 72% | 65% |  |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | *       | 60%     | 41%     | 49%     | 52%     | 61%     | 54%     | 67% | 56% |  |

| CARE FROM YOUR GP PRACTICE   | Age     |         |         |         |         |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | *       | 54%     | 50%     | 49%     | 49%     | 44%     | 52%     | 63% | 49% |
| Q52. Patient has had a review of cancer care by GP practice  | *       | 31%     | 26%     | 21%     | 28%     | 21%     | 23%     | 25% | 23% |

| LIVING WITH AND BEYOND CANCER  |         | Age     |         |         |         |         |         |     |     |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |
| Q53. After treatment, the patient definitely could get<br>enough emotional support at home from community or<br>voluntary services | *       | *       | 14%     | 37%     | 42%     | 43%     | 41%     | 43% | 40% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment  | *       | 64%     | 74%     | 70%     | 81%     | 87%     | 82%     | 83% | 82% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                       | *       | 50%     | 50%     | 53%     | 66%     | 71%     | 70%     | 77% | 68% |

| YOUR OVERALL NHS CARE  | Age     |         |         |         |         |         |         |     |     |  |
|--|---------|---------|---------|---------|---------|---------|---------|-----|-----|--|
|  | 16 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 - 74 | 75 - 84 | 85+ | All |  |
| Q56. The whole care team worked well together                            | *       | 85%     | 97%     | 91%     | 92%     | 90%     | 93%     | 95% | 92% |  |
| Q57. Administration of care was very good or good                        | *       | 64%     | 89%     | 83%     | 88%     | 86%     | 92%     | 93% | 88% |  |
| Q58. Cancer research opportunities were discussed with patient           | *       | 36%     | 42%     | 31%     | 44%     | 50%     | 41%     | 55% | 45% |  |
| Q59. Patient's average rating of care scored from very poor to very good | *       | 8.4     | 9.0     | 9.1     | 9.0     | 9.1     | 9.1     | 9.2 | 9.1 |  |



# 'Which of the following best describes you?' tables

Indicates where a score is not available due to suppression or a low base size.

| SUPPORT FROM YOUR GP PRACTICE   |          | Which of the following best describes you? |   |   |                      |           |     |  |  |
|---|----------|--|---|---|----------------------|-----------|-----|--|--|
|   | Female N |  |   |   | Prefer<br>not to say | Not given | All |  |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 80%      | 78%  | * | * | *                    | 79%       | 79% |  |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 71%      | 68%  | * | * | *                    | 67%       | 69% |  |  |

| DIAGNOSTIC TESTS  |        | ١    | Which of the following best describes you? |                                |                      |           |     |  |  |  |
|---|--------|------|--|--------------------------------|----------------------|-----------|-----|--|--|--|
|   | Female | Male | Non-<br>binary                             | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 92%    | 95%  | *  | *                              | *                    | 92%       | 93% |  |  |  |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 83%    | 85%  | *  | *                              | *                    | 85%       | 84% |  |  |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 76%    | 80%  | *  | *                              | *                    | 79%       | 78% |  |  |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 83%    | 82%  | *  | *                              | *                    | 80%       | 82% |  |  |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 95%    | 94%  | *  | *                              | *                    | 95%       | 95% |  |  |  |

| FINDING OUT THAT YOU HAD CANCER  |        | V    | Which of the following best describes you? |                                |                      |           |     |  |  |  |
|--|--------|------|--|--------------------------------|----------------------|-----------|-----|--|--|--|
|  | Female | Male | Non-<br>binary                             | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |  |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 84%    | 83%  | *  | *                              | *                    | 78%       | 83% |  |  |  |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 77%    | 78%  | *  | *                              | *                    | 76%       | 77% |  |  |  |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 80%    | 82%  | *  | *                              | *                    | 77%       | 81% |  |  |  |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 88%    | 88%  | *  | *                              | *                    | 86%       | 87% |  |  |  |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 85%    | 87%  | *  | *                              | *                    | 82%       | 86% |  |  |  |

| SUPPORT FROM A MAIN CONTACT PERSON  | V      | Which of the following best describes you? |                |                                |                      |           |     |  |
|---|--------|--|----------------|--------------------------------|----------------------|-----------|-----|--|
|   | Female | Male                                       | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |
| Q17. Patient had a main point of contact within the care team                 | 94%    | 92%  | *              | *                              | *                    | 90%       | 92% |  |
| Q18. Patient found it very or quite easy to contact their main contact person | 85%    | 86%  | *              | *                              | *                    | 89%       | 86% |  |
| Q19. Patient found advice from main contact person was very or quite helpful  | 96%    | 98%  | *              | *                              | *                    | 94%       | 97% |  |

Indicates where a score is not available due to suppression or a low base size.

| DECIDING ON THE BEST TREATMENT   |        | Which of the following best describes you? |                |                                |                      |           |     |  |  |
|--|--------|--|----------------|--------------------------------|----------------------|-----------|-----|--|--|
|  | Female | Male                                       | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q20. Treatment options were explained in a way the patient could completely understand   | 86%    | 88%  | *              | *                              | *                    | 81%       | 87% |  |  |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 84%    | 84%  | *              | *                              | *                    | 88%       | 84% |  |  |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options     | 87%    | 86%  | *              | *                              | *                    | 78%       | 86% |  |  |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 60%    | 64%  | *              | *                              | *                    | 66%       | 62% |  |  |

| CARE PLANNING   |        | V    | Which of the   | following be                   | st describes         | you?      |     |
|---|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|   | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 73%    | 78%  | *              | *                              | *                    | 84%       | 76% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 94%    | 96%  | *              | *                              | *                    | 96%       | 95% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 98%    | 99%  | *              | *                              | *                    | 100%      | 99% |

| SUPPORT FROM HOSPITAL STAFF  |        | Which of the following best describes you? |                |                                |                      |           |     |  |  |
|--|--------|--|----------------|--------------------------------|----------------------|-----------|-----|--|--|
|  | Female | Male                                       | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q27. Staff provided the patient with relevant<br>information on available support                                  | 89%    | 93%  | *              | *                              | *                    | 89%       | 91% |  |  |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 77%    | 83%  | *              | *                              | *                    | 86%       | 80% |  |  |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 69%    | 70%  | *              | *                              | *                    | 61%       | 69% |  |  |

Indicates where a score is not available due to suppression or a low base size.

| HOSPITAL CARE  |        | Which of the following best describes you? |                |                                |                      |           |     |  |  |
|--|--------|--|----------------|--------------------------------|----------------------|-----------|-----|--|--|
|  | Female | Male                                       | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                            | 81%    | 85%  | *              | *                              | *                    | 75%       | 83% |  |  |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital   | 73%    | 76%  | *              | *                              | *                    | 81%       | 75% |  |  |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                      | 75%    | 77%  | *              | *                              | *                    | 71%       | 76% |  |  |
| Q34. Patient was always able to get help from ward staff when needed   | 73%    | 82%  | *              | *                              | *                    | 79%       | 78% |  |  |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 67%    | 77%  | *              | *                              | *                    | 75%       | 72% |  |  |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 84%    | 86%  | *              | *                              | *                    | 84%       | 85% |  |  |
| Q37. Patient was always treated with respect and dignity while in hospital   | 88%    | 92%  | *              | *                              | *                    | 88%       | 90% |  |  |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital         | 88%    | 93%  | *              | *                              | *                    | 83%       | 91% |  |  |
| Q39. Patient was always able to discuss worries and<br>fears with hospital staff while being treated as an<br>outpatient or day case | 79%    | 87%  | *              | *                              | *                    | 84%       | 83% |  |  |

| YOUR TREATMENT   |        | ٧    | Vhich of the   | following be                   | st describes         | you?      |     |
|--|--------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 90%    | 93%  | *              | *                              | *                    | 95%       | 92% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 88%    | 90%  | *              | *                              | *                    | 89%       | 89% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 92%    | 93%  | *              | *                              | *                    | 92%       | 92% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 85%    | 89%  | *              | *                              | *                    | *         | 86% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 86%    | 90%  | *              | *                              | *                    | *         | 88% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 88%    | 91%  | *              | *                              | *                    | 88%       | 89% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 84%    | 86%  | *              | *                              | *                    | 86%       | 85% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 85%    | 87%  | *              | *                              | *                    | 88%       | 86% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 82%    | 89%  | *              | *                              | *                    | *         | 84% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | 81%    | 84%  | *              | *                              | *                    | *         | 82% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 80%    | 85%  | *              | *                              | *                    | 86%       | 83% |

| <b>IMMEDIATE AND LONG-TERM SIDE EFFECT</b>   | S      | ١    | Which of the following best describes you? |                                |                      |           |     |  |
|--|--------|------|--|--------------------------------|----------------------|-----------|-----|--|
|  | Female | Male | Non-<br>binary                             | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | 74%    | 79%  | *  | *                              | *                    | 78%       | 76% |  |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 72%    | 76%  | *  | *                              | *                    | 72%       | 74% |  |
| Q46. Patient was given information that they could<br>access about support in dealing with immediate side<br>effects from treatment      | 88%    | 89%  | *  | *                              | *                    | 82%       | 88% |  |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 61%    | 69%  | *  | *                              | *                    | 65%       | 65% |  |
| Q48. Patient was definitely able to discuss options for<br>managing the impact of any long-term side effects                             | 58%    | 63%  | *  | *                              | *                    | 65%       | 60% |  |

| SUPPORT WHILE AT HOME  |        | ١         | Which of the | following be | st describes | you? |     |
|--|--------|-----------|--------------|--------------|--------------|------|-----|
|  | Female | Not given | All          |              |              |      |     |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 60%    | 70%       | *            | *            | *            | 64%  | 65% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 50%    | 61%       | *            | *            | *            | 60%  | 56% |

| CARE FROM YOUR GP PRACTICE   |   | V   | Which of the | following be | st describes | you? |     |
|--|---|-----|--------------|--------------|--------------|------|-----|
|  | FemaleMaleNon-<br>binaryPrefer<br>to self-<br>describePrefer<br>not to sayNot given |     |              |              |              |      |     |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 47%   | 51% | *            | *            | *            | 50%  | 49% |
| Q52. Patient has had a review of cancer care by GP practice  | 23%   | 24% | *            | *            | *            | 21%  | 23% |

| LIVING WITH AND BEYOND CANCER   |        | Which of the following best describes you? |                |                                |                      |           |     |  |  |
|---|--------|--|----------------|--------------------------------|----------------------|-----------|-----|--|--|
|   | Female | Male                                       | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |  |  |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | 39%    | 44%  | *              | *                              | *                    | 30%       | 40% |  |  |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 78%    | 87%  | *              | *                              | *                    | 81%       | 82% |  |  |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 62%    | 75%  | *              | *                              | *                    | 72%       | 68% |  |  |

Indicates where a score is not available due to suppression or a low base size.

| YOUR OVERALL NHS CARE  | YOUR OVERALL NHS CARE |      |                |                                |                      |           |     |
|--|-----------------------|------|----------------|--------------------------------|----------------------|-----------|-----|
|  | Female                | Male | Non-<br>binary | Prefer<br>to self-<br>describe | Prefer<br>not to say | Not given | All |
| Q56. The whole care team worked well together                            | 92%                   | 92%  | *              | *                              | *                    | 90%       | 92% |
| Q57. Administration of care was very good or good                        | 89%                   | 88%  | *              | *                              | *                    | 88%       | 88% |
| Q58. Cancer research opportunities were discussed with patient           | 41%                   | 48%  | *              | *                              | *                    | 49%       | 45% |
| Q59. Patient's average rating of care scored from very poor to very good | 9.0                   | 9.1  | *              | *                              | *                    | 9.1       | 9.1 |



| SUPPORT FROM YOUR GP PRACTICE   |       | Ethnicity |       |       |       |           |     |
|---|-------|-----------|-------|-------|-------|-----------|-----|
|   | White | Mixed     | Asian | Black | Other | Not given | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 80%   | *         | 50%   | *     | *     | 79%       | 79% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 69%   | 70%       | 71%   | *     | *     | 69%       | 69% |

| DIAGNOSTIC TESTS   | Ethnicity |       |       |       |       |           |     |  |  |
|--|-----------|-------|-------|-------|-------|-----------|-----|--|--|
|  | White     | Mixed | Asian | Black | Other | Not given | All |  |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                       | 94%       | 92%   | 87%   | *     | *     | 93%       | 93% |  |  |
| Q6. Diagnostic test staff appeared to completely have<br>all the information they needed about the patient | 84%       | 69%   | 80%   | *     | *     | 82%       | 84% |  |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                    | 78%       | 85%   | 71%   | *     | *     | 79%       | 78% |  |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand                | 82%       | 83%   | 75%   | *     | *     | 83%       | 82% |  |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results                  | 95%       | 100%  | 94%   | *     | *     | 93%       | 95% |  |  |

| FINDING OUT THAT YOU HAD CANCER  | Ethnicity |       |       |       |       |           |     |
|--|-----------|-------|-------|-------|-------|-----------|-----|
|  | White     | Mixed | Asian | Black | Other | Not given | All |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 84%       | 71%   | 67%   | *     | *     | 78%       | 83% |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 77%       | 79%   | 75%   | *     | *     | 77%       | 77% |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 81%       | 86%   | 95%   | *     | *     | 81%       | 81% |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 87%       | 93%   | 81%   | *     | *     | 87%       | 87% |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 86%       | 83%   | 89%   | *     | *     | 81%       | 86% |

| SUPPORT FROM A MAIN CONTACT PERSON  | l     |       |       | Ethnicity |       |           |     |
|---|-------|-------|-------|-----------|-------|-----------|-----|
|   | White | Mixed | Asian | Black     | Other | Not given | All |
| Q17. Patient had a main point of contact within the care team                 | 93%   | 93%   | 95%   | *         | *     | 87%       | 92% |
| Q18. Patient found it very or quite easy to contact their main contact person | 86%   | 90%   | 79%   | *         | *     | 87%       | 86% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 97%   | 100%  | 94%   | *         | *     | 94%       | 97% |

| DECIDING ON THE BEST TREATMENT   | Ethnicity |       |       |       |       |           |     |  |
|--|-----------|-------|-------|-------|-------|-----------|-----|--|
|  | White     | Mixed | Asian | Black | Other | Not given | All |  |
| Q20. Treatment options were explained in a way the patient could completely understand   | 87%       | 86%   | 86%   | *     | *     | 83%       | 87% |  |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 84%       | 86%   | 86%   | *     | *     | 88%       | 84% |  |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   | 87%       | 73%   | 85%   | *     | *     | 75%       | 86% |  |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 62%       | 45%   | 56%   | *     | *     | 65%       | 62% |  |

| CARE PLANNING   |       | Ethnicity |       |       |       |           |     |
|---|-------|-----------|-------|-------|-------|-----------|-----|
|   | White | Mixed     | Asian | Black | Other | Not given | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 75%   | 71%       | 79%   | *     | *     | 82%       | 76% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 95%   | *         | 100%  | *     | *     | 96%       | 95% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 99%   | *         | 94%   | *     | *     | 98%       | 99% |

| SUPPORT FROM HOSPITAL STAFF  | Ethnicity |       |       |       |       |           |     |
|--|-----------|-------|-------|-------|-------|-----------|-----|
|  | White     | Mixed | Asian | Black | Other | Not given | All |
| Q27. Staff provided the patient with relevant information on available support                                     | 91%       | 83%   | 88%   | *     | *     | 88%       | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 80%       | 64%   | 76%   | *     | *     | 86%       | 80% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 70%       | 64%   | 67%   | *     | *     | 61%       | 69% |

| HOSPITAL CARE  | Ethnicity |       |       |       |       |           |     |  |  |
|--|-----------|-------|-------|-------|-------|-----------|-----|--|--|
|  | White     | Mixed | Asian | Black | Other | Not given | All |  |  |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                            | 84%       | *     | *     | *     | *     | 69%       | 83% |  |  |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital   | 75%       | *     | *     | *     | *     | 76%       | 75% |  |  |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                      | 76%       | *     | *     | *     | *     | 69%       | 76% |  |  |
| Q34. Patient was always able to get help from ward staff when needed   | 78%       | *     | *     | *     | *     | 73%       | 78% |  |  |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 73%       | *     | *     | *     | *     | 69%       | 72% |  |  |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 86%       | *     | *     | *     | *     | 83%       | 85% |  |  |
| Q37. Patient was always treated with respect and dignity while in hospital   | 91%       | *     | *     | *     | *     | 84%       | 90% |  |  |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital         | 91%       | *     | *     | *     | *     | 86%       | 91% |  |  |
| Q39. Patient was always able to discuss worries and<br>fears with hospital staff while being treated as an<br>outpatient or day case | 83%       | 79%   | 68%   | *     | *     | 85%       | 83% |  |  |

| YOUR TREATMENT   |       |       |       | Ethnicity |       |           |     |
|--|-------|-------|-------|-----------|-------|-----------|-----|
|  | White | Mixed | Asian | Black     | Other | Not given | All |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 92%   | *     | *     | *         | *     | 95%       | 92% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 88%   | *     | 91%   | *         | *     | 94%       | 89% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 92%   | *     | 100%  | *         | *     | 96%       | 92% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 86%   | *     | *     | *         | *     | *         | 86% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 88%   | *     | *     | *         | *     | 90%       | 88% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 89%   | *     | *     | *         | *     | 89%       | 89% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 84%   | *     | 100%  | *         | *     | 95%       | 85% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 85%   | *     | 100%  | *         | *     | 89%       | 86% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 84%   | *     | *     | *         | *     | *         | 84% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | 82%   | *     | *     | *         | *     | 70%       | 82% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 83%   | 86%   | 59%   | *         | *     | 83%       | 83% |

| <b>IMMEDIATE AND LONG-TERM SIDE EFFECTS</b>  | Ethnicity |       |       |       |       |           |     |  |
|--|-----------|-------|-------|-------|-------|-----------|-----|--|
|  | White     | Mixed | Asian | Black | Other | Not given | All |  |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | 76%       | 69%   | 85%   | *     | *     | 80%       | 76% |  |
| Q45. Patient was always offered practical advice on<br>dealing with any immediate side effects from treatment                            | 74%       | 67%   | 67%   | *     | *     | 77%       | 74% |  |
| Q46. Patient was given information that they could<br>access about support in dealing with immediate side<br>effects from treatment      | 89%       | 73%   | 71%   | *     | *     | 84%       | 88% |  |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 64%       | 69%   | 71%   | *     | *     | 71%       | 65% |  |
| Q48. Patient was definitely able to discuss options for<br>managing the impact of any long-term side effects                             | 60%       | 54%   | 50%   | *     | *     | 67%       | 60% |  |

| SUPPORT WHILE AT HOME  |       | Ethnicity |       |       |       |           |     |
|--|-------|-----------|-------|-------|-------|-----------|-----|
|  | White | Mixed     | Asian | Black | Other | Not given | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 65%   | 40%       | 44%   | *     | *     | 67%       | 65% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 57%   | 36%       | 38%   | *     | *     | 59%       | 56% |

| CARE FROM YOUR GP PRACTICE   | Ethnicity |       |       |       |       |           |     |
|--|-----------|-------|-------|-------|-------|-----------|-----|
|  | White     | Mixed | Asian | Black | Other | Not given | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 49%       | 50%   | 38%   | *     | *     | 56%       | 49% |
| Q52. Patient has had a review of cancer care by GP practice  | 23%       | 42%   | 45%   | *     | *     | 23%       | 23% |

# **Ethnicity tables**

| LIVING WITH AND BEYOND CANCER  |       |       |       | Ethnicity |       |           |     |  |
|--|-------|-------|-------|-----------|-------|-----------|-----|--|
|  | White | Mixed | Asian | Black     | Other | Not given | All |  |
| Q53. After treatment, the patient definitely could get<br>enough emotional support at home from community or<br>voluntary services | 41%   | *     | *     | *         | *     | 33%       | 40% |  |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment  | 83%   | *     | 85%   | *         | *     | 78%       | 82% |  |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                       | 68%   | 60%   | 50%   | *         | *     | 72%       | 68% |  |

| YOUR OVERALL NHS CARE  | Ethnicity |       |       |       |       |           |     |  |
|--|-----------|-------|-------|-------|-------|-----------|-----|--|
|  | White     | Mixed | Asian | Black | Other | Not given | All |  |
| Q56. The whole care team worked well together                            | 92%       | 93%   | 95%   | *     | *     | 91%       | 92% |  |
| Q57. Administration of care was very good or good                        | 88%       | 93%   | 77%   | *     | *     | 88%       | 88% |  |
| Q58. Cancer research opportunities were discussed with patient           | 44%       | *     | 57%   | *     | *     | 51%       | 45% |  |
| Q59. Patient's average rating of care scored from very poor to very good | 9.1       | 8.1   | 8.8   | *     | *     | 9.1       | 9.1 |  |



| SUPPORT FROM YOUR GP PRACTICE   | IMD quintile      |     |     |     |                    |     |  |  |
|---|-------------------|-----|-----|-----|--------------------|-----|--|--|
|   | 1 (most deprived) | 2   | 3   | 4   | 5 (least deprived) | All |  |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 76%               | 75% | 81% | 79% | 81%                | 79% |  |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 69%               | 68% | 68% | 69% | 71%                | 69% |  |  |

| DIAGNOSTIC TESTS  | IMD quintile         |     |     |     |                    |     |  |  |
|---|----------------------|-----|-----|-----|--------------------|-----|--|--|
|   | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least deprived) | All |  |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 91%                  | 94% | 92% | 96% | 94%                | 93% |  |  |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 82%                  | 86% | 80% | 88% | 85%                | 84% |  |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 79%                  | 80% | 77% | 78% | 77%                | 78% |  |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 81%                  | 83% | 83% | 83% | 82%                | 82% |  |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 94%                  | 93% | 96% | 94% | 96%                | 95% |  |  |

| FINDING OUT THAT YOU HAD CANCER  | IMD quintile         |     |     |     |                    |     |  |
|--|----------------------|-----|-----|-----|--------------------|-----|--|
|  | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least deprived) | All |  |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 83%                  | 83% | 85% | 81% | 83%                | 83% |  |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 79%                  | 77% | 81% | 76% | 75%                | 77% |  |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 84%                  | 79% | 80% | 81% | 80%                | 81% |  |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 88%                  | 89% | 88% | 85% | 87%                | 87% |  |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 87%                  | 85% | 88% | 86% | 84%                | 86% |  |

| SUPPORT FROM A MAIN CONTACT PERSON  |                      |     | IMD quintile |     |                    |     |
|---|----------------------|-----|--------------|-----|--------------------|-----|
|   | 1 (most<br>deprived) | 2   | 3            | 4   | 5 (least deprived) | All |
| Q17. Patient had a main point of contact within the care team                 | 94%                  | 92% | 94%          | 92% | 91%                | 92% |
| Q18. Patient found it very or quite easy to contact their main contact person | 86%                  | 89% | 84%          | 88% | 84%                | 86% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 96%                  | 98% | 97%          | 97% | 96%                | 97% |

| DECIDING ON THE BEST TREATMENT   |                      |     | IMD quintile |     |                    |     |
|--|----------------------|-----|--------------|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3            | 4   | 5 (least deprived) | All |
| Q20. Treatment options were explained in a way the patient could completely understand   | 88%                  | 86% | 87%          | 86% | 86%                | 87% |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 86%                  | 82% | 86%          | 84% | 84%                | 84% |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   | 86%                  | 82% | 86%          | 87% | 87%                | 86% |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 66%                  | 59% | 60%          | 65% | 57%                | 62% |

| CARE PLANNING   | IMD quintile      |     |     |     |                    |     |  |
|---|-------------------|-----|-----|-----|--------------------|-----|--|
|   | 1 (most deprived) | 2   | 3   | 4   | 5 (least deprived) | All |  |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 76%               | 77% | 76% | 78% | 72%                | 76% |  |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 96%               | 95% | 94% | 96% | 94%                | 95% |  |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 97%               | 99% | 99% | 99% | 99%                | 99% |  |

| SUPPORT FROM HOSPITAL STAFF  | IMD quintile         |     |     |     |                    |     |  |
|--|----------------------|-----|-----|-----|--------------------|-----|--|
|  | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least deprived) | All |  |
| Q27. Staff provided the patient with relevant<br>information on available support                                  | 89%                  | 89% | 93% | 93% | 90%                | 91% |  |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 82%                  | 77% | 81% | 80% | 80%                | 80% |  |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 68%                  | 70% | 69% | 71% | 69%                | 69% |  |

| HOSPITAL CARE  |                      |     | IMD quintile |     |                    |     |
|--|----------------------|-----|--------------|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3            | 4   | 5 (least deprived) | All |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 85%                  | 84% | 81%          | 81% | 82%                | 83% |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 78%                  | 77% | 71%          | 74% | 72%                | 75% |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 77%                  | 71% | 74%          | 78% | 75%                | 76% |
| Q34. Patient was always able to get help from ward staff when needed   | 83%                  | 76% | 78%          | 77% | 73%                | 78% |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 75%                  | 70% | 77%          | 70% | 69%                | 72% |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 84%                  | 89% | 83%          | 88% | 83%                | 85% |
| Q37. Patient was always treated with respect and dignity while in hospital   | 90%                  | 92% | 89%          | 90% | 90%                | 90% |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | 93%                  | 91% | 89%          | 89% | 91%                | 91% |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 82%                  | 83% | 81%          | 88% | 79%                | 83% |

| YOUR TREATMENT   |                      |     | IMD quintile |     |                    |     |
|--|----------------------|-----|--------------|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3            | 4   | 5 (least deprived) | All |
| Q41_1. Beforehand patient completely had enough<br>understandable information about surgery              | 95%                  | 89% | 93%          | 90% | 91%                | 92% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 91%                  | 90% | 89%          | 86% | 87%                | 89% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 94%                  | 95% | 91%          | 89% | 94%                | 92% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 88%                  | 93% | 84%          | 87% | 84%                | 86% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 91%                  | 91% | 85%          | 87% | 87%                | 88% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 92%                  | 88% | 89%          | 89% | 87%                | 89% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 88%                  | 85% | 81%          | 83% | 86%                | 85% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 85%                  | 82% | 86%          | 84% | 91%                | 86% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 92%                  | 96% | 79%          | 86% | 74%                | 84% |
| Q42_5. Patient completely had enough understandable nformation about their response to immunotherapy     | 84%                  | 81% | 78%          | 87% | 79%                | 82% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 85%                  | 80% | 84%          | 84% | 80%                | 83% |

| IMMEDIATE AND LONG-TERM SIDE EFFECTS   |                      |     | IMD quintile |     |                    |     |  |
|--|----------------------|-----|--------------|-----|--------------------|-----|--|
|  | 1 (most<br>deprived) | 2   | 3            | 4   | 5 (least deprived) | All |  |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | 79%                  | 77% | 76%          | 74% | 76%                | 76% |  |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 77%                  | 74% | 74%          | 73% | 71%                | 74% |  |
| Q46. Patient was given information that they could access<br>about support in dealing with immediate side effects from<br>treatment      | 86%                  | 92% | 88%          | 88% | 88%                | 88% |  |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 71%                  | 62% | 66%          | 61% | 65%                | 65% |  |
| Q48. Patient was definitely able to discuss options for<br>managing the impact of any long-term side effects                             | 64%                  | 58% | 62%          | 58% | 59%                | 60% |  |

| SUPPORT WHILE AT HOME   | IMD quintile         |     |     |     |                       |     |
|---|----------------------|-----|-----|-----|-----------------------|-----|
|   | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least<br>deprived) | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home             | 64%                  | 68% | 64% | 68% | 62%                   | 65% |
| Q50. During treatment, the patient definitely got enough care<br>and support at home from community or voluntary services | 56%                  | 50% | 56% | 62% | 53%                   | 56% |

| CARE FROM YOUR GP PRACTICE   | IMD quintile                     |     |     |     |     |     |
|--|----------------------------------|-----|-----|-----|-----|-----|
|  | 1 (most 2 3 4 5 (least deprived) |     |     |     |     |     |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 44%                              | 52% | 49% | 52% | 49% | 49% |
| Q52. Patient has had a review of cancer care by GP practice  | 27%                              | 28% | 22% | 23% | 18% | 23% |



| LIVING WITH AND BEYOND CANCER   | IMD quintile         |     |     |     |                    |     |
|---|----------------------|-----|-----|-----|--------------------|-----|
|   | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least deprived) | All |
| Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services      | 38%                  | 49% | 37% | 44% | 34%                | 40% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment | 83%                  | 82% | 83% | 82% | 81%                | 82% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                      | 70%                  | 62% | 68% | 74% | 67%                | 68% |

| YOUR OVERALL NHS CARE  |                      |     |     |     |                    |     |
|--|----------------------|-----|-----|-----|--------------------|-----|
|  | 1 (most<br>deprived) | 2   | 3   | 4   | 5 (least deprived) | All |
| Q56. The whole care team worked well together                            | 92%                  | 93% | 90% | 93% | 91%                | 92% |
| Q57. Administration of care was very good or good                        | 91%                  | 91% | 86% | 87% | 87%                | 88% |
| Q58. Cancer research opportunities were discussed with patient           | 46%                  | 47% | 45% | 45% | 42%                | 45% |
| Q59. Patient's average rating of care scored from very poor to very good | 9.1                  | 9.1 | 9.1 | 9.0 | 9.0                | 9.1 |



| SUPPORT FROM YOUR GP PRACTICE   | Long-term condition status |     |           |     |  |
|---|----------------------------|-----|-----------|-----|--|
|   | Yes                        | No  | Not given | All |  |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 78%                        | 81% | 74%       | 79% |  |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 67%                        | 74% | 65%       | 69% |  |

| DIAGNOSTIC TESTS  | Long-term condition status |     |           |     |  |
|---|----------------------------|-----|-----------|-----|--|
|   | Yes                        | No  | Not given | All |  |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 93%                        | 95% | 94%       | 93% |  |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 82%                        | 88% | 86%       | 84% |  |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 78%                        | 78% | 79%       | 78% |  |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 81%                        | 84% | 82%       | 82% |  |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 94%                        | 96% | 95%       | 95% |  |

| FINDING OUT THAT YOU HAD CANCER  | Long-term condition status |     |           |     |  |
|--|----------------------------|-----|-----------|-----|--|
|  | Yes                        | No  | Not given | All |  |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 82%                        | 84% | 83%       | 83% |  |
| Q13. Patient was definitely told sensitively that they<br>nad cancer                                 | 77%                        | 79% | 77%       | 77% |  |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 81%                        | 82% | 76%       | 81% |  |
| Q15. Patient was definitely told about their diagnosis in appropriate place                          | 87%                        | 88% | 87%       | 87% |  |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 84%                        | 90% | 82%       | 86% |  |

| SUPPORT FROM A MAIN CONTACT PERSON  | Long-term condition status |     |           |     |
|---|----------------------------|-----|-----------|-----|
|   | Yes                        | No  | Not given | All |
| Q17. Patient had a main point of contact within the care team                 | 93%                        | 93% | 89%       | 92% |
| Q18. Patient found it very or quite easy to contact their main contact person | 85%                        | 87% | 89%       | 86% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 97%                        | 98% | 95%       | 97% |

| DECIDING ON THE BEST TREATMENT   | Long-term condition status |     |           |     |  |
|--|----------------------------|-----|-----------|-----|--|
|  | Yes                        | No  | Not given | All |  |
| Q20. Treatment options were explained in a way the patient could completely understand   | 87%                        | 88% | 82%       | 87% |  |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                 | 83%                        | 87% | 88%       | 84% |  |
| Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options   | 85%                        | 88% | 81%       | 86% |  |
| Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options | 60%                        | 64% | 69%       | 62% |  |

| CARE PLANNING   | Long-term condition status |      |           |     |  |  |
|---|----------------------------|------|-----------|-----|--|--|
|   | Yes                        | No   | Not given | All |  |  |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 73%                        | 80%  | 78%       | 76% |  |  |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 94%                        | 97%  | 96%       | 95% |  |  |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 98%                        | 100% | 100%      | 99% |  |  |

| SUPPORT FROM HOSPITAL STAFF  | Long-term condition status |     |           |     |  |  |
|--|----------------------------|-----|-----------|-----|--|--|
|  | Yes                        | No  | Not given | All |  |  |
| Q27. Staff provided the patient with relevant information on available support                                     | 90%                        | 93% | 88%       | 91% |  |  |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 79%                        | 83% | 84%       | 80% |  |  |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 66%                        | 77% | 63%       | 69% |  |  |

| HOSPITAL CARE  | Long-term condition status |     |           |     |  |
|--|----------------------------|-----|-----------|-----|--|
|  | Yes                        | No  | Not given | All |  |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 84%                        | 82% | 72%       | 83% |  |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 75%                        | 75% | 73%       | 75% |  |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 74%                        | 79% | 72%       | 76% |  |
| Q34. Patient was always able to get help from ward staff when needed   | 77%                        | 81% | 75%       | 78% |  |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 71%                        | 74% | 69%       | 72% |  |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 85%                        | 85% | 84%       | 85% |  |
| Q37. Patient was always treated with respect and dignity while in hospital   | 91%                        | 90% | 84%       | 90% |  |
| Q38. Patient received easily understandable information about what they should or should not do after leaving hospital             | 90%                        | 94% | 86%       | 91% |  |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 81%                        | 85% | 85%       | 83% |  |

| YOUR TREATMENT   | Long-term condition status |     |           |     |  |  |
|--|----------------------------|-----|-----------|-----|--|--|
|  | Yes                        | No  | Not given | All |  |  |
| Q41_1. Beforehand patient completely had enough understandable information about surgery                 | 91%                        | 93% | 94%       | 92% |  |  |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 88%                        | 90% | 89%       | 89% |  |  |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 92%                        | 93% | 94%       | 92% |  |  |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 86%                        | 86% | *         | 86% |  |  |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 86%                        | 92% | 92%       | 88% |  |  |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 88%                        | 90% | 90%       | 89% |  |  |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 84%                        | 85% | 93%       | 85% |  |  |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 85%                        | 86% | 91%       | 86% |  |  |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 85%                        | 82% | *         | 84% |  |  |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | 82%                        | 84% | 69%       | 82% |  |  |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 82%                        | 84% | 83%       | 83% |  |  |

| IMMEDIATE AND LONG-TERM SIDE EFFECTS   | Long-term condi | Long-term condition status |           |     |  |  |
|--|-----------------|----------------------------|-----------|-----|--|--|
|  | Yes             | No                         | Not given | All |  |  |
| Q44. Possible side effects from treatment were definitely explained in a way the patient could understand                                | 74%             | 80%                        | 79%       | 76% |  |  |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 73%             | 75%                        | 70%       | 74% |  |  |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | 87%             | 92%                        | 84%       | 88% |  |  |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 62%             | 69%                        | 70%       | 65% |  |  |
| Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects                                | 58%             | 64%                        | 65%       | 60% |  |  |

| SUPPORT WHILE AT HOME  | Long-term condition status |     |           |     |  |  |
|--|----------------------------|-----|-----------|-----|--|--|
|  | Yes                        | No  | Not given | All |  |  |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 63%                        | 68% | 69%       | 65% |  |  |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 54%                        | 61% | 56%       | 56% |  |  |

| CARE FROM YOUR GP PRACTICE   | Long-term condition status |     |     |     |  |  |
|--|----------------------------|-----|-----|-----|--|--|
|  | Yes No Not given All       |     |     |     |  |  |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 48%                        | 52% | 47% | 49% |  |  |
| Q52. Patient has had a review of cancer care by GP practice  | 22%                        | 26% | 23% | 23% |  |  |

| LIVING WITH AND BEYOND CANCER  |     | Long-term condi | tion status |     |
|--|-----|-----------------|-------------|-----|
|  | Yes | No              | Not given   | All |
| Q53. After treatment, the patient definitely could get<br>enough emotional support at home from community or<br>voluntary services | 39% | 45%             | 36%         | 40% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment  | 81% | 86%             | 77%         | 82% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                       | 67% | 70%             | 69%         | 68% |

| YOUR OVERALL NHS CARE  | Long-term condition status |     |           |     |  |  |
|--|----------------------------|-----|-----------|-----|--|--|
|  | Yes                        | No  | Not given | All |  |  |
| Q56. The whole care team worked well together                            | 91%                        | 94% | 91%       | 92% |  |  |
| Q57. Administration of care was very good or good                        | 88%                        | 89% | 88%       | 88% |  |  |
| Q58. Cancer research opportunities were discussed with patient           | 44%                        | 44% | 50%       | 45% |  |  |
| Q59. Patient's average rating of care scored from very poor to very good | 9.0                        | 9.2 | 9.1       | 9.1 |  |  |



## Number of long-term conditions tables

| SUPPORT FROM YOUR GP PRACTICE   |                                | Number of long-term conditions  |  |                        |           |     |
|---|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|   | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis | 79%                            | 80%                             | 76%  | 81%                    | 74%       | 79% |
| Q3. Referral for diagnosis was explained in a way the patient could completely understand | 67%                            | 65%                             | 70%  | 74%                    | 65%       | 69% |

| DIAGNOSTIC TESTS  | Number of long-term conditions |                                 |  |                        |           |     |
|---|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|   | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q5. Patient received all the information needed about the diagnostic test in advance                    | 94%                            | 90%                             | 93%  | 95%                    | 94%       | 93% |
| Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient | 83%                            | 83%                             | 80%  | 88%                    | 86%       | 84% |
| Q7. Patient felt the length of time waiting for diagnostic test results was about right                 | 79%                            | 76%                             | 79%  | 78%                    | 79%       | 78% |
| Q8. Diagnostic test results were explained in a way the patient could completely understand             | 84%                            | 80%                             | 77%  | 84%                    | 82%       | 82% |
| Q9. Enough privacy was always given to the patient when receiving diagnostic test results               | 96%                            | 92%                             | 91%  | 96%                    | 95%       | 95% |

| FINDING OUT THAT YOU HAD CANCER  | NCER Number of long-term conditions |                                 |  |                        |           |     |  |
|--|-------------------------------------|---------------------------------|--|------------------------|-----------|-----|--|
|  | One long-<br>term<br>condition      | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |  |
| Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis | 85%                                 | 81%                             | 80%  | 84%                    | 83%       | 83% |  |
| Q13. Patient was definitely told sensitively that they had cancer                                    | 77%                                 | 76%                             | 77%  | 79%                    | 77%       | 77% |  |
| Q14. Cancer diagnosis explained in a way the patient could completely understand                     | 82%                                 | 81%                             | 77%  | 82%                    | 76%       | 81% |  |
| Q15. Patient was definitely told about their diagnosis in an appropriate place                       | 90%                                 | 85%                             | 86%  | 88%                    | 87%       | 87% |  |
| Q16. Patient was told they could go back later for more information about their diagnosis            | 87%                                 | 83%                             | 80%  | 90%                    | 82%       | 86% |  |

| SUPPORT FROM A MAIN CONTACT PERSON  | l                              | Num                             | ber of long-ter                              | m conditions           |           |     |
|---|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|   | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q17. Patient had a main point of contact within the care team                 | 95%                            | 90%                             | 92%  | 93%                    | 89%       | 92% |
| Q18. Patient found it very or quite easy to contact their main contact person | 87%                            | 86%                             | 82%  | 87%                    | 89%       | 86% |
| Q19. Patient found advice from main contact person was very or quite helpful  | 97%                            | 95%                             | 97%  | 98%                    | 95%       | 97% |

## Number of long-term conditions tables

Indicates where a score is not available due to suppression or a low base size.

\*

| DECIDING ON THE BEST TREATMENT  | Number of long-term conditions |                                 |  |                        |           |     |  |
|---|--------------------------------|---------------------------------|--|------------------------|-----------|-----|--|
|   | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |  |
| Q20. Treatment options were explained in a way the<br>patient could completely understand   | 89%                            | 85%                             | 85%  | 88%                    | 82%       | 87% |  |
| Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment                                      | 85%                            | 79%                             | 83%  | 87%                    | 88%       | 84% |  |
| Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options          | 87%                            | 84%                             | 84%  | 88%                    | 81%       | 86% |  |
| Q23. Patient could get further advice from a different<br>nealthcare professional before making decisions about<br>heir treatment options | 63%                            | 57%                             | 58%  | 64%                    | 69%       | 62% |  |

| CARE PLANNING   | Number of long-term conditions |                                 |  |                        |           |     |
|---|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|   | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment  | 75%                            | 72%                             | 71%  | 80%                    | 78%       | 76% |
| Q25. A member of their care team helped the patient create a care plan to address any needs or concerns | 94%                            | 95%                             | 93%  | 97%                    | 96%       | 95% |
| Q26. Care team reviewed the patient's care plan with them to ensure it was up to date                   | 98%                            | 98%                             | 98%  | 100%                   | 100%      | 99% |

| SUPPORT FROM HOSPITAL STAFF  | Number of long-term conditions |                                 |  |                        |           |     |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q27. Staff provided the patient with relevant information on available support                                     | 90%                            | 89%                             | 89%  | 93%                    | 88%       | 91% |
| Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff | 78%                            | 80%                             | 78%  | 83%                    | 84%       | 80% |
| Q29. Patient was offered information about how to get financial help or benefits                                   | 71%                            | 65%                             | 59%  | 77%                    | 63%       | 69% |

## Number of long-term conditions tables

Indicates where a score is not available due to suppression or a low base size.

\*

| HOSPITAL CARE  | Number of long-term conditions |                                 |  |                        |           |     |  |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|--|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |  |
| Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital                          | 82%                            | 84%                             | 87%  | 82%                    | 72%       | 83% |  |
| Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital | 74%                            | 76%                             | 74%  | 75%                    | 73%       | 75% |  |
| Q33. Patient was always involved in decisions about their care and treatment whilst in hospital                                    | 73%                            | 77%                             | 74%  | 79%                    | 72%       | 76% |  |
| Q34. Patient was always able to get help from ward staff when needed   | 75%                            | 79%                             | 77%  | 81%                    | 75%       | 78% |  |
| Q35. Patient was always able to discuss worries and fears with hospital staff  | 71%                            | 73%                             | 70%  | 74%                    | 69%       | 72% |  |
| Q36. Hospital staff always did everything they could to help the patient control pain  | 86%                            | 88%                             | 81%  | 85%                    | 84%       | 85% |  |
| Q37. Patient was always treated with respect and<br>dignity while in hospital  | 92%                            | 92%                             | 87%  | 90%                    | 84%       | 90% |  |
| Q38. Patient received easily understandable<br>information about what they should or should not do<br>after leaving hospital       | 90%                            | 90%                             | 89%  | 94%                    | 86%       | 91% |  |
| Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case     | 82%                            | 81%                             | 80%  | 85%                    | 85%       | 83% |  |

| YOUR TREATMENT   | Number of long-term conditions |                                 |  |                        |           |     |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q41_1. Beforehand patient completely had enough<br>understandable information about surgery              | 89%                            | 94%                             | 89%  | 93%                    | 94%       | 92% |
| Q41_2. Beforehand patient completely had enough understandable information about chemotherapy            | 87%                            | 91%                             | 86%  | 90%                    | 89%       | 89% |
| Q41_3. Beforehand patient completely had enough understandable information about radiotherapy            | 95%                            | 91%                             | 87%  | 93%                    | 94%       | 92% |
| Q41_4. Beforehand patient completely had enough understandable information about hormone therapy         | 83%                            | 89%                             | 87%  | 86%                    | *         | 86% |
| Q41_5. Beforehand patient completely had enough understandable information about immunotherapy           | 83%                            | 88%                             | 90%  | 92%                    | 92%       | 88% |
| Q42_1. Patient completely had enough understandable information about their response to surgery          | 87%                            | 90%                             | 89%  | 90%                    | 90%       | 89% |
| Q42_2. Patient completely had enough understandable information about their response to chemotherapy     | 83%                            | 86%                             | 83%  | 85%                    | 93%       | 85% |
| Q42_3. Patient completely had enough understandable information about their response to radiotherapy     | 88%                            | 86%                             | 79%  | 86%                    | 91%       | 86% |
| Q42_4. Patient completely had enough understandable information about their response to hormone therapy  | 82%                            | 84%                             | 93%  | 82%                    | *         | 84% |
| Q42_5. Patient completely had enough understandable information about their response to immunotherapy    | 77%                            | 88%                             | 85%  | 84%                    | 69%       | 82% |
| Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right | 82%                            | 83%                             | 80%  | 84%                    | 83%       | 83% |

## Number of long-term conditions tables

| <b>IMMEDIATE AND LONG-TERM SIDE EFFECT</b>   | S                              | Number of long-term conditions  |  |                        |           |     |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q44. Possible side effects from treatment were<br>definitely explained in a way the patient could<br>understand                          | 75%                            | 73%                             | 74%  | 80%                    | 79%       | 76% |
| Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment                               | 75%                            | 70%                             | 76%  | 75%                    | 70%       | 74% |
| Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment            | 89%                            | 85%                             | 85%  | 92%                    | 84%       | 88% |
| Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment | 65%                            | 59%                             | 60%  | 69%                    | 70%       | 65% |
| Q48. Patient was definitely able to discuss options for<br>managing the impact of any long-term side effects                             | 60%                            | 56%                             | 58%  | 64%                    | 65%       | 60% |

| SUPPORT WHILE AT HOME  | Number of long-term conditions |                                 |  |                        |           |     |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home                | 63%                            | 65%                             | 61%  | 68%                    | 69%       | 65% |
| Q50. During treatment, the patient definitely got<br>enough care and support at home from community or<br>voluntary services | 53%                            | 56%                             | 52%  | 61%                    | 56%       | 56% |

| CARE FROM YOUR GP PRACTICE   | Number of long-term conditions |                                 |  |                        |           |     |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q51. Patient definitely received the right amount of support from their GP practice during treatment | 50%                            | 48%                             | 41%  | 52%                    | 47%       | 49% |
| Q52. Patient has had a review of cancer care by GP practice  | 21%                            | 22%                             | 25%  | 26%                    | 23%       | 23% |

| LIVING WITH AND BEYOND CANCER Number of long-term conditions   |                                |                                 |  |                        |           |     |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |
| Q53. After treatment, the patient definitely could get<br>enough emotional support at home from community or<br>voluntary services | 39%                            | 43%                             | 35%  | 45%                    | 36%       | 40% |
| Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment  | 80%                            | 81%                             | 81%  | 86%                    | 77%       | 82% |
| Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading                       | 67%                            | 69%                             | 66%  | 70%                    | 69%       | 68% |


## Number of long-term conditions tables


Indicates where a score is not available due to suppression or a low base size.


\*


| YOUR OVERALL NHS CARE  | Number of long-term conditions |                                 |  |                        |           |     |  |
|--|--------------------------------|---------------------------------|--|------------------------|-----------|-----|--|
|  | One long-<br>term<br>condition | Two long-<br>term<br>conditions | Three or<br>more long-<br>term<br>conditions | No long-term condition | Not given | All |  |
| Q56. The whole care team worked well together                            | 92%                            | 89%                             | 91%  | 94%                    | 91%       | 92% |  |
| Q57. Administration of care was very good or good                        | 88%                            | 89%                             | 88%  | 89%                    | 88%       | 88% |  |
| Q58. Cancer research opportunities were discussed with patient           | 46%                            | 46%                             | 40%  | 44%                    | 50%       | 45% |  |
| Q59. Patient's average rating of care scored from very poor to very good | 9.0                            | 9.0                             | 8.9  | 9.2                    | 9.1       | 9.1 |  |

















2024


## Year on year charts






2021


20% 0%



2023


2022









## Year on year charts







#### SUPPORT FROM A MAIN CONTACT PERSON

Q17. Patient had a main point of contact within the care team













## Year on year charts













#### **CARE PLANNING**








































## Year on year charts













#### YOUR TREATMENT

























































































## **Trust expected range summary**

Data labels relate to the number of scores that fell below, within and above the expected range

| Number of scores below the lower expected range              |
|--|
| Number of scores between the upper and lower expected ranges |
| Number of scores above the upper expected range              |

|     | Trust   | Ex    | pected range clas | sification |
|-----|---|-------|-------------------|------------|
| REM | Liverpool University Hospitals NHS Foundation Trust           |       | 39                | 22         |
| RBQ | Liverpool Heart and Chest Hospital NHS Foundation Trust       | 36 21 |                   |            |
| RBN | Mersey and West Lancashire Teaching Hospitals NHS Trust       |       | 55                | 6          |
| REP | Liverpool Women's NHS Foundation Trust                        | 1     | 48                | 5          |
| RJN | East Cheshire NHS Trust                                       |       | 56                | 3          |
| RBL | Wirral University Teaching Hospital NHS Foundation Trust      | 3     | 56                | 2          |
| REN | The Clatterbridge Cancer Centre NHS Foundation Trust          | 2     | 59                |            |
| RJR | Countess of Chester Hospital NHS Foundation Trust             | 3     | 58                |            |
| RBT | Mid Cheshire Hospitals NHS Foundation Trust                   | 5     | 56                |            |
| RWW | Warrington and Halton Teaching Hospitals NHS Foundation Trust | 5     | 56                |            |



# **ICB** expected range summary

| Data labels relate to the number of scores that fell below, within and above the expected range | Number of scores between the upper and lower expected ranges<br>Number of scores above the upper expected range |
|---|---|
|   | Number of scores below the lower expected range   |
|   |   |

|     | ICB   | Expected range classification |
|-----|---|-------------------------------|
| QYG | NHS Cheshire and Merseyside Integrated Care Board | 47 14                         |

