

National Cancer Patient Experience Survey

2024 Results

East of England Cancer Alliance

Published July 2025

Contents

<u>Executive summary</u>	<u>3</u>
<u>Introduction</u>	<u>5</u>
<u>Methodology</u>	<u>5</u>
<u>Understanding the results</u>	<u>7</u>
<u>Further information</u>	<u>8</u>
<u>Response rate</u>	<u>9</u>
<u>Expected range charts</u>	<u>11</u>
<u>Comparability tables</u>	<u>15</u>
<u>Tumour group tables</u>	<u>20</u>
<u>Age group tables</u>	<u>25</u>
<u>Which of the following best describes you</u>	<u>29</u>
<u>Ethnicity tables</u>	<u>34</u>
<u>IMD quintile tables</u>	<u>38</u>
<u>Long-term condition status tables</u>	<u>42</u>
<u>Number of long-term condition tables</u>	<u>46</u>
<u>Year on year charts</u>	<u>51</u>
<u>Expected range summary</u>	<u>64</u>

Executive summary

Questions above expected range

East of England Cancer Alliance has no scores above expected range.

Executive summary

Questions below expected range

	Case mix adjusted scores			England score
	2024 score	Lower expected range	Upper expected range	
Q52. Patient has had a review of cancer care by GP practice	21%	22%	25%	23%

Introduction

The National Cancer Patient Experience Survey 2024 is the fourteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a National Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2024 survey involved 131 NHS trusts. Out of 127,021 people, 64,055 people responded to the survey, yielding a response rate of 50%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2024. The fieldwork for the survey was undertaken between November 2024 and February 2025.

As in the previous nine years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021, 2022, 2023 and 2024 are included in this report for most questions. There were three changes to the questionnaire over the last two years:

- In 2023 the question text for Q23 and Q42 were amended. These questions are no longer deemed comparable to 2021 and 2022. Data is only comparable for 2023 and 2024.
- In 2023 the long-term condition question (Q67) was amended to include “Autism or autism spectrum condition” as a response option. And the “Neurological condition” answer option was updated to include an example condition changing it to “Neurological condition, such as epilepsy”. These changes see the answer option “Neurological condition, such as epilepsy” as no longer being deemed comparable to 2021 and 2022. Data is only comparable for 2023 and 2024.
- In 2023 the ethnic group question (Q71) was amended to include “Roma” as an answer option. The ethnic group question is still deemed comparable to 2021 and 2022. Data for the answer option is only available for 2023 and 2024.

How alliance results are derived

Alliance and ICB results are not derived by mapping trust results. Alliance and ICB results are derived using the postcode of each patient. Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint. This mapping is achieved using lookup files released by the Office for National Statistics. Alliance and ICB results are therefore presented at the ‘England’ level and exclude other UK postcodes. Please note that due to updates in Cancer Alliance boundaries, historical data has been recalculated for certain alliances.

Case mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case mix adjusted estimates we can obtain a greater understanding of how an alliance is performing given their patient population. The factors taken into account in this case mix adjustment are 'Which of the following best describes you?', age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the alliance. Case mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

The full scoring for all questions at an alliance level is available in the Cancer Alliance Excel tables available at www.ncpes.co.uk. Excel tables are also available at a national, trust and ICB level.

Statistical significance

In the reporting of 2024 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular trust, the results are not shown for that question for that alliance.

For alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

Additional suppression

Additional suppression happens if only **one** alliance has a score suppressed. If this happens, we will suppress another alliance's results (both the alliance level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual alliance.

The same rule applies to groups in each subgroup breakdown. For example, if only one alliance has the 85+ age group suppressed for Q25 we will need to suppress another alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this alliance scored for each question in the survey compared with England results. It is aimed at helping individual alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the alliance performs better than what alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the alliance's size and demographics.

Comparability tables

The comparability tables show the 2023 and 2024 unadjusted scores for this trust for each scored question. The Change 2023-2024 and Change overall columns show whether the scores show a statistically significant variation between years. This is shown between 2023-2024 and as an overall between 2021-2024. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease, and no arrow indicates no statistically significant change.

The adjusted 2024 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Subgroup breakdowns

Unadjusted scores are shown for tumour group, 'Which of the following best describes you?', age, IMD quintile, long-term condition status, number of long-term conditions and ethnicity breakdowns. Unadjusted scores for the same subgroup across different alliance may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour group tables

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

'Which of the following best describes you?'

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

Number of long-term conditions tables

The number of long-term conditions tables show the unadjusted scores for four groups: those who indicate they have one long-term condition, two long-term conditions, three or more long-term conditions, and those who indicate that they have no long-term conditions.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Year on year charts

The year on year charts show four columns representing the unadjusted scores of the last four years (2021, 2022, 2023 and 2024) for each scored question.

Trust expected range summary

The number of scored questions that fell below, within and above the expected range for each trust within the alliance.

ICB expected range summary

The number of scored questions that fell below, within and above the expected range for each ICB within the alliance.

National level and England level data

In some cases (389 respondents in 2024), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS trusts for treatment. These patients are described as 'Non-England' in the data.

Overall response rate at response rate sections shows national level counts and response rate. For cancer alliances and its comparison at comparability tables section, all data is presented at the England level.

Further information

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

The 2024 questionnaire and survey guidance can be found on the website at www.ncpes.co.uk, and more information on the methodology in the Technical Document can be viewed on the website at www.ncpes.co.uk. For all other outputs at trust level, please see the Excel tables and dashboards at www.ncpes.co.uk.

Response rate

Overall response rate

7,636 patients responded out of a total of 14,347 patients, resulting in a response rate of 53%.

	Sample size	Adjusted sample	Completed	Response rate
Overall response rate	15,292	14,347	7,636	53%
National	135,429	127,021	64,055	50%

Respondents by survey type

	Number of respondents
Paper	5,918
Online	1,713
Phone	5
Translation service	0
Total	7,636

Respondents by tumour group

	Number of respondents
Brain / CNS	21
Breast	1,582
Colorectal / LGT	783
Gynaecological	370
Haematological	1,013
Head and neck	185
Lung	493
Prostate	933
Sarcoma	65
Skin	295
Upper gastro	357
Urological	557
Other	982
Total	7,636

Respondents by ethnicity

	Number of respondents
White	
English / Welsh / Scottish / Northern Irish / British	6,521
Irish	66
Gypsy or Irish Traveller	*
Roma	*
Any other White background	225
Mixed / Multiple Ethnic Groups	
White and Black Caribbean	25
White and Black African	11
White and Asian	17
Any other Mixed / multiple ethnic background	21
Asian or Asian British	
Indian	71
Pakistani	20
Bangladeshi	8
Chinese	27
Any other Asian background	37
Black / African / Caribbean / Black British	
African	71
Caribbean	48
Any other Black / African / Caribbean background	8
Other Ethnic Group	
Arab	8
Any other ethnic group	17
Not given	
Not given	429
Total	7,636

Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis

Q3. Referral for diagnosis was explained in a way the patient could completely understand



DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance

Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient

Q7. Patient felt the length of time waiting for diagnostic test results was about right

Q8. Diagnostic test results were explained in a way the patient could completely understand

Q9. Enough privacy was always given to the patient when receiving diagnostic test results



FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis

Q13. Patient was definitely told sensitively that they had cancer

Q14. Cancer diagnosis explained in a way the patient could completely understand

Q15. Patient was definitely told about their diagnosis in an appropriate place

Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON

Q17. Patient had a main point of contact within the care team

Q18. Patient found it very or quite easy to contact their main contact person

Q19. Patient found advice from main contact person was very or quite helpful



Expected range charts

Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

DECIDING ON THE BEST TREATMENT

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q20. Treatment options were explained in a way the patient could completely understand

83%

Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment

80%

Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options

85%

Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options

57%

CARE PLANNING

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment

73%

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns

94%

Q26. Care team reviewed the patient's care plan with them to ensure it was up to date

99%

SUPPORT FROM HOSPITAL STAFF

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q27. Staff provided the patient with relevant information on available support

93%

Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff

78%

Q29. Patient was offered information about how to get financial help or benefits

73%

HOSPITAL CARE

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital

78%

Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital

71%

Q33. Patient was always involved in decisions about their care and treatment whilst in hospital

71%

Q34. Patient was always able to get help from ward staff when needed

71%

Q35. Patient was always able to discuss worries and fears with hospital staff

64%

Q36. Hospital staff always did everything they could to help the patient control pain

83%

Q37. Patient was always treated with respect and dignity while in hospital

87%

Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

HOSPITAL CARE CONTINUED

Q38. Patient received easily understandable information about what they should or should not do after leaving hospital

Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery

Q41_2. Beforehand patient completely had enough understandable information about chemotherapy

Q41_3. Beforehand patient completely had enough understandable information about radiotherapy

Q41_4. Beforehand patient completely had enough understandable information about hormone therapy

Q41_5. Beforehand patient completely had enough understandable information about immunotherapy

Q42_1. Patient completely had enough understandable information about their response to surgery


Q42_2. Patient completely had enough understandable information about their response to chemotherapy

Q42_3. Patient completely had enough understandable information about their response to radiotherapy

Q42_4. Patient completely had enough understandable information about their response to hormone therapy

Q42_5. Patient completely had enough understandable information about their response to immunotherapy

Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



IMMEDIATE AND LONG-TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand

Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment

Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment

Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment

Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Expected range charts

Lower expected range Within expected range Upper expected range Case mix adjusted score


The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

SUPPORT WHILE AT HOME

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home

Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services




CARE FROM YOUR GP PRACTICE

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q51. Patient definitely received the right amount of support from their GP practice during treatment

Q52. Patient has had a review of cancer care by GP practice




LIVING WITH AND BEYOND CANCER

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment

Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




YOUR OVERALL NHS CARE

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q56. The whole care team worked well together

Q57. Administration of care was very good or good




Q58. Cancer research opportunities were discussed with patient



Q59. Patient's average rating of care scored from very poor to very good



Comparability tables

* Indicates where a score is not available due to suppression or a low base size.	▲ or ▼	Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.		Adjusted score below lower expected range
- No score available.		Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).		Adjusted score between upper and lower expected ranges
				Adjusted score above upper expected range




SUPPORT FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	3407	78%	3655	78%			78%	77%	80%	79%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	4686	65%	5010	66%		▲	66%	64%	71%	67%

DIAGNOSTIC TESTS	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q5. Patient received all the information needed about the diagnostic test in advance	5606	93%	6051	93%			93%	91%	94%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	5901	84%	6391	84%			84%	82%	85%	83%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	5908	78%	6424	77%		▼	77%	76%	79%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	5937	79%	6439	79%			79%	77%	81%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	5952	95%	6450	95%			95%	94%	96%	95%

FINDING OUT THAT YOU HAD CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	6586	81%	7034	83%	▲	▲	84%	80%	85%	83%
Q13. Patient was definitely told sensitively that they had cancer	7037	74%	7514	74%		▲	74%	73%	77%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	7065	76%	7554	77%		▲	77%	76%	79%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	7030	86%	7534	85%		▲	86%	84%	87%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	6205	84%	6659	85%		▲	86%	82%	88%	85%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q17. Patient had a main point of contact within the care team	6838	93%	7292	93%			93%	89%	94%	91%
Q18. Patient found it very or quite easy to contact their main contact person	5770	86%	6249	85%		▲	85%	82%	88%	85%
Q19. Patient found advice from main contact person was very or quite helpful	6045	96%	6463	96%		▲	96%	95%	97%	96%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.	▲ or ▼	Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.		Adjusted score below lower expected range
- No score available.		Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).		Adjusted score between upper and lower expected ranges
				Adjusted score above upper expected range

DECIDING ON THE BEST TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q20. Treatment options were explained in a way the patient could completely understand	6560	82%	7107	82%			83%	81%	85%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	6954	78%	7465	80%	▲		80%	78%	83%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	6054	83%	6555	85%	▲	▲	85%	84%	86%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	3803	55%	4001	57%			57%	54%	61%	58%

CARE PLANNING	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	6307	72%	6794	72%		▲	73%	70%	76%	73%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	3704	94%	4015	94%		▲	94%	93%	95%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	2923	99%	3232	99%			99%	99%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q27. Staff provided the patient with relevant information on available support	5937	92%	6505	93%	▲	▲	93%	90%	94%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	6990	75%	7490	77%	▲	▲	78%	75%	80%	78%
Q29. Patient was offered information about how to get financial help or benefits	3695	72%	3954	73%		▲	73%	69%	75%	72%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

- No score available.

▲ or ▼

Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.




Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

HOSPITAL CARE	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	3048	76%	3213	78%			78%	76%	80%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	2513	67%	2645	70%	▲	▲	71%	69%	73%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	2990	68%	3160	71%	▲	▲	71%	70%	73%	72%
Q34. Patient was always able to get help from ward staff when needed	2954	68%	3132	70%		▼	71%	71%	77%	74%
Q35. Patient was always able to discuss worries and fears with hospital staff	2889	61%	3039	64%	▲		64%	63%	68%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	2620	82%	2787	83%			83%	82%	87%	84%
Q37. Patient was always treated with respect and dignity while in hospital	3031	85%	3197	87%		▼	87%	86%	90%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	2966	87%	3134	87%			87%	85%	90%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	6112	79%	6593	80%		▲	80%	77%	83%	80%

YOUR TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	3666	90%	4012	90%		▲	90%	89%	91%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	3516	85%	3658	86%			86%	85%	87%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	1917	88%	2132	87%			87%	86%	91%	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	1245	80%	1320	79%			79%	77%	83%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	1188	82%	1435	82%			82%	82%	86%	84%
Q42_1. Patient completely had enough understandable information about their response to surgery	3623	86%	3947	87%			87%	86%	88%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	3490	80%	3641	83%	▲		83%	80%	84%	82%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	1907	84%	2113	83%			84%	83%	86%	85%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	1234	77%	1301	77%			77%	74%	79%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	1169	78%	1423	81%			81%	79%	83%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	6780	78%	7375	79%			79%	74%	85%	79%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.	▲ or ▼	Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.		Adjusted score below lower expected range
- No score available.		Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).		Adjusted score between upper and lower expected ranges
				Adjusted score above upper expected range




IMMEDIATE AND LONG-TERM SIDE EFFECTS	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	6614	74%	7204	74%			75%	72%	77%	75%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	6299	69%	6868	71%	▲	▲	71%	67%	74%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	5025	87%	5576	88%	▲	▲	88%	85%	91%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	6270	58%	6762	59%			60%	57%	65%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	5421	53%	5858	55%		▲	55%	51%	60%	56%

SUPPORT WHILE AT HOME	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	4639	61%	5198	63%		▲	63%	60%	66%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	2612	52%	2790	55%	▲	▲	55%	47%	60%	53%

CARE FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	3899	44%	4228	46%		▲	46%	44%	52%	48%
Q52. Patient has had a review of cancer care by GP practice	6766	20%	7179	20%		▲	21%	22%	25%	23%

LIVING WITH AND BEYOND CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	1425	30%	1488	32%			32%	29%	38%	34%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	3022	80%	3289	80%		▲	80%	78%	83%	81%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	5430	63%	5806	62%		▲	63%	61%	69%	65%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.	▲ or ▼	Change 2023-2024: Indicates where 2024 score is significantly higher or lower than 2023 score.		Adjusted score below lower expected range
- No score available.		Change overall: Indicates significant change overall (2021, 2022, 2023 and 2024).		Adjusted score between upper and lower expected ranges
				Adjusted score above upper expected range

YOUR OVERALL NHS CARE	Unadjusted scores						Case mix adjusted scores			England score
	2023 n	2023 score	2024 n	2024 score	Change 2023-2024	Change overall	2024 score	Lower expected range	Upper expected range	
Q56. The whole care team worked well together	6693	89%	7190	90%			90%	89%	92%	90%
Q57. Administration of care was very good or good	6965	87%	7457	87%			87%	86%	89%	88%
Q58. Cancer research opportunities were discussed with patient	4324	45%	4658	46%		▲	47%	38%	54%	46%
Q59. Patient's average rating of care scored from very poor to very good	6862	8.9	7310	8.9			8.9	8.8	9.0	8.9

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE															Tumour group									
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All										
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	93%	78%	72%	59%	74%	74%	81%	65%	91%	72%	76%	73%	78%										
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	79%	71%	64%	51%	62%	51%	70%	58%	75%	57%	61%	64%	66%										

DIAGNOSTIC TESTS	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q5. Patient received all the information needed about the diagnostic test in advance	88%	92%	97%	89%	91%	91%	94%	93%	92%	93%	91%	93%	93%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	76%	87%	85%	77%	82%	80%	84%	88%	75%	87%	77%	82%	83%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	76%	76%	83%	73%	82%	72%	75%	77%	73%	71%	83%	75%	72%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	71%	83%	82%	74%	77%	75%	74%	78%	71%	85%	72%	80%	75%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	100%	97%	95%	94%	93%	96%	93%	95%	96%	97%	91%	94%	93%	95%

FINDING OUT THAT YOU HAD CANCER														
	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	78%	90%	88%	84%	77%	82%	85%	80%	76%	74%	86%	79%	81%	83%
Q13. Patient was definitely told sensitively that they had cancer	60%	80%	76%	72%	69%	71%	73%	72%	68%	76%	69%	72%	71%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	83%	82%	72%	70%	74%	74%	78%	69%	84%	72%	78%	73%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	80%	92%	86%	79%	79%	92%	85%	87%	82%	88%	81%	85%	83%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	89%	91%	85%	82%	80%	82%	84%	88%	81%	91%	79%	81%	82%	85%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q17. Patient had a main point of contact within the care team	95%	94%	95%	96%	93%	95%	95%	92%	92%	91%	96%	87%	92%
Q18. Patient found it very or quite easy to contact their main contact person	89%	87%	86%	86%	84%	85%	88%	80%	80%	88%	86%	81%	83%
Q19. Patient found advice from main contact person was very or quite helpful	100%	96%	97%	96%	96%	94%	97%	96%	98%	95%	95%	95%	96%

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q20. Treatment options were explained in a way the patient could completely understand	94%	83%	86%	81%	80%	84%	81%	78%	93%	90%	81%	85%	81%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	80%	79%	85%	79%	78%	76%	82%	80%	77%	88%	82%	79%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	84%	85%	87%	82%	85%	82%	89%	85%	79%	88%	84%	85%	82%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	79%	60%	61%	47%	56%	55%	60%	59%	58%	53%	57%	51%	51%

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	68%	76%	76%	72%	69%	71%	72%	72%	66%	75%	70%	71%	69%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	94%	97%	92%	96%	90%	96%	93%	88%	98%	94%	94%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	99%	99%	97%	99%	98%	100%	99%	100%	99%	98%	98%	98%

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q27. Staff provided the patient with relevant information on available support	94%	95%	96%	94%	92%	95%	93%	94%	92%	93%	93%	90%	90%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	68%	77%	82%	72%	79%	72%	79%	77%	78%	81%	79%	76%	73%
Q29. Patient was offered information about how to get financial help or benefits	82%	78%	76%	76%	75%	76%	78%	59%	79%	66%	76%	62%	67%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	77%	72%	78%	79%	79%	81%	86%	84%	84%	83%	75%	80%	73%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	69%	64%	72%	67%	75%	69%	76%	74%	64%	70%	74%	67%	63%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	77%	69%	74%	73%	71%	73%	73%	73%	70%	79%	67%	68%	68%	71%
Q34. Patient was always able to get help from ward staff when needed	75%	66%	67%	67%	74%	69%	75%	77%	66%	78%	72%	72%	67%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	58%	58%	64%	60%	68%	62%	68%	73%	73%	69%	64%	65%	59%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	73%	82%	83%	82%	83%	85%	85%	89%	89%	84%	80%	81%	81%	83%
Q37. Patient was always treated with respect and dignity while in hospital	77%	86%	86%	85%	86%	88%	89%	92%	92%	82%	86%	89%	84%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	58%	88%	88%	86%	86%	85%	86%	89%	88%	89%	86%	88%	87%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	71%	79%	84%	74%	80%	76%	82%	84%	83%	80%	81%	80%	75%	80%

YOUR TREATMENT	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	87%	90%	91%	89%	87%	91%	90%	89%	91%	91%	88%	90%	85%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	100%	86%	88%	84%	85%	81%	86%	86%	88%	93%	80%	92%	85%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	76%	88%	91%	84%	90%	83%	85%	85%	96%	100%	84%	90%	88%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	78%	*	*	89%	*	90%	79%	*	*	*	92%	81%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	75%	90%	69%	83%	82%	84%	81%	*	92%	82%	87%	79%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	90%	90%	86%	84%	83%	88%	87%	83%	90%	88%	85%	80%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	92%	82%	85%	79%	83%	79%	84%	88%	84%	92%	79%	88%	80%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	81%	86%	87%	82%	84%	78%	79%	81%	93%	93%	76%	77%	81%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	75%	*	*	81%	*	90%	79%	*	*	*	91%	78%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	74%	83%	74%	83%	81%	81%	85%	*	84%	78%	86%	78%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	56%	78%	84%	77%	75%	77%	82%	85%	82%	77%	79%	82%	73%	79%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	77%	77%	75%	69%	69%	74%	73%	73%	82%	72%	76%	72%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	61%	74%	75%	68%	66%	73%	73%	69%	76%	75%	71%	73%	68%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	94%	90%	91%	90%	86%	85%	89%	87%	85%	90%	87%	85%	86%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	50%	59%	65%	55%	54%	60%	59%	64%	61%	68%	56%	57%	55%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	44%	53%	62%	49%	51%	59%	56%	58%	58%	68%	51%	56%	50%	55%

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	59%	60%	69%	57%	64%	65%	65%	63%	65%	69%	64%	62%	58%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	42%	57%	62%	47%	55%	53%	56%	56%	46%	56%	52%	53%	50%	55%

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	42%	48%	47%	46%	41%	29%	41%	47%	53%	56%	44%	44%	45%	46%
Q52. Patient has had a review of cancer care by GP practice	37%	21%	24%	21%	16%	16%	20%	20%	30%	17%	22%	20%	21%	20%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER															Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All														
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	36%	40%	21%	27%	33%	34%	31%	37%	29%	34%	36%	23%	32%														
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	80%	84%	76%	82%	76%	79%	78%	66%	89%	80%	82%	77%	80%														
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	79%	56%	61%	55%	71%	55%	57%	59%	69%	79%	59%	72%	65%	62%														

YOUR OVERALL NHS CARE															Tumour group														
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All															
Q56. The whole care team worked well together	79%	89%	91%	88%	89%	86%	92%	91%	93%	94%	87%	90%	89%	90%															
Q57. Administration of care was very good or good	84%	88%	89%	82%	88%	87%	92%	84%	88%	88%	85%	86%	87%	87%															
Q58. Cancer research opportunities were discussed with patient	56%	42%	49%	45%	52%	37%	53%	36%	62%	53%	49%	48%	49%	46%															
Q59. Patient's average rating of care scored from very poor to very good	8.3	9.0	8.9	8.8	9.0	8.8	9.0	8.8	8.7	9.0	8.9	8.8	8.7	8.9															

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	67%	78%	78%	74%	79%	80%	83%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	64%	72%	74%	75%	66%	66%	64%	63%	66%

DIAGNOSTIC TESTS									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	87%	88%	91%	93%	94%	92%	94%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	77%	81%	80%	83%	84%	84%	84%	86%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	69%	66%	71%	67%	74%	76%	82%	84%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	85%	74%	74%	72%	77%	81%	79%	80%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	100%	98%	91%	93%	94%	95%	95%	97%	95%

FINDING OUT THAT YOU HAD CANCER									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	100%	80%	85%	81%	80%	83%	85%	87%	83%
Q13. Patient was definitely told sensitively that they had cancer	75%	70%	70%	69%	71%	74%	76%	81%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	71%	75%	73%	71%	74%	78%	79%	82%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	83%	85%	89%	80%	82%	86%	87%	91%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	94%	88%	93%	88%	86%	87%	82%	80%	85%

SUPPORT FROM A MAIN CONTACT PERSON									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	100%	93%	93%	93%	93%	94%	93%	86%	93%
Q18. Patient found it very or quite easy to contact their main contact person	100%	85%	83%	83%	84%	85%	86%	88%	85%
Q19. Patient found advice from main contact person was very or quite helpful	100%	95%	97%	93%	95%	96%	97%	98%	96%

DECIDING ON THE BEST TREATMENT									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	88%	83%	78%	77%	81%	84%	83%	82%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	66%	77%	75%	78%	82%	80%	80%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	89%	79%	81%	83%	83%	85%	86%	88%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	91%	58%	61%	55%	57%	60%	54%	51%	57%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	88%	67%	67%	71%	71%	74%	73%	70%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	100%	98%	92%	90%	93%	96%	95%	94%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	97%	98%	98%	98%	99%	99%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	100%	93%	92%	94%	93%	95%	92%	89%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	100%	57%	66%	69%	74%	80%	79%	80%	77%
Q29. Patient was offered information about how to get financial help or benefits	100%	73%	75%	79%	75%	73%	68%	58%	73%

HOSPITAL CARE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	85%	59%	72%	68%	75%	81%	81%	85%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	85%	53%	64%	62%	68%	73%	71%	74%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	83%	63%	63%	68%	71%	72%	73%	72%	71%
Q34. Patient was always able to get help from ward staff when needed	67%	66%	64%	62%	68%	72%	74%	76%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	77%	47%	60%	57%	63%	68%	64%	66%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	91%	67%	70%	76%	80%	86%	87%	85%	83%
Q37. Patient was always treated with respect and dignity while in hospital	100%	72%	82%	82%	83%	88%	89%	92%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	92%	77%	89%	89%	87%	89%	86%	88%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	89%	77%	70%	74%	79%	82%	80%	81%	80%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	83%	87%	86%	88%	91%	92%	85%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	83%	88%	84%	86%	86%	86%	85%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	88%	86%	84%	87%	87%	89%	87%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	66%	71%	78%	80%	83%	95%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	78%	84%	79%	79%	84%	85%	76%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	*	80%	86%	87%	86%	88%	89%	83%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	94%	78%	81%	81%	80%	84%	84%	83%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	79%	87%	85%	82%	83%	84%	85%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	*	68%	73%	72%	76%	84%	83%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	65%	80%	81%	78%	83%	81%	76%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	65%	53%	65%	75%	79%	79%	81%	79%	79%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	83%	85%	79%	76%	76%	76%	71%	70%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	94%	70%	72%	70%	71%	73%	68%	69%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	100%	85%	88%	88%	89%	90%	86%	81%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	78%	63%	54%	55%	60%	61%	57%	54%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	87%	49%	51%	49%	55%	58%	53%	55%	55%

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	72%	62%	57%	58%	61%	63%	65%	62%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	67%	47%	54%	56%	53%	54%	56%	56%	55%

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	*	32%	51%	50%	45%	44%	46%	48%	46%
Q52. Patient has had a review of cancer care by GP practice	25%	30%	24%	23%	21%	20%	19%	18%	20%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	19%	27%	31%	32%	30%	32%	48%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	100%	57%	68%	75%	80%	82%	80%	84%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	73%	52%	52%	51%	59%	66%	65%	70%	62%

YOUR OVERALL NHS CARE									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	100%	93%	90%	88%	87%	90%	91%	93%	90%
Q57. Administration of care was very good or good	100%	88%	84%	84%	86%	87%	88%	91%	87%
Q58. Cancer research opportunities were discussed with patient	73%	57%	58%	45%	47%	49%	43%	40%	46%
Q59. Patient's average rating of care scored from very poor to very good	9.1	8.6	8.6	8.7	8.9	9.0	8.9	9.0	8.9

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	78%	77%	*	*	*	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	68%	63%	*	*	*	70%	66%

DIAGNOSTIC TESTS							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	94%	*	*	*	92%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	85%	*	*	*	82%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	75%	79%	*	*	*	75%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	78%	79%	*	*	*	76%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	*	*	*	91%	95%

FINDING OUT THAT YOU HAD CANCER							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	84%	83%	*	*	80%	83%	83%
Q13. Patient was definitely told sensitively that they had cancer	74%	74%	*	*	60%	75%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	76%	78%	*	*	60%	79%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	86%	*	*	70%	86%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	85%	86%	*	*	*	85%	85%

SUPPORT FROM A MAIN CONTACT PERSON							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	93%	93%	*	*	*	92%	93%
Q18. Patient found it very or quite easy to contact their main contact person	85%	84%	*	*	*	85%	85%
Q19. Patient found advice from main contact person was very or quite helpful	95%	97%	*	*	*	96%	96%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	83%	*	*	*	80%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	82%	*	*	80%	78%	80%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	84%	86%	*	*	*	88%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	55%	59%	*	*	*	58%	57%

CARE PLANNING							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	73%	*	*	*	72%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	96%	*	*	*	93%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	*	*	*	99%	99%

SUPPORT FROM HOSPITAL STAFF							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	92%	94%	*	*	*	95%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	80%	*	*	70%	76%	77%
Q29. Patient was offered information about how to get financial help or benefits	74%	71%	*	*	*	72%	73%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	74%	82%	*	*	*	80%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	65%	75%	*	*	*	68%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	73%	*	*	*	69%	71%
Q34. Patient was always able to get help from ward staff when needed	66%	75%	*	*	*	72%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	58%	70%	*	*	*	69%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	81%	86%	*	*	*	86%	83%
Q37. Patient was always treated with respect and dignity while in hospital	84%	90%	*	*	*	88%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	89%	*	*	*	87%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	77%	83%	*	*	*	83%	80%

YOUR TREATMENT							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	89%	91%	*	*	*	86%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	87%	*	*	*	86%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	87%	*	*	*	90%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	79%	80%	*	*	*	80%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	79%	86%	*	*	*	85%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	88%	*	*	*	85%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	81%	85%	*	*	*	83%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	84%	82%	*	*	*	88%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	78%	*	*	*	76%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	78%	83%	*	*	*	85%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	76%	82%	*	*	*	77%	79%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

IMMEDIATE AND LONG-TERM SIDE EFFECTS							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	75%	*	*	70%	70%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	70%	72%	*	*	*	68%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	88%	*	*	*	86%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	56%	62%	*	*	*	58%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	52%	58%	*	*	*	54%	55%

SUPPORT WHILE AT HOME							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	57%	68%	*	*	*	64%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	51%	60%	*	*	*	57%	55%

CARE FROM YOUR GP PRACTICE							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	44%	47%	*	*	*	49%	46%
Q52. Patient has had a review of cancer care by GP practice	20%	20%	*	*	*	26%	20%

LIVING WITH AND BEYOND CANCER							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	29%	38%	*	*	*	29%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	78%	83%	*	*	*	77%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	59%	67%	*	*	*	62%	62%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	88%	91%	*	*	90%	92%	90%
Q57. Administration of care was very good or good	86%	88%	*	*	80%	85%	87%
Q58. Cancer research opportunities were discussed with patient	45%	48%	*	*	*	47%	46%
Q59. Patient's average rating of care scored from very poor to very good	8.8	9.0	*	*	8.7	8.8	8.9

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	52%	65%	73%	60%	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	66%	53%	57%	65%	60%	71%	66%

DIAGNOSTIC TESTS		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	91%	94%	92%	94%	92%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	84%	81%	80%	83%	85%	83%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	77%	84%	78%	73%	70%	75%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	79%	78%	71%	69%	89%	78%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	92%	98%	95%	95%	92%	95%

FINDING OUT THAT YOU HAD CANCER		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	83%	69%	87%	74%	71%	85%	83%
Q13. Patient was definitely told sensitively that they had cancer	74%	73%	75%	70%	71%	77%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	72%	78%	71%	76%	82%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	74%	87%	92%	83%	88%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	85%	83%	94%	88%	88%	86%	85%

SUPPORT FROM A MAIN CONTACT PERSON		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	93%	93%	93%	96%	79%	93%	93%
Q18. Patient found it very or quite easy to contact their main contact person	85%	79%	80%	69%	83%	85%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	95%	98%	96%	95%	97%	96%

DECIDING ON THE BEST TREATMENT		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	78%	79%	71%	91%	83%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	80%	78%	82%	74%	78%	83%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	80%	86%	70%	95%	88%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	57%	47%	55%	59%	64%	57%	57%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	72%	72%	68%	86%	75%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	94%	93%	95%	92%	100%	93%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	100%	99%	100%	92%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	93%	96%	93%	91%	91%	94%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	77%	75%	79%	74%	83%	79%	77%
Q29. Patient was offered information about how to get financial help or benefits	72%	77%	76%	74%	88%	74%	73%

HOSPITAL CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	78%	84%	79%	83%	82%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	69%	80%	77%	76%	90%	72%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	71%	67%	71%	78%	67%	76%	71%
Q34. Patient was always able to get help from ward staff when needed	69%	69%	85%	74%	92%	76%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	70%	68%	65%	75%	73%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	83%	90%	88%	75%	91%	90%	83%
Q37. Patient was always treated with respect and dignity while in hospital	86%	92%	95%	85%	100%	90%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	94%	93%	92%	92%	87%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	80%	82%	76%	70%	88%	84%	80%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	90%	89%	84%	90%	90%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	83%	87%	91%	91%	86%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	83%	88%	85%	*	88%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	79%	92%	90%	76%	*	79%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	82%	75%	72%	93%	*	88%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	85%	88%	83%	*	87%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	82%	83%	86%	89%	92%	85%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	83%	89%	82%	85%	90%	83%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	77%	77%	95%	68%	*	76%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	80%	71%	80%	93%	*	87%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	79%	69%	75%	75%	91%	78%	79%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	74%	69%	77%	75%	83%	73%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	75%	77%	74%	86%	70%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	91%	89%	86%	100%	87%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	58%	59%	65%	65%	75%	61%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	54%	56%	58%	56%	73%	56%	55%

SUPPORT WHILE AT HOME	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	62%	78%	69%	62%	67%	65%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	55%	58%	56%	49%	64%	57%	55%

CARE FROM YOUR GP PRACTICE	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	45%	43%	47%	37%	38%	53%	46%
Q52. Patient has had a review of cancer care by GP practice	19%	25%	31%	30%	4%	29%	20%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	32%	35%	35%	18%	*	31%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	80%	77%	74%	85%	69%	81%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	63%	55%	56%	65%	86%	64%	62%

YOUR OVERALL NHS CARE	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q56. The whole care team worked well together	90%	92%	89%	88%	96%	93%	90%
Q57. Administration of care was very good or good	87%	83%	88%	90%	91%	88%	87%
Q58. Cancer research opportunities were discussed with patient	45%	42%	58%	59%	58%	53%	46%
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.7	8.7	8.6	8.6	8.9	8.9

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		IMD quintile				
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	72%	76%	79%	78%	79%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	66%	65%	66%	64%	68%	66%

DIAGNOSTIC TESTS		IMD quintile				
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	94%	93%	93%	93%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	84%	83%	84%	84%	84%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	79%	76%	78%	76%	76%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	79%	79%	78%	78%	79%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	94%	95%	94%	94%	95%

FINDING OUT THAT YOU HAD CANCER		IMD quintile				
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	86%	85%	85%	82%	82%	83%
Q13. Patient was definitely told sensitively that they had cancer	78%	76%	74%	72%	73%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	80%	78%	78%	75%	76%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	88%	87%	85%	85%	85%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	88%	86%	86%	85%	83%	85%

SUPPORT FROM A MAIN CONTACT PERSON		IMD quintile				
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q17. Patient had a main point of contact within the care team	94%	94%	92%	93%	93%	93%
Q18. Patient found it very or quite easy to contact their main contact person	86%	83%	85%	84%	85%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	96%	96%	97%	96%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	83%	83%	81%	83%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	82%	78%	80%	80%	80%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	86%	85%	84%	85%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	64%	60%	56%	53%	56%	57%

CARE PLANNING	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	77%	73%	75%	70%	70%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	93%	95%	94%	94%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	98%	99%	98%	98%	99%

SUPPORT FROM HOSPITAL STAFF	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q27. Staff provided the patient with relevant information on available support	94%	91%	93%	94%	93%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	81%	76%	78%	76%	77%	77%
Q29. Patient was offered information about how to get financial help or benefits	77%	66%	73%	72%	77%	73%

HOSPITAL CARE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	81%	78%	80%	76%	78%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	78%	72%	71%	67%	67%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	75%	72%	73%	68%	71%	71%
Q34. Patient was always able to get help from ward staff when needed	79%	72%	73%	68%	67%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	74%	66%	67%	59%	62%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	83%	84%	83%	82%	83%
Q37. Patient was always treated with respect and dignity while in hospital	90%	87%	88%	84%	87%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	91%	88%	88%	85%	87%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	82%	80%	82%	78%	79%	80%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q41_1. Beforehand patient completely had enough understandable information about surgery	95%	90%	89%	89%	89%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	89%	87%	86%	86%	84%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	90%	88%	86%	88%	86%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	82%	83%	82%	74%	79%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	88%	78%	84%	82%	83%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	91%	86%	87%	88%	87%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	84%	83%	84%	81%	82%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	89%	85%	84%	82%	82%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	79%	76%	80%	71%	78%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	84%	79%	83%	79%	81%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	80%	80%	80%	78%	77%	79%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	78%	74%	76%	72%	74%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	76%	70%	73%	69%	70%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	86%	89%	87%	89%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	65%	61%	61%	55%	57%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	60%	56%	57%	51%	54%	55%

SUPPORT WHILE AT HOME	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	70%	61%	64%	62%	61%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	58%	50%	58%	50%	58%	55%

CARE FROM YOUR GP PRACTICE	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q51. Patient definitely received the right amount of support from their GP practice during treatment	50%	42%	48%	44%	45%	46%
Q52. Patient has had a review of cancer care by GP practice	21%	22%	21%	21%	18%	20%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	37%	30%	32%	29%	35%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	81%	77%	81%	78%	82%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	67%	60%	65%	61%	62%	62%

YOUR OVERALL NHS CARE						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q56. The whole care team worked well together	94%	89%	90%	89%	89%	90%
Q57. Administration of care was very good or good	90%	86%	87%	87%	86%	87%
Q58. Cancer research opportunities were discussed with patient	50%	45%	49%	46%	45%	46%
Q59. Patient's average rating of care scored from very poor to very good	9.0	8.9	8.9	8.9	8.9	8.9

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		Long-term condition status		
	Yes	No	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	77%	80%	79%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	65%	69%	66%	66%

DIAGNOSTIC TESTS		Long-term condition status		
	Yes	No	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	94%	91%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	83%	86%	80%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	77%	77%	74%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	78%	80%	75%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	95%	92%	95%

FINDING OUT THAT YOU HAD CANCER		Long-term condition status		
	Yes	No	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	83%	84%	83%	83%
Q13. Patient was definitely told sensitively that they had cancer	74%	74%	74%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	76%	78%	77%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	85%	88%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	84%	87%	86%	85%

SUPPORT FROM A MAIN CONTACT PERSON		Long-term condition status		
	Yes	No	Not given	All
Q17. Patient had a main point of contact within the care team	93%	93%	93%	93%
Q18. Patient found it very or quite easy to contact their main contact person	84%	86%	85%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	97%	96%

DECIDING ON THE BEST TREATMENT		Long-term condition status		
	Yes	No	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	84%	80%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	79%	81%	79%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	84%	86%	86%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	56%	58%	57%	57%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Long-term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	73%	73%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	94%	95%	94%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Long-term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	92%	95%	93%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	76%	79%	77%	77%
Q29. Patient was offered information about how to get financial help or benefits	70%	78%	71%	73%

HOSPITAL CARE	Long-term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	80%	75%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	70%	71%	68%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	75%	70%	71%
Q34. Patient was always able to get help from ward staff when needed	69%	73%	68%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	67%	60%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	83%	84%	85%	83%
Q37. Patient was always treated with respect and dignity while in hospital	86%	89%	85%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	85%	91%	87%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	79%	81%	82%	80%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Long-term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	89%	87%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	87%	82%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	86%	89%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	82%	78%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	81%	85%	82%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	88%	85%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	83%	83%	79%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	83%	84%	86%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	78%	77%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	79%	84%	80%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	79%	79%	80%	79%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Long-term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	73%	78%	69%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	70%	74%	68%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	87%	90%	87%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	58%	61%	59%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	53%	58%	54%	55%

SUPPORT WHILE AT HOME	Long-term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	61%	65%	61%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	52%	62%	55%	55%

CARE FROM YOUR GP PRACTICE	Long-term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	45%	46%	48%	46%
Q52. Patient has had a review of cancer care by GP practice	20%	21%	22%	20%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Long-term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	29%	38%	34%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	78%	83%	79%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	62%	64%	63%	62%

YOUR OVERALL NHS CARE	Long-term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	88%	92%	93%	90%
Q57. Administration of care was very good or good	86%	88%	88%	87%
Q58. Cancer research opportunities were discussed with patient	45%	49%	48%	46%
Q59. Patient's average rating of care scored from very poor to very good	8.9	9.0	8.9	8.9

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	78%	76%	72%	80%	79%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	64%	59%	69%	66%	66%

DIAGNOSTIC TESTS	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	93%	91%	94%	91%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	82%	78%	86%	80%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	79%	78%	72%	77%	74%	77%
Q8. Diagnostic test results were explained in a way the patient could completely understand	80%	77%	75%	80%	75%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	93%	95%	92%	95%

FINDING OUT THAT YOU HAD CANCER	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	83%	84%	83%	84%	83%	83%
Q13. Patient was definitely told sensitively that they had cancer	74%	74%	72%	74%	74%	74%
Q14. Cancer diagnosis explained in a way the patient could completely understand	77%	76%	76%	78%	77%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	85%	85%	85%	88%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	86%	83%	82%	87%	86%	85%

SUPPORT FROM A MAIN CONTACT PERSON	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q17. Patient had a main point of contact within the care team	93%	93%	92%	93%	93%	93%
Q18. Patient found it very or quite easy to contact their main contact person	85%	83%	82%	86%	85%	85%
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	95%	96%	97%	96%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	84%	80%	79%	84%	80%	82%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	81%	79%	73%	81%	79%	80%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	85%	82%	86%	86%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	59%	54%	51%	58%	57%	57%

CARE PLANNING						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	74%	70%	67%	73%	73%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	96%	93%	92%	95%	94%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q27. Staff provided the patient with relevant information on available support	94%	90%	89%	95%	93%	93%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	78%	75%	71%	79%	77%	77%
Q29. Patient was offered information about how to get financial help or benefits	74%	67%	67%	78%	71%	73%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	79%	78%	73%	80%	75%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	70%	69%	69%	71%	68%	70%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	70%	68%	67%	75%	70%	71%
Q34. Patient was always able to get help from ward staff when needed	70%	69%	69%	73%	68%	70%
Q35. Patient was always able to discuss worries and fears with hospital staff	64%	62%	61%	67%	60%	64%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	82%	79%	84%	85%	83%
Q37. Patient was always treated with respect and dignity while in hospital	86%	87%	83%	89%	85%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	84%	82%	91%	87%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	81%	78%	74%	81%	82%	80%

YOUR TREATMENT	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	90%	88%	89%	87%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	86%	82%	87%	82%	86%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	88%	81%	86%	89%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	79%	81%	70%	82%	78%	79%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	81%	82%	79%	85%	82%	82%
Q42_1. Patient completely had enough understandable information about their response to surgery	89%	87%	82%	88%	85%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	84%	84%	78%	83%	79%	83%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	85%	84%	73%	84%	86%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	77%	78%	69%	78%	77%	77%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	79%	79%	77%	84%	80%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	78%	80%	76%	79%	80%	79%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	71%	67%	78%	69%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	73%	67%	62%	74%	68%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	89%	87%	81%	90%	87%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	61%	56%	52%	61%	59%	59%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	57%	51%	48%	58%	54%	55%

SUPPORT WHILE AT HOME	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	64%	60%	56%	65%	61%	63%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	57%	48%	45%	62%	55%	55%

CARE FROM YOUR GP PRACTICE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q51. Patient definitely received the right amount of support from their GP practice during treatment	48%	44%	39%	46%	48%	46%
Q52. Patient has had a review of cancer care by GP practice	20%	20%	21%	21%	22%	20%

LIVING WITH AND BEYOND CANCER	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	32%	29%	24%	38%	34%	32%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	81%	77%	71%	83%	79%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	63%	61%	58%	64%	63%	62%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q56. The whole care team worked well together	91%	87%	84%	92%	93%	90%
Q57. Administration of care was very good or good	88%	86%	83%	88%	88%	87%
Q58. Cancer research opportunities were discussed with patient	47%	44%	40%	49%	48%	46%
Q59. Patient's average rating of care scored from very poor to very good	8.9	8.8	8.7	9.0	8.9	8.9

Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient



Q7. Patient felt the length of time waiting for diagnostic test results was about right




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.

Q8. Diagnostic test results were explained in a way the patient could completely understand




Q9. Enough privacy was always given to the patient when receiving diagnostic test results




FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis



Q13. Patient was definitely told sensitively that they had cancer



Q14. Cancer diagnosis explained in a way the patient could completely understand




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.

Q15. Patient was definitely told about their diagnosis in an appropriate place




Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

DECIDING ON THE BEST TREATMENT


Q20. Treatment options were explained in a way the patient could completely understand




Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options




Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options



CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns




Q26. Care team reviewed the patient's care plan with them to ensure it was up to date




SUPPORT FROM HOSPITAL STAFF


Q27. Staff provided the patient with relevant information on available support



Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff



Q29. Patient was offered information about how to get financial help or benefits



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

HOSPITAL CARE


Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital




Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital




Q33. Patient was always involved in decisions about their care and treatment whilst in hospital



Q34. Patient was always able to get help from ward staff when needed



Q35. Patient was always able to discuss worries and fears with hospital staff




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.


Q36. Hospital staff always did everything they could to help the patient control pain




Q37. Patient was always treated with respect and dignity while in hospital



Q38. Patient received easily understandable information about what they should or should not do after leaving hospital




Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.


Q41_2. Beforehand patient completely had enough understandable information about chemotherapy




Q41_3. Beforehand patient completely had enough understandable information about radiotherapy




Q41_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42_1. Patient completely had enough understandable information about their response to surgery




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.


Q42_2. Patient completely had enough understandable information about their response to chemotherapy




Q42_3. Patient completely had enough understandable information about their response to radiotherapy




Q42_4. Patient completely had enough understandable information about their response to hormone therapy



Q42_5. Patient completely had enough understandable information about their response to immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

IMMEDIATE AND LONG-TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand




Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment




Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home




Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services




CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the right amount of support from their GP practice during treatment




Q52. Patient has had a review of cancer care by GP practice



LIVING WITH AND BEYOND CANCER

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment




Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




YOUR OVERALL NHS CARE


Q56. The whole care team worked well together



Q57. Administration of care was very good or good



Q58. Cancer research opportunities were discussed with patient




Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

Q59. Patient's average rating of care scored from very poor to very good



Trust expected range summary


Data labels relate to the number of scores that fell below, within and above the expected range



Trust		Expected range classification		
RGT	Cambridge University Hospitals NHS Foundation Trust	1	40	20
RGR	West Suffolk NHS Foundation Trust		45	16
RGP	James Paget University Hospitals NHS Foundation Trust	2	47	12
RDE	East Suffolk and North Essex NHS Foundation Trust	1	56	4
RGM	Royal Papworth Hospital NHS Foundation Trust		58	1
RM1	Norfolk and Norwich University Hospitals NHS Foundation Trust	6	49	6
RWG	West Hertfordshire Teaching Hospitals NHS Trust	2	58	1
RGN	North West Anglia NHS Foundation Trust	4	55	2
RQW	The Princess Alexandra Hospital NHS Trust	3	56	1
RCX	The Queen Elizabeth Hospital, King's Lynn, NHS Foundation Trust	6	54	1
RC9	Bedfordshire Hospitals NHS Foundation Trust	10	48	3
RD8	Milton Keynes University Hospital NHS Foundation Trust	11	50	
RAJ	Mid and South Essex NHS Foundation Trust	12	49	
RWH	East and North Hertfordshire NHS Trust	14	47	

ICB expected range summary

Data labels relate to the number of scores that fell below, within and above the expected range



ICB		Expected range classification	
QUE	NHS Cambridgeshire and Peterborough Integrated Care Board	1	56 4
QJG	NHS Suffolk and North East Essex Integrated Care Board	1	57 3
QMM	NHS Norfolk and Waveney Integrated Care Board	2	55 4
QM7	NHS Hertfordshire and West Essex Integrated Care Board	3	57 1
QH8	NHS Mid and South Essex Integrated Care Board	6	55
QHG	NHS Bedfordshire, Luton and Milton Keynes Integrated Care Board	6	55