

National Cancer Patient Experience Survey

2025 Results

Northern Cancer Alliance

Published July 2026

Contents

<u>Executive summary</u>	<u>3</u>
<u>Introduction</u>	<u>5</u>
<u>Methodology</u>	<u>5</u>
<u>Understanding the results</u>	<u>7</u>
<u>Further information</u>	<u>9</u>
<u>Response rate</u>	<u>10</u>
<u>Expected range charts</u>	<u>12</u>
<u>Comparability tables</u>	<u>16</u>
<u>Tumour group tables</u>	<u>21</u>
<u>Age group tables</u>	<u>26</u>
<u>Which of the following best describes you</u>	<u>30</u>
<u>Ethnicity tables</u>	<u>35</u>
<u>IMD quintile tables</u>	<u>39</u>
<u>Long-term condition status tables</u>	<u>43</u>
<u>Number of long-term condition tables</u>	<u>47</u>
<u>Impact of long-term condition(s) (excluding cancer) on day-to-day activities</u>	<u>52</u>
<u>Year on year charts</u>	<u>56</u>
<u>Expected range summary</u>	<u>69</u>

Executive summary

Questions above expected range

	Case mix adjusted scores			England score
	2025 score	Lower expected range	Upper expected range	
Q08. Diagnostic test results were explained in a way the patient could completely understand	81%	77%	81%	79%
Q13. Patient was definitely told sensitively that they had cancer	78%	72%	78%	75%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	82%	79%	82%	80%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	61%	55%	61%	58%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	92%	95%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	98%	99%	99%
Q35. Patient was always able to discuss worries and fears with hospital staff	69%	63%	69%	66%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	84%	76%	83%	80%
Q41_1. Beforehand patient completely had enough understandable information about surgery	92%	89%	92%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	84%	87%	85%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	85%	80%	83%	82%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	86%	73%	86%	80%
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	72%	76%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	75%	67%	74%	71%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	64%	57%	64%	61%
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	50%	41%	49%	45%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	50%	35%	48%	41%
Q56. The whole care team worked well together	91%	88%	91%	89%
Q59. Patient's average rating of care scored from very poor to very good	9	8.8	9	8.9

Executive summary

Questions below expected range

Northern Cancer Alliance has no scores below expected range.

Introduction

The National Cancer Patient Experience Survey 2025 is the fifteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a National Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2025 survey involved 130 NHS trusts. Out of 134,285 people, 64,268 people responded to the survey, yielding a response rate of 48%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2025. The fieldwork for the survey was undertaken between November 2025 and February 2026.

As in the previous 10 years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021 and 2025 are included in this report for most questions. The below should be noted for comparability of results:

- Q23 and Q42: In 2023 the question text was amended. These questions are not comparable to 2021 or 2022, data is only comparable for 2023, 2024 and 2025.
- Q67: In 2023 the long-term condition question was amended to include “Autism or autism spectrum condition” as a response option, and update the answer option “Neurological condition” to “Neurological condition, such as epilepsy”. These answer options are not comparable to 2021 or 2022, data is only comparable for 2023, 2024 and 2025.
- Q71: In 2023 the ethnic group question was amended to include “Roma” as a response option. The ethnic group question is still deemed comparable to previous years, but data for the “Roma” response option is only available for 2023, 2024 and 2025.
- Q51 and Q52: In 2025 the question text was amended. These questions are not comparable to previous years, data is only available for 2025.

How alliance results are derived

Alliance and ICB results are not derived by mapping trust results. Alliance and ICB results are derived using the postcode of each patient. Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint. This mapping is achieved using lookup files released by the Office for National Statistics. Alliance and ICB results are therefore presented at the 'England' level and exclude other UK postcodes. Please note that due to updates in Cancer Alliance boundaries, historical data has been recalculated for certain alliances.

Case mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case mix adjusted estimates we can obtain a greater understanding of how an alliance is performing given their patient population. The factors taken into account in this case mix adjustment are 'Which of the following best describes you?', age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the alliance. Case mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

The full scoring for all questions at an alliance level is available in the Cancer Alliance Excel tables available at www.ncpes.co.uk.

Statistical significance

In the reporting of 2025 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular trust, the results are not shown for that question for that alliance.

For alliances with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

Additional suppression

Additional suppression happens if only **one** alliance has a score suppressed. If this happens, we will suppress another alliance's results (both the alliance level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual alliance.

The same rule applies to groups in each subgroup breakdown. For example, if only one alliance has the 85+ age group suppressed for Q25 we will need to suppress another alliance's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this alliance scored for each question in the survey compared with England results. It is aimed at helping individual alliances to understand their performance and identify areas for local improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this alliance.

Alliances whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the alliance performs better than how alliances of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the alliance's size and demographics.

Comparability tables

The comparability tables show the 2024 and 2025 unadjusted scores for this alliance for each scored question. The columns 'Change 2024-2025' and 'Change overall' include arrows to show if there is statistically significant variation between years. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease, and no arrow indicates no statistically significant change.

The adjusted 2025 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Subgroup breakdowns

Unadjusted scores are shown for tumour group, age, 'Which of the following best describes you?', ethnicity, IMD quintile, long-term condition status, number of long-term conditions and impact of long-term condition(s) on day-to-day activities. Unadjusted scores for the same subgroup across different alliances may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour group tables

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

‘Which of the following best describes you?’

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

Number of long-term conditions tables

The number of long-term conditions tables show the unadjusted scores for four groups: those who indicate they have one long-term condition, two long-term conditions, three or more long-term conditions, and those who indicate that they have no long-term conditions.

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

The impact of long-term condition(s) tables show unadjusted scores for respondents with an additional long-term condition(s) and whether these affect their day-to-day activities.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Year on year charts

The year on year charts show five columns representing the unadjusted scores of the last five years (2021, 2022, 2023, 2024 and 2025) for each scored question. Arrows are included to show if there is statistically significant variation between 2024 and 2025 or overall between 2021 and 2025. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease, and no arrow indicates no statistically significant change.

Trust expected range summary

The number of scored questions that fell below, within and above the expected range for each trust within the alliance.

ICB expected range summary

The number of scored questions that fell below, within and above the expected range for each ICB within the alliance.

National level and England level data

In some cases (333 respondents in 2025), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS trusts for treatment. These patients are described as ‘Non-England’ in the data.

Overall response rate at response rate sections shows national level counts and response rate. For Cancer Alliances and its comparison at comparability tables section, all data is presented at the England level.

Further information

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

To view all outputs and supporting materials for 2025 and previous years, please visit the website www.ncpes.co.uk. This includes:

- All Excel data tables, PDF reports and the interactive dashboard available at national, Integrated Care Board, Cancer Alliance and NHS trust level.
- Analysis of free text data available in the national qualitative thematic report. Free text workbooks are also shared directly with the NHS trust and Cancer Alliance leads.
- The Technical Document, providing more information about the methodology including significance testing, suppression and question comparability.
- Additional resources, including reports which explore key driver analysis for a high rating of care, and a video demonstration on using the outputs.
- The questionnaire, survey guidance and survey materials.

These resources will help users to explore trends over time, analyse results by demographic and clinical subgroups, and benchmark organisations against national scores and other providers.

Response rate

Overall response rate

4,923 patients responded out of a total of 10,168 patients, resulting in a response rate of 48%.

	Sample size	Adjusted sample	Completed	Response rate
Overall response rate	10,954	10,168	4,923	48%
National	143,951	134,285	64,268	48%

Respondents by survey mode

	Number of respondents
Paper	3,902
Online	1,019
Phone	2
Translation service	0
Total	4,923

Respondents by tumour group

	Number of respondents
Brain / CNS	12
Breast	880
Colorectal / LGT	503
Gynaecological	193
Haematological	703
Head and neck	135
Lung	395
Prostate	722
Sarcoma	20
Skin	168
Upper gastro	254
Urological	349
Other	589
Total	4,923

Respondents by ethnicity

	Number of respondents
White	
English / Welsh / Scottish / Northern Irish / British	4,485
Irish	12
Gypsy or Irish Traveller	*
Roma	*
Any other White background	43
Mixed / Multiple Ethnic Groups	
White and Black Caribbean	11
White and Black African	*
White and Asian	*
Any other Mixed / multiple ethnic background	5
Asian or Asian British	
Indian	6
Pakistani	14
Bangladeshi	*
Chinese	19
Any other Asian background	*
Black / African / Caribbean / Black British	
African	19
Caribbean	9
Any other Black / African / Caribbean background	*
Other Ethnic Group	
Arab	5
Any other ethnic group	*
Not given	
Not given	287
Total	4,923

Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis

Q3. Referral for diagnosis was explained in a way the patient could completely understand



DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance

Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient

Q7. Patient felt the length of time waiting for diagnostic test results was about right

Q8. Diagnostic test results were explained in a way the patient could completely understand

Q9. Enough privacy was always given to the patient when receiving diagnostic test results



FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis

Q13. Patient was definitely told sensitively that they had cancer

Q14. Cancer diagnosis explained in a way the patient could completely understand

Q15. Patient was definitely told about their diagnosis in an appropriate place

Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON

Q17. Patient had a main point of contact within the care team

Q18. Patient found it very or quite easy to contact their main contact person

Q19. Patient found advice from main contact person was very or quite helpful



Expected range charts

Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

DECIDING ON THE BEST TREATMENT

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q20. Treatment options were explained in a way the patient could completely understand

84%

Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment

82%

Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options

87%

Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options

61%

CARE PLANNING

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment

75%

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns

95%

Q26. Care team reviewed the patient's care plan with them to ensure it was up to date

99%

SUPPORT FROM HOSPITAL STAFF

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q27. Staff provided the patient with relevant information on available support

92%

Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff

80%

Q29. Patient was offered information about how to get financial help or benefits

73%

HOSPITAL CARE

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital

78%

Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital

73%

Q33. Patient was always involved in decisions about their care and treatment whilst in hospital

73%

Q34. Patient was always able to get help from ward staff when needed

76%

Q35. Patient was always able to discuss worries and fears with hospital staff

69%

Q36. Hospital staff always did everything they could to help the patient control pain

84%

Q37. Patient was always treated with respect and dignity while in hospital

87%

Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

HOSPITAL CARE CONTINUED

Q38. Patient received easily understandable information about what they should or should not do after leaving hospital

Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery

Q41_2. Beforehand patient completely had enough understandable information about chemotherapy

Q41_3. Beforehand patient completely had enough understandable information about radiotherapy

Q41_4. Beforehand patient completely had enough understandable information about hormone therapy

Q41_5. Beforehand patient completely had enough understandable information about immunotherapy

Q42_1. Patient completely had enough understandable information about their response to surgery


Q42_2. Patient completely had enough understandable information about their response to chemotherapy

Q42_3. Patient completely had enough understandable information about their response to radiotherapy

Q42_4. Patient completely had enough understandable information about their response to hormone therapy

Q42_5. Patient completely had enough understandable information about their response to immunotherapy

Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



IMMEDIATE AND LONG-TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand

Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment

Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment

Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment

Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Expected range charts

Lower expected range Within expected range Upper expected range Case mix adjusted score


The left outer edge of the bars is the lowest score achieved of all alliances. The right outer edge of the bars is the highest score achieved of all alliances.

SUPPORT WHILE AT HOME

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home

Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services




CARE FROM YOUR GP PRACTICE

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis

Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)




LIVING WITH AND BEYOND CANCER

0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment

Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading



YOUR OVERALL NHS CARE


0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Q56. The whole care team worked well together

Q57. Administration of care was very good or good

Q58. Cancer research opportunities were discussed with patient

Q59. Patient's average rating of care scored from very poor to very good



Comparability tables

* Indicates where a score is not available due to suppression or a low base size.	▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.		Adjusted score below lower expected range
- No score available.	△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.		Adjusted score between upper and lower expected ranges
			Adjusted score above upper expected range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	2141	78%	2350	78%			79%	76%	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	3056	67%	3221	68%		△	69%	66%	71%	68%

DIAGNOSTIC TESTS	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q5. Patient received all the information needed about the diagnostic test in advance	3635	94%	3783	94%			94%	92%	94%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	3840	85%	3961	85%			85%	82%	86%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	3819	80%	3967	80%		▽	80%	76%	81%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	3853	81%	3966	82%			81%	77%	81%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	3851	96%	3980	95%			95%	94%	95%	95%

FINDING OUT THAT YOU HAD CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	4403	84%	4589	86%		△	86%	80%	86%	83%
Q13. Patient was definitely told sensitively that they had cancer	4661	77%	4862	78%		△	78%	72%	78%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	4666	77%	4870	79%			79%	76%	79%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	4672	87%	4870	87%			87%	85%	87%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	4201	86%	4324	87%		△	87%	83%	88%	85%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q17. Patient had a main point of contact within the care team	4524	93%	4687	93%			93%	89%	94%	91%
Q18. Patient found it very or quite easy to contact their main contact person	3788	88%	3875	87%			87%	82%	87%	84%
Q19. Patient found advice from main contact person was very or quite helpful	3984	96%	4089	96%			96%	94%	97%	96%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

DECIDING ON THE BEST TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q20. Treatment options were explained in a way the patient could completely understand	4424	84%	4607	84%			84%	80%	85%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	4629	83%	4814	83%			82%	79%	82%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	4092	85%	4263	87%		△	87%	84%	87%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	2500	62%	2584	62%			61%	55%	61%	58%

CARE PLANNING	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	4286	77%	4433	76%		△	75%	70%	76%	73%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	2634	95%	2771	95%		△	95%	92%	95%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	2205	99%	2333	99%			99%	98%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q27. Staff provided the patient with relevant information on available support	3901	91%	4062	92%		△	92%	91%	94%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	4630	79%	4806	80%			80%	73%	80%	77%
Q29. Patient was offered information about how to get financial help or benefits	2709	73%	2704	73%		△	73%	68%	74%	71%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

HOSPITAL CARE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	1701	80%	1715	78%		▽	78%	76%	80%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	1454	74%	1434	74%		△	73%	69%	75%	72%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	1681	73%	1692	73%			73%	69%	75%	72%
Q34. Patient was always able to get help from ward staff when needed	1673	75%	1670	76%			76%	70%	77%	74%
Q35. Patient was always able to discuss worries and fears with hospital staff	1620	69%	1629	70%			69%	63%	69%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	1495	85%	1518	84%			84%	82%	86%	84%
Q37. Patient was always treated with respect and dignity while in hospital	1692	88%	1705	87%		▽	87%	86%	90%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	1658	87%	1668	88%			88%	87%	90%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	4136	84%	4311	84%		△	84%	76%	83%	80%

YOUR TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	2172	91%	2230	92%			92%	89%	92%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	2294	87%	2189	88%			88%	84%	87%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	1223	89%	1327	87%			87%	87%	90%	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	744	82%	842	80%			78%	76%	81%	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	833	88%	866	86%			85%	81%	86%	83%
Q42_1. Patient completely had enough understandable information about their response to surgery	2141	89%	2202	89%			89%	85%	89%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	2273	85%	2178	85%			85%	80%	83%	82%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	1213	86%	1311	84%			84%	83%	86%	85%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	726	78%	839	79%			78%	72%	78%	75%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	830	86%	852	84%			83%	78%	84%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	4561	86%	4754	87%		△	86%	73%	86%	80%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.

- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.

△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	4447	78%	4622	77%			77%	72%	76%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	4262	75%	4446	76%		△	75%	67%	74%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	3477	89%	3648	90%		△	90%	85%	90%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	4196	65%	4371	65%			64%	57%	64%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	3703	61%	3921	61%		△	60%	51%	60%	56%

SUPPORT WHILE AT HOME	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	3213	66%	3374	66%		△	66%	60%	68%	64%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	1893	59%	2040	60%		△	60%	46%	61%	54%

CARE FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	-	-	3190	49%			50%	41%	49%	45%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	-	-	2888	50%			50%	35%	48%	41%

LIVING WITH AND BEYOND CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2024 N	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	930	40%	1013	37%			37%	27%	39%	33%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	1884	84%	2018	83%		△	83%	78%	83%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	3548	70%	3718	68%			68%	62%	68%	65%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

YOUR OVERALL NHS CARE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q56. The whole care team worked well together	4418	92%	4624	91%			91%	88%	91%	89%
Q57. Administration of care was very good or good	4587	90%	4784	88%			88%	85%	89%	87%
Q58. Cancer research opportunities were discussed with patient	2629	47%	2766	46%		△	46%	38%	53%	45%
Q59. Patient's average rating of care scored from very poor to very good	4487	9.1	4694	9			9	8.8	9	8.9

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	93%	77%	72%	61%	73%	68%	84%	64%	87%	79%	78%	75%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	83%	67%	68%	53%	56%	60%	72%	27%	74%	59%	68%	70%

DIAGNOSTIC TESTS	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q5. Patient received all the information needed about the diagnostic test in advance	*	94%	94%	91%	93%	95%	96%	94%	89%	95%	89%	93%	95%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	85%	85%	79%	85%	81%	87%	90%	84%	90%	80%	86%	82%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	77%	82%	77%	86%	83%	85%	82%	89%	80%	74%	83%	75%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	83%	83%	82%	79%	82%	84%	82%	74%	89%	77%	83%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	96%	96%	94%	94%	98%	97%	96%	89%	97%	94%	94%	93%

FINDING OUT THAT YOU HAD CANCER	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	100%	90%	89%	84%	81%	87%	86%	88%	70%	80%	88%	81%	83%
Q13. Patient was definitely told sensitively that they had cancer	55%	84%	79%	80%	78%	77%	77%	76%	75%	77%	71%	76%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	64%	83%	81%	79%	73%	78%	76%	81%	70%	83%	72%	81%	77%
Q15. Patient was definitely told about their diagnosis in an appropriate place	58%	91%	87%	82%	85%	87%	87%	89%	85%	90%	83%	85%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	75%	91%	87%	83%	87%	90%	85%	91%	93%	90%	81%	86%	81%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q17. Patient had a main point of contact within the care team	100%	96%	93%	94%	93%	97%	97%	94%	95%	90%	90%	91%	85%
Q18. Patient found it very or quite easy to contact their main contact person	100%	86%	92%	92%	90%	89%	91%	79%	94%	87%	88%	82%	85%
Q19. Patient found advice from main contact person was very or quite helpful	100%	95%	97%	96%	97%	96%	96%	95%	100%	97%	94%	96%	95%

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q20. Treatment options were explained in a way the patient could completely understand	91%	84%	86%	87%	84%	84%	87%	83%	88%	86%	86%	84%	81%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	75%	82%	84%	85%	84%	86%	85%	82%	89%	86%	83%	84%	78%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	92%	86%	90%	85%	86%	90%	90%	87%	88%	82%	87%	85%	83%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	*	61%	66%	61%	63%	78%	69%	60%	55%	61%	62%	56%	58%

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	76%	78%	78%	74%	84%	79%	71%	89%	79%	77%	79%	72%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	94%	98%	95%	96%	98%	95%	96%	94%	99%	96%	94%	92%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	100%	100%	100%	99%	99%	100%	99%	100%	100%	99%	100%	99%

	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q27. Staff provided the patient with relevant information on available support	*	93%	93%	93%	92%	95%	92%	94%	88%	97%	91%	93%	86%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	58%	79%	80%	79%	85%	81%	82%	81%	75%	86%	76%	79%	76%
Q29. Patient was offered information about how to get financial help or benefits	80%	75%	69%	78%	78%	78%	81%	65%	80%	63%	77%	65%	69%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	65%	80%	83%	79%	76%	81%	88%	75%	83%	78%	78%	74%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	62%	76%	80%	74%	81%	79%	68%	82%	59%	77%	71%	72%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	72%	73%	75%	73%	75%	77%	75%	75%	61%	73%	71%	71%	73%
Q34. Patient was always able to get help from ward staff when needed	*	72%	74%	78%	80%	72%	81%	79%	67%	86%	73%	76%	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	65%	70%	64%	73%	70%	74%	73%	67%	76%	68%	70%	67%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	*	80%	86%	85%	83%	81%	92%	86%	73%	90%	79%	78%	86%	84%
Q37. Patient was always treated with respect and dignity while in hospital	*	82%	86%	92%	89%	84%	93%	87%	75%	86%	89%	85%	88%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	87%	90%	85%	88%	89%	91%	90%	80%	86%	87%	85%	86%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	50%	82%	85%	81%	89%	85%	86%	87%	75%	87%	81%	84%	81%	84%

YOUR TREATMENT	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	93%	90%	90%	92%	93%	96%	89%	93%	96%	93%	94%	91%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	90%	84%	90%	86%	89%	84%	91%	82%	*	*	88%	88%	87%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	86%	92%	83%	83%	89%	89%	90%	*	*	85%	84%	87%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	74%	*	*	80%	*	82%	85%	*	*	*	*	76%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	79%	85%	80%	83%	100%	91%	100%	*	86%	90%	89%	83%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	*	90%	90%	90%	80%	87%	90%	89%	100%	93%	92%	91%	83%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	80%	84%	87%	87%	87%	86%	85%	84%	*	*	84%	83%	85%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	85%	84%	87%	74%	91%	83%	86%	*	*	75%	79%	80%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	74%	*	*	69%	*	*	84%	*	*	*	*	81%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	82%	85%	80%	80%	100%	90%	*	*	78%	79%	87%	81%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	70%	83%	89%	82%	88%	88%	91%	91%	79%	91%	81%	88%	84%	87%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	82%	74%	80%	84%	75%	77%	78%	79%	88%	81%	77%	80%	76%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	55%	73%	80%	78%	77%	71%	82%	72%	81%	80%	73%	77%	74%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	70%	90%	92%	92%	91%	88%	92%	88%	100%	97%	91%	86%	88%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	64%	59%	66%	68%	63%	69%	69%	70%	67%	74%	64%	64%	63%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	55%	55%	63%	61%	62%	63%	65%	64%	69%	67%	56%	59%	61%	61%

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	73%	60%	66%	66%	72%	74%	73%	67%	71%	69%	67%	69%	60%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	57%	61%	62%	59%	63%	66%	61%	*	59%	61%	55%	59%	60%

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	*	47%	51%	57%	45%	52%	51%	54%	64%	61%	53%	48%	44%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	*	53%	63%	72%	35%	80%	51%	54%	*	61%	61%	50%	36%	50%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER						Tumour group								
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	35%	40%	33%	42%	47%	44%	38%	*	52%	36%	24%	31%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	80%	85%	82%	80%	93%	81%	80%	92%	94%	88%	81%	81%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	59%	68%	65%	77%	68%	73%	66%	88%	87%	61%	72%	66%	68%

YOUR OVERALL NHS CARE	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q56. The whole care team worked well together	80%	92%	92%	91%	92%	90%	91%	92%	100%	95%	89%	91%	90%	91%
Q57. Administration of care was very good or good	64%	87%	90%	88%	91%	91%	92%	86%	94%	93%	85%	86%	87%	88%
Q58. Cancer research opportunities were discussed with patient	*	41%	49%	42%	50%	41%	52%	52%	*	53%	56%	34%	40%	46%
Q59. Patient's average rating of care scored from very poor to very good	8.1	9.1	9.1	9.2	9.2	9.1	9.1	9	9.1	9.3	8.8	8.9	8.9	9

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	59%	74%	83%	71%	80%	82%	81%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	75%	81%	81%	67%	67%	66%	67%	68%

DIAGNOSTIC TESTS									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	100%	90%	90%	94%	95%	94%	93%	93%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	73%	77%	82%	84%	84%	86%	86%	85%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	80%	64%	67%	71%	76%	81%	84%	92%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	45%	64%	79%	80%	78%	84%	83%	81%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	100%	86%	88%	92%	94%	96%	96%	98%	95%

FINDING OUT THAT YOU HAD CANCER									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	85%	92%	82%	83%	85%	87%	86%	85%	86%
Q13. Patient was definitely told sensitively that they had cancer	77%	68%	79%	76%	76%	78%	79%	80%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	69%	70%	78%	79%	75%	80%	80%	78%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	79%	86%	83%	85%	87%	89%	90%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	100%	85%	89%	90%	89%	87%	85%	83%	87%

SUPPORT FROM A MAIN CONTACT PERSON									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	100%	89%	90%	93%	93%	93%	93%	90%	93%
Q18. Patient found it very or quite easy to contact their main contact person	100%	79%	83%	85%	87%	86%	88%	92%	87%
Q19. Patient found advice from main contact person was very or quite helpful	100%	80%	95%	95%	95%	95%	97%	98%	96%

DECIDING ON THE BEST TREATMENT									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	67%	75%	85%	81%	83%	86%	85%	82%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	77%	82%	78%	77%	81%	83%	84%	82%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	92%	85%	88%	83%	85%	87%	87%	85%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	*	82%	64%	63%	63%	62%	60%	62%	62%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	75%	59%	73%	72%	77%	76%	75%	75%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	81%	93%	92%	95%	96%	95%	99%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	100%	100%	99%	99%	99%	100%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	100%	82%	96%	91%	92%	93%	92%	92%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	54%	54%	75%	69%	78%	81%	82%	88%	80%
Q29. Patient was offered information about how to get financial help or benefits	100%	74%	76%	74%	76%	72%	70%	64%	73%

HOSPITAL CARE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	55%	53%	69%	71%	75%	82%	79%	85%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	82%	67%	68%	75%	70%	76%	75%	70%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	53%	71%	74%	71%	76%	71%	73%	73%
Q34. Patient was always able to get help from ward staff when needed	55%	47%	80%	70%	72%	79%	77%	79%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	80%	47%	75%	67%	68%	72%	68%	69%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	60%	57%	73%	80%	80%	87%	86%	89%	84%
Q37. Patient was always treated with respect and dignity while in hospital	73%	73%	80%	83%	85%	89%	89%	90%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	80%	86%	87%	87%	91%	86%	85%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	80%	86%	77%	80%	82%	85%	86%	88%	84%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	94%	94%	88%	92%	93%	93%	89%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	94%	82%	85%	87%	89%	89%	83%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	*	88%	84%	85%	90%	86%	86%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	73%	65%	77%	80%	86%	86%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	*	77%	81%	84%	87%	87%	86%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	*	83%	91%	85%	90%	90%	89%	86%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	*	88%	85%	84%	87%	86%	83%	83%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	*	84%	83%	84%	84%	84%	82%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	*	65%	61%	79%	82%	83%	75%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	*	77%	77%	83%	86%	83%	85%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	58%	70%	80%	82%	85%	89%	88%	87%	87%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	75%	80%	74%	78%	79%	75%	75%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	58%	61%	77%	69%	75%	78%	75%	71%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	100%	79%	91%	91%	90%	91%	89%	89%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	62%	67%	65%	56%	66%	67%	63%	63%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	73%	46%	63%	51%	60%	63%	60%	62%	61%

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	85%	64%	64%	58%	61%	67%	71%	70%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	73%	55%	54%	61%	60%	60%	71%	60%

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	*	64%	58%	46%	49%	49%	51%	51%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	*	71%	63%	59%	50%	50%	48%	38%	50%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	50%	27%	30%	35%	38%	41%	45%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	63%	78%	84%	81%	83%	84%	84%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	45%	59%	55%	69%	70%	71%	70%	68%

YOUR OVERALL NHS CARE									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	100%	88%	91%	91%	91%	91%	92%	95%	91%
Q57. Administration of care was very good or good	62%	81%	82%	86%	87%	89%	89%	91%	88%
Q58. Cancer research opportunities were discussed with patient	*	48%	40%	38%	49%	48%	46%	43%	46%
Q59. Patient's average rating of care scored from very poor to very good	7.7	8.1	8.8	8.8	9	9.1	9.1	9.1	9

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	78%	*	*	*	77%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	72%	65%	*	*	*	61%	68%

DIAGNOSTIC TESTS							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	94%	*	*	*	96%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	84%	87%	*	*	*	79%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	79%	82%	*	*	*	79%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	81%	82%	*	*	*	85%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	96%	*	*	*	96%	95%

FINDING OUT THAT YOU HAD CANCER							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	86%	86%	*	*	*	90%	86%
Q13. Patient was definitely told sensitively that they had cancer	80%	76%	*	*	*	76%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	79%	*	*	*	78%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	88%	*	*	*	85%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	86%	88%	*	*	*	84%	87%

SUPPORT FROM A MAIN CONTACT PERSON							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	93%	93%	*	*	*	89%	93%
Q18. Patient found it very or quite easy to contact their main contact person	88%	86%	*	*	*	89%	87%
Q19. Patient found advice from main contact person was very or quite helpful	95%	96%	*	*	*	95%	96%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	85%	84%	*	*	*	84%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	82%	83%	*	*	*	81%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	87%	87%	*	*	*	86%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	62%	63%	*	*	*	55%	62%

CARE PLANNING							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	75%	76%	*	*	*	75%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	95%	*	*	*	96%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	*	*	*	100%	99%

SUPPORT FROM HOSPITAL STAFF							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	90%	94%	*	*	*	91%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	78%	82%	*	*	*	78%	80%
Q29. Patient was offered information about how to get financial help or benefits	73%	73%	*	*	*	61%	73%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	75%	82%	*	*	*	79%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	73%	75%	*	*	*	70%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	70%	76%	*	*	*	68%	73%
Q34. Patient was always able to get help from ward staff when needed	73%	80%	*	*	*	69%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	64%	76%	*	*	*	59%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	82%	86%	*	*	*	83%	84%
Q37. Patient was always treated with respect and dignity while in hospital	86%	89%	*	*	*	85%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	91%	*	*	*	78%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	82%	87%	*	*	*	81%	84%

YOUR TREATMENT							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	94%	*	*	*	89%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	88%	*	*	*	86%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	86%	88%	*	*	*	91%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	74%	85%	*	*	*	74%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	83%	89%	*	*	*	86%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	88%	90%	*	*	*	90%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	84%	87%	*	*	*	82%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	83%	84%	*	*	*	86%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	74%	85%	*	*	*	72%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	81%	87%	*	*	*	78%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	85%	89%	*	*	*	87%	87%

'Which of the following best describes you?' tables

* Indicates where a score is not available due to suppression or a low base size.

IMMEDIATE AND LONG-TERM SIDE EFFECTS							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	76%	79%	*	*	*	77%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	75%	77%	*	*	*	78%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	90%	*	*	*	89%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	61%	69%	*	*	*	64%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	57%	64%	*	*	*	61%	61%

SUPPORT WHILE AT HOME							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	62%	72%	*	*	*	63%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	58%	62%	*	*	*	58%	60%

CARE FROM YOUR GP PRACTICE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	48%	51%	*	*	*	50%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	51%	49%	*	*	*	53%	50%

LIVING WITH AND BEYOND CANCER							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	33%	43%	*	*	*	35%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	79%	87%	*	*	*	80%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	64%	73%	*	*	*	73%	68%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	91%	92%	*	*	*	90%	91%
Q57. Administration of care was very good or good	88%	89%	*	*	*	87%	88%
Q58. Cancer research opportunities were discussed with patient	41%	52%	*	*	*	46%	46%
Q59. Patient's average rating of care scored from very poor to very good	9	9.1	*	*	*	8.9	9

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	73%	53%	67%	*	75%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	69%	67%	60%	69%	*	59%	68%

DIAGNOSTIC TESTS		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	94%	89%	97%	91%	*	95%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	86%	88%	86%	*	82%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	81%	71%	79%	86%	*	78%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	81%	81%	84%	91%	*	84%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	97%	100%	*	96%	95%

FINDING OUT THAT YOU HAD CANCER		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	86%	75%	87%	85%	*	91%	86%
Q13. Patient was definitely told sensitively that they had cancer	78%	83%	82%	74%	*	76%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	83%	86%	89%	*	79%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	83%	90%	82%	*	87%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	87%	87%	81%	*	84%	87%

SUPPORT FROM A MAIN CONTACT PERSON		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	93%	87%	93%	96%	*	88%	93%
Q18. Patient found it very or quite easy to contact their main contact person	87%	94%	89%	88%	*	89%	87%
Q19. Patient found advice from main contact person was very or quite helpful	96%	94%	97%	96%	*	96%	96%

DECIDING ON THE BEST TREATMENT		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	84%	86%	85%	93%	*	83%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	88%	93%	89%	*	80%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	87%	75%	87%	82%	*	87%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	62%	71%	61%	74%	*	59%	62%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	76%	77%	85%	82%	*	76%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	*	100%	100%	*	97%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	*	100%	100%	*	100%	99%

SUPPORT FROM HOSPITAL STAFF	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	92%	90%	89%	92%	*	90%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	80%	75%	74%	75%	*	75%	80%
Q29. Patient was offered information about how to get financial help or benefits	73%	79%	83%	68%	*	59%	73%

HOSPITAL CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	*	82%	90%	*	82%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	74%	*	95%	80%	*	67%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	*	87%	80%	*	71%	73%
Q34. Patient was always able to get help from ward staff when needed	76%	*	83%	90%	*	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	70%	*	74%	70%	*	65%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	*	82%	*	*	84%	84%
Q37. Patient was always treated with respect and dignity while in hospital	87%	*	91%	*	*	86%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	88%	*	95%	100%	*	81%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	85%	70%	76%	83%	*	80%	84%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q41_1. Beforehand patient completely had enough understandable information about surgery	92%	92%	96%	82%	*	89%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	82%	86%	92%	*	89%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	*	94%	*	*	93%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	80%	*	*	*	*	74%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	85%	*	*	*	*	88%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	89%	77%	91%	76%	*	91%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	86%	82%	81%	83%	*	84%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	84%	*	88%	*	*	86%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	79%	*	*	*	*	74%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	84%	*	*	*	*	80%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	87%	87%	74%	85%	*	84%	87%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	78%	74%	79%	79%	*	74%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	76%	78%	81%	74%	*	76%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	80%	93%	92%	*	88%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	65%	74%	77%	59%	*	64%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	61%	61%	64%	41%	*	59%	61%

SUPPORT WHILE AT HOME	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	67%	68%	79%	65%	*	63%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	61%	40%	79%	37%	*	58%	60%

CARE FROM YOUR GP PRACTICE	Ethnicity						All
	White	Mixed	Asian	Black	Other	Not given	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	49%	44%	53%	57%	*	49%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	49%	57%	73%	65%	*	53%	50%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER							
	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	37%	*	64%	*	*	33%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	83%	85%	76%	90%	*	78%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	68%	60%	74%	75%	*	70%	68%

YOUR OVERALL NHS CARE							
	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	92%	87%	93%	90%	*	90%	91%
Q57. Administration of care was very good or good	88%	83%	95%	96%	*	86%	88%
Q58. Cancer research opportunities were discussed with patient	46%	58%	45%	48%	*	48%	46%
Q59. Patient's average rating of care scored from very poor to very good	9	9	9.1	8.6	*	8.9	9

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	76%	77%	77%	81%	82%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	64%	71%	68%	68%	69%	68%

DIAGNOSTIC TESTS						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	95%	93%	94%	94%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	84%	86%	85%	86%	86%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	83%	81%	80%	80%	77%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	82%	83%	80%	81%	82%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	96%	96%	94%	95%

FINDING OUT THAT YOU HAD CANCER						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	88%	87%	86%	84%	84%	86%
Q13. Patient was definitely told sensitively that they had cancer	80%	78%	78%	77%	77%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	80%	77%	79%	79%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	89%	88%	87%	86%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	88%	88%	86%	86%	86%	87%

SUPPORT FROM A MAIN CONTACT PERSON						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q17. Patient had a main point of contact within the care team	93%	94%	93%	91%	92%	93%
Q18. Patient found it very or quite easy to contact their main contact person	87%	90%	87%	86%	85%	87%
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	96%	95%	95%	96%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q20. Treatment options were explained in a way the patient could completely understand	83%	85%	85%	84%	84%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	83%	84%	81%	82%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	88%	86%	85%	88%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	68%	66%	60%	58%	57%	62%

CARE PLANNING	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	77%	78%	75%	72%	75%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	94%	97%	96%	95%	94%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	99%	99%	99%	99%

SUPPORT FROM HOSPITAL STAFF	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q27. Staff provided the patient with relevant information on available support	93%	93%	92%	92%	90%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	82%	82%	79%	79%	79%	80%
Q29. Patient was offered information about how to get financial help or benefits	73%	74%	73%	71%	72%	73%

HOSPITAL CARE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	81%	80%	81%	73%	75%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	78%	76%	72%	70%	69%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	76%	76%	71%	72%	69%	73%
Q34. Patient was always able to get help from ward staff when needed	80%	79%	73%	73%	73%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	74%	71%	68%	67%	67%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	85%	86%	83%	84%	82%	84%
Q37. Patient was always treated with respect and dignity while in hospital	90%	88%	86%	86%	86%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	89%	88%	86%	89%	87%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	83%	85%	84%	85%	85%	84%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q41_1. Beforehand patient completely had enough understandable information about surgery	94%	91%	92%	93%	91%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	87%	88%	86%	90%	88%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	91%	85%	87%	84%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	82%	81%	80%	83%	72%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	85%	87%	85%	85%	87%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	91%	87%	89%	90%	88%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	85%	86%	85%	86%	86%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	86%	85%	83%	82%	83%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	85%	80%	79%	81%	72%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	86%	82%	86%	81%	84%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	87%	86%	89%	88%	85%	87%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	79%	79%	78%	74%	75%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	78%	77%	75%	74%	72%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	91%	91%	90%	89%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	68%	64%	66%	62%	63%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	62%	62%	61%	57%	60%	61%

SUPPORT WHILE AT HOME	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	67%	70%	66%	64%	64%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	59%	62%	60%	61%	59%	60%

CARE FROM YOUR GP PRACTICE	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	50%	51%	50%	49%	47%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	53%	48%	50%	49%	49%	50%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	35%	37%	37%	41%	37%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	85%	84%	83%	80%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	69%	69%	69%	67%	67%	68%

YOUR OVERALL NHS CARE						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q56. The whole care team worked well together	94%	92%	90%	91%	90%	91%
Q57. Administration of care was very good or good	89%	88%	89%	90%	86%	88%
Q58. Cancer research opportunities were discussed with patient	52%	49%	45%	43%	43%	46%
Q59. Patient's average rating of care scored from very poor to very good	9	9.1	9.1	9	8.9	9

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		Long-term condition status		
	Yes	No	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	78%	78%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	71%	63%	68%

DIAGNOSTIC TESTS		Long-term condition status		
	Yes	No	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	94%	95%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	87%	83%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	82%	79%	78%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	81%	83%	82%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	97%	95%

FINDING OUT THAT YOU HAD CANCER		Long-term condition status		
	Yes	No	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	86%	86%	90%	86%
Q13. Patient was definitely told sensitively that they had cancer	78%	77%	77%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	79%	76%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	87%	87%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	87%	86%	87%

SUPPORT FROM A MAIN CONTACT PERSON		Long-term condition status		
	Yes	No	Not given	All
Q17. Patient had a main point of contact within the care team	93%	92%	90%	93%
Q18. Patient found it very or quite easy to contact their main contact person	87%	86%	88%	87%
Q19. Patient found advice from main contact person was very or quite helpful	96%	96%	94%	96%

DECIDING ON THE BEST TREATMENT		Long-term condition status		
	Yes	No	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	84%	86%	84%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	82%	84%	80%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	86%	87%	87%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	62%	64%	55%	62%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Long-term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	75%	77%	76%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	95%	96%	97%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Long-term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	92%	94%	91%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	80%	81%	76%	80%
Q29. Patient was offered information about how to get financial help or benefits	72%	76%	64%	73%

HOSPITAL CARE	Long-term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	77%	80%	84%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	74%	74%	71%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	72%	76%	70%	73%
Q34. Patient was always able to get help from ward staff when needed	75%	79%	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	68%	75%	63%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	83%	86%	84%	84%
Q37. Patient was always treated with respect and dignity while in hospital	86%	89%	87%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	87%	91%	88%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	84%	86%	83%	84%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Long-term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	95%	91%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	87%	88%	87%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	87%	88%	88%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	83%	79%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	85%	87%	88%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	87%	92%	93%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	85%	86%	85%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	83%	86%	87%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	78%	81%	80%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	84%	84%	80%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	87%	88%	84%	87%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Long-term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	75%	82%	77%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	75%	77%	79%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	90%	91%	90%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	63%	68%	67%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	59%	63%	63%	61%

SUPPORT WHILE AT HOME	Long-term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	67%	65%	66%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	59%	65%	59%	60%

CARE FROM YOUR GP PRACTICE	Long-term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	48%	53%	48%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	48%	53%	49%	50%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Long-term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	36%	39%	39%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	81%	87%	79%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	68%	69%	71%	68%

YOUR OVERALL NHS CARE	Long-term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	91%	92%	91%	91%
Q57. Administration of care was very good or good	88%	89%	87%	88%
Q58. Cancer research opportunities were discussed with patient	45%	49%	47%	46%
Q59. Patient's average rating of care scored from very poor to very good	9	9.1	8.9	9

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	82%	75%	76%	78%	78%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	71%	64%	63%	71%	63%	68%

DIAGNOSTIC TESTS	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	94%	93%	93%	94%	95%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	86%	86%	82%	87%	83%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	83%	80%	81%	79%	78%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	82%	81%	80%	83%	82%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	95%	95%	96%	95%	97%	95%

FINDING OUT THAT YOU HAD CANCER	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	86%	85%	85%	86%	90%	86%
Q13. Patient was definitely told sensitively that they had cancer	78%	78%	79%	77%	77%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	79%	79%	80%	79%	76%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	87%	87%	87%	87%	87%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	87%	88%	86%	87%	86%	87%

SUPPORT FROM A MAIN CONTACT PERSON	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q17. Patient had a main point of contact within the care team	93%	93%	94%	92%	90%	93%
Q18. Patient found it very or quite easy to contact their main contact person	88%	86%	87%	86%	88%	87%
Q19. Patient found advice from main contact person was very or quite helpful	96%	95%	95%	96%	94%	96%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	84%	83%	83%	86%	84%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	83%	81%	81%	84%	80%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	88%	86%	84%	87%	87%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	64%	61%	60%	64%	55%	62%

CARE PLANNING						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	77%	75%	73%	77%	76%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	96%	94%	94%	96%	97%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q27. Staff provided the patient with relevant information on available support	92%	91%	92%	94%	91%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	82%	80%	77%	81%	76%	80%
Q29. Patient was offered information about how to get financial help or benefits	75%	70%	71%	76%	64%	73%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	78%	78%	74%	80%	84%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	77%	72%	68%	74%	71%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	74%	71%	69%	76%	70%	73%
Q34. Patient was always able to get help from ward staff when needed	77%	75%	71%	79%	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	71%	67%	62%	75%	63%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	82%	83%	86%	84%	84%
Q37. Patient was always treated with respect and dignity while in hospital	88%	87%	83%	89%	87%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	90%	85%	83%	91%	88%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	86%	83%	81%	86%	83%	84%

YOUR TREATMENT	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	92%	91%	89%	95%	91%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	88%	88%	84%	88%	87%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	86%	85%	88%	88%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	76%	77%	83%	83%	79%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	85%	87%	81%	87%	88%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	89%	88%	82%	92%	93%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	86%	85%	83%	86%	85%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	86%	82%	75%	86%	87%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	79%	82%	81%	80%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	84%	85%	81%	84%	80%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	87%	86%	87%	88%	84%	87%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	74%	73%	82%	77%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	76%	74%	73%	77%	79%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	91%	91%	85%	91%	90%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	65%	60%	64%	68%	67%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	61%	59%	56%	63%	63%	61%

SUPPORT WHILE AT HOME	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	68%	66%	66%	65%	66%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	59%	61%	55%	65%	59%	60%

CARE FROM YOUR GP PRACTICE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	48%	48%	48%	53%	48%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	50%	47%	47%	53%	49%	50%

LIVING WITH AND BEYOND CANCER	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	38%	36%	35%	39%	39%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	84%	78%	79%	87%	79%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	69%	68%	64%	69%	71%	68%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q56. The whole care team worked well together	92%	91%	90%	92%	91%	91%
Q57. Administration of care was very good or good	90%	87%	87%	89%	87%	88%
Q58. Cancer research opportunities were discussed with patient	49%	44%	39%	49%	47%	46%
Q59. Patient's average rating of care scored from very poor to very good	9.1	9	8.9	9.1	8.9	9

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.

† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

SUPPORT FROM YOUR GP PRACTICE	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All †
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	69%	80%	86%	73%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	59%	66%	76%	61%	68%

DIAGNOSTIC TESTS	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	93%	95%	93%	94%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	83%	89%	81%	85%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	79%	82%	83%	83%	80%
Q8. Diagnostic test results were explained in a way the patient could completely understand	79%	81%	84%	78%	82%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	94%	96%	96%	96%	95%

FINDING OUT THAT YOU HAD CANCER	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	86%	86%	84%	89%	86%
Q13. Patient was definitely told sensitively that they had cancer	77%	77%	81%	80%	78%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	77%	84%	82%	79%
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	86%	90%	90%	87%
Q16. Patient was told they could go back later for more information about their diagnosis	84%	88%	89%	87%	87%

SUPPORT FROM A MAIN CONTACT PERSON	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q17. Patient had a main point of contact within the care team	92%	94%	93%	93%	93%
Q18. Patient found it very or quite easy to contact their main contact person	85%	88%	89%	86%	87%
Q19. Patient found advice from main contact person was very or quite helpful	94%	96%	96%	96%	96%

DECIDING ON THE BEST TREATMENT	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	83%	86%	85%	84%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	80%	81%	86%	84%	83%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	85%	85%	89%	86%	87%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	63%	62%	62%	65%	62%

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.

† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

CARE PLANNING					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All †
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	72%	75%	79%	74%	76%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	95%	96%	99%	95%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	100%	99%	99%	99%

SUPPORT FROM HOSPITAL STAFF					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q27. Staff provided the patient with relevant information on available support	88%	92%	93%	91%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	75%	80%	84%	79%	80%
Q29. Patient was offered information about how to get financial help or benefits	70%	73%	75%	66%	73%

HOSPITAL CARE					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	70%	79%	82%	71%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	70%	72%	81%	70%	74%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	69%	73%	75%	67%	73%
Q34. Patient was always able to get help from ward staff when needed	70%	77%	77%	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	60%	70%	72%	66%	70%
Q36. Hospital staff always did everything they could to help the patient control pain	77%	87%	82%	86%	84%
Q37. Patient was always treated with respect and dignity while in hospital	81%	87%	89%	90%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	83%	89%	89%	84%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	80%	83%	88%	85%	84%

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.
† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

YOUR TREATMENT					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All †
Q41_1. Beforehand patient completely had enough understandable information about surgery	90%	91%	92%	92%	92%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	86%	88%	88%	92%	88%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	84%	88%	89%	85%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	73%	78%	82%	79%	80%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	84%	83%	87%	88%	86%
Q42_1. Patient completely had enough understandable information about their response to surgery	85%	86%	91%	85%	89%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	84%	84%	86%	87%	85%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	76%	83%	86%	86%	84%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	75%	85%	73%	79%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	83%	84%	86%	82%	84%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	85%	88%	86%	87%	87%

IMMEDIATE AND LONG-TERM SIDE EFFECTS					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	71%	75%	79%	76%	77%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	75%	78%	72%	76%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	88%	91%	91%	87%	90%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	60%	62%	67%	66%	65%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	56%	59%	64%	60%	61%

SUPPORT WHILE AT HOME					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	65%	67%	70%	67%	66%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	57%	57%	64%	60%	60%

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.

† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

CARE FROM YOUR GP PRACTICE		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All †
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	45%	48%	53%	47%	49%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	47%	46%	56%	45%	50%

LIVING WITH AND BEYOND CANCER		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	30%	36%	44%	45%	37%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	72%	82%	86%	82%	83%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	64%	68%	71%	68%	68%

YOUR OVERALL NHS CARE		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q56. The whole care team worked well together	89%	91%	94%	90%	91%
Q57. Administration of care was very good or good	83%	88%	92%	91%	88%
Q58. Cancer research opportunities were discussed with patient	40%	47%	47%	47%	46%
Q59. Patient's average rating of care scored from very poor to very good	8.8	9	9.2	9	9

Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient



Q7. Patient felt the length of time waiting for diagnostic test results was about right



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

- No score available.

Q8. Diagnostic test results were explained in a way the patient could completely understand




Q9. Enough privacy was always given to the patient when receiving diagnostic test results




FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis



Q13. Patient was definitely told sensitively that they had cancer



Q14. Cancer diagnosis explained in a way the patient could completely understand



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

- No score available.

Q15. Patient was definitely told about their diagnosis in an appropriate place




Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

DECIDING ON THE BEST TREATMENT


Q20. Treatment options were explained in a way the patient could completely understand




Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options




Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options



CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns




Q26. Care team reviewed the patient's care plan with them to ensure it was up to date




SUPPORT FROM HOSPITAL STAFF


Q27. Staff provided the patient with relevant information on available support



Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff



Q29. Patient was offered information about how to get financial help or benefits



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


- No score available.

HOSPITAL CARE


Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital




Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital




Q33. Patient was always involved in decisions about their care and treatment whilst in hospital



Q34. Patient was always able to get help from ward staff when needed



Q35. Patient was always able to discuss worries and fears with hospital staff



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


Q36. Hospital staff always did everything they could to help the patient control pain




Q37. Patient was always treated with respect and dignity while in hospital



Q38. Patient received easily understandable information about what they should or should not do after leaving hospital




Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


- No score available.

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


Q41_2. Beforehand patient completely had enough understandable information about chemotherapy




Q41_3. Beforehand patient completely had enough understandable information about radiotherapy




Q41_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42_1. Patient completely had enough understandable information about their response to surgery



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


Q42_2. Patient completely had enough understandable information about their response to chemotherapy




Q42_3. Patient completely had enough understandable information about their response to radiotherapy




Q42_4. Patient completely had enough understandable information about their response to hormone therapy



Q42_5. Patient completely had enough understandable information about their response to immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


- No score available.

IMMEDIATE AND LONG-TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand




Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment




Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


- No score available.

SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home



Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services



CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis



Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


- No score available.

LIVING WITH AND BEYOND CANCER


Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services



Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment




Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




YOUR OVERALL NHS CARE

Q56. The whole care team worked well together



Q57. Administration of care was very good or good



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

- No score available.

Q58. Cancer research opportunities were discussed with patient




Q59. Patient's average rating of care scored from very poor to very good



Trust expected range summary

Data labels relate to the number of scores that fell below, within and above the expected range



Trust		Expected range classification		
RTF	Northumbria Healthcare NHS Foundation Trust	1	31	29
R0B	South Tyneside and Sunderland NHS Foundation Trust	1	41	19
RTD	The Newcastle Upon Tyne Hospitals NHS Foundation Trust	1	43	17
RR7	Gateshead Health NHS Foundation Trust	0	47	14
RTR	South Tees Hospitals NHS Foundation Trust	0	55	6
RNN	North Cumbria Integrated Care NHS Foundation Trust	1	57	3
RXP	County Durham and Darlington NHS Foundation Trust	2	56	3
RVW	North Tees and Hartlepool NHS Foundation Trust	3	56	2

ICB expected range summary

Data labels relate to the number of scores that fell below, within and above the expected range

-  Number of scores below the lower expected range
-  Number of scores between the upper and lower expected ranges
-  Number of scores above the upper expected range

ICB		Expected range classification		
QHM	NHS North East And North Cumbria Integrated Care Board	0	34	27