

National Cancer Patient Experience Survey

2025 Results

NHS West And North London Integrated Care Board

Published July 2026

Contents

<u>Executive summary</u>	<u>3</u>
<u>Introduction</u>	<u>5</u>
<u>Methodology</u>	<u>5</u>
<u>Understanding the results</u>	<u>7</u>
<u>Further information</u>	<u>9</u>
<u>Response rate</u>	<u>10</u>
<u>Expected range charts</u>	<u>12</u>
<u>Comparability tables</u>	<u>16</u>
<u>Tumour group tables</u>	<u>21</u>
<u>Age group tables</u>	<u>26</u>
<u>Which of the following best describes you</u>	<u>30</u>
<u>Ethnicity tables</u>	<u>35</u>
<u>IMD quintile tables</u>	<u>39</u>
<u>Long-term condition status tables</u>	<u>43</u>
<u>Number of long-term condition tables</u>	<u>47</u>
<u>Impact of long-term condition(s) (excluding cancer) on day-to-day activities</u>	<u>52</u>
<u>Year on year charts</u>	<u>56</u>
<u>Expected range summary</u>	<u>69</u>

Executive summary

Questions above expected range

	Case mix adjusted scores			England score
	2025 score	Lower expected range	Upper expected range	
Q58. Cancer research opportunities were discussed with patient	57%	37%	54%	45%

Executive summary

Questions below expected range

	Case mix adjusted scores			England score
	2025 score	Lower expected range	Upper expected range	
Q06. Diagnostic test staff appeared to completely have all the information they needed about the patient	81%	82%	86%	84%
Q08. Diagnostic test results were explained in a way the patient could completely understand	76%	77%	81%	79%
Q09. Enough privacy was always given to the patient when receiving diagnostic test results	93%	94%	96%	95%
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	77%	81%	86%	83%
Q13. Patient was definitely told sensitively that they had cancer	72%	73%	77%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	76%	79%	78%
Q16. Patient was told they could go back later for more information about their diagnosis	82%	83%	87%	85%
Q18. Patient found it very or quite easy to contact their main contact person	80%	82%	86%	84%
Q19. Patient found advice from main contact person was very or quite helpful	94%	94%	97%	96%
Q20. Treatment options were explained in a way the patient could completely understand	81%	81%	85%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	79%	82%	80%
Q22. Family and/or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	83%	84%	87%	85%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	73%	73%	80%	77%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	75%	76%	83%	80%
Q41_1. Beforehand patient completely had enough understandable information about surgery	88%	89%	92%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	83%	83%	87%	85%
Q42_1. Patient completely had enough understandable information about their response to surgery	84%	85%	89%	87%
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	71%	72%	76%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	67%	67%	74%	71%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	57%	64%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	43%	47%	60%	54%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	35%	36%	46%	41%
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	26%	28%	38%	33%

Introduction

The National Cancer Patient Experience Survey 2025 is the fifteenth iteration of the survey first undertaken in 2010. It has been designed to monitor progress on cancer care; to provide information to drive local quality improvements; to assist commissioners and providers of cancer care; and to inform the work of the various charities and stakeholder groups supporting cancer patients.

The survey was undertaken by Picker on behalf of NHS England and it was overseen by a National Cancer Patient Experience Advisory Group. This Advisory Group set the principles and objectives of the survey programme and guided questionnaire development. The survey was commissioned and managed by NHS England. The survey provider, Picker, is responsible for designing, running and analysing the survey.

The 2025 survey involved 130 NHS trusts. Out of 134,285 people, 64,268 people responded to the survey, yielding a response rate of 48%.

Methodology

Eligibility, fieldwork and survey methods

The sample for the survey included all adult (aged 16 and over) NHS patients, with a confirmed primary diagnosis of cancer, discharged from an NHS trust after an inpatient episode or day case attendance for cancer related treatment in the months of April, May and June 2025. The fieldwork for the survey was undertaken between November 2025 and February 2026.

As in the previous 10 years, the survey used a mixed mode methodology. Questionnaires were sent by post, with two reminders where necessary, but also included an option to complete the questionnaire online. A Freephone helpline and email was available for respondents to opt out, ask questions about the survey, enable them to complete their questionnaire over the phone and provide access to a translation and interpreting facility for those whose first language was not English.

Note on question comparability

The questionnaire was redeveloped for the 2021 National Cancer Patient Experience Survey. Year on year comparisons between 2021 and 2025 are included in this report for most questions. The below should be noted for comparability of results:

- Q23 and Q42: In 2023 the question text was amended. These questions are not comparable to 2021 or 2022, data is only comparable for 2023, 2024 and 2025.
- Q67: In 2023 the long-term condition question was amended to include “Autism or autism spectrum condition” as a response option, and update the answer option “Neurological condition” to “Neurological condition, such as epilepsy”. These answer options are not comparable to 2021 or 2022, data is only comparable for 2023, 2024 and 2025.
- Q71: In 2023 the ethnic group question was amended to include “Roma” as a response option. The ethnic group question is still deemed comparable to previous years, but data for the “Roma” response option is only available for 2023, 2024 and 2025.
- Q51 and Q52: In 2025 the question text was amended. These questions are not comparable to previous years, data is only available for 2025.

How ICB results are derived

Alliance and ICB results are not derived by mapping trust results. Alliance and ICB results are derived using the postcode of each patient. Alliance and ICB results therefore reflect the experience of people referred from within the geographical footprint. This mapping is achieved using lookup files released by the Office for National Statistics. Alliance and ICB results are therefore presented at the 'England' level and exclude other UK postcodes. From 1 April 2026, changes were made to ICB boundaries, including mergers and boundary realignments across England. Historic data in this report have been recalculated to reflect the current ICB geography and are not directly comparable with previously published ICB reports.

Case mix adjustment

Both unadjusted and adjusted scores are presented in this report. Case mix adjusted scores allow us to account for the impact that differing patient populations might have on results. By using the case mix adjusted estimates we can obtain a greater understanding of how an ICB is performing given their patient population. The factors taken into account in this case mix adjustment are 'Which of the following best describes you?', age, ethnicity, deprivation, and cancer type.

Unadjusted data should be used to see the actual responses from patients relating to the ICB. Case mix adjusted data, together with expected ranges, should be used to understand whether the results are significantly higher or lower than national results taking account of the patient mix.

Scoring methodology

Sixty-one questions from the questionnaire are scored as these questions relate directly to patient experience. For all but one question (Q59), the score shows the percentage of respondents who gave the most favourable response to a question. For Q59, respondents rate their overall care on a scale of 0 to 10, of which the average was calculated for this question's score. The percentages in this report have been rounded to the nearest percentage point. Therefore, in some cases the figures do not appear to add up to 100%.

In 2022, following a review of the scoring methodology, a change was made to the scoring of Q12 such that the response option "No, I was told by letter or email" is no longer considered neutral and is now scored as negative.

The full scoring for all questions at an ICB level is available in the ICB Excel tables available at www.ncpes.co.uk.

Statistical significance

In the reporting of 2025 results, appropriate statistical tests have been undertaken to identify unadjusted scores for which the change over time is 'statistically significant'. A statistically significant difference means that the change in the result is very unlikely to have occurred by chance.

Suppression

Data is suppressed for two reasons: to ensure unreliable results based on very small numbers of respondents are not released, and to prevent individuals being identifiable in the data.

In cases where a result is based on fewer than 10 responses, the result has been suppressed. For example, where fewer than 10 people answered a question from a particular ICB, the results are not shown for that question for that ICB.

For ICBs with an eligible population of 1,000 or fewer, data relating to the respondent and their condition has been suppressed where 5 people or fewer were in a particular category. In instances where only one has been suppressed, the next lowest category has been suppressed to prevent back calculation from the total number of responses.

Additional suppression

Additional suppression happens if only **one** ICB has a score suppressed. If this happens, we will suppress another ICB's results (both the ICB level and subgroup results for the question) based on the next lowest number of respondents for the score. We do this so that the national score cannot be used to work out the score for the individual ICB.

The same rule applies to groups in each subgroup breakdown. For example, if only one ICB has the 85+ age group suppressed for Q25 we will need to suppress another ICB's results for the 85+ age group on Q25. This suppression is based on the 85+ age group with the next lowest number of respondents for Q25.

Understanding the results

This report shows how this ICB scored for each question in the survey compared with England results. It is aimed at helping individual ICBs to understand their performance and identify areas for local and regional improvement. Below is a description of the type of results presented within this report and how to understand them.

Expected range charts

The expected range charts in this report show a bar with the lowest and highest score received for each question nationally. Within this bar, an expected range is given (within the grey bar) and a black diamond represents the actual score for this ICB.

ICBs whose score is above the upper limit of the expected range (in the dark blue) are positive outliers, with a score statistically significantly higher than the national mean. This indicates that the ICB performs better than how ICBs of the same size and demographics are expected to perform. The opposite is true if the score is below the lower limit of the expected range (in the light blue); these are negative outliers. For scores within the expected range (in the grey), the score is what we would expect given the ICB's size and demographics.

Comparability tables

The comparability tables show the 2024 and 2025 unadjusted scores for this ICB for each scored question. The columns 'Change 2024-2025' and 'Change overall' include arrows to show if there is statistically significant variation between years. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease, and no arrow indicates no statistically significant change.

The adjusted 2025 score will also be presented for each scored question along with the lower and upper expected range and national score. Scores above the upper limit of the expected range will be highlighted dark blue, scores below the lower limit of the expected range will be highlighted light blue, and scores within the lower and upper limit of the expected ranges will be highlighted grey.

Subgroup breakdowns

Unadjusted scores are shown for tumour group, age, 'Which of the following best describes you?', ethnicity, IMD quintile, long-term condition status, number of long-term conditions and impact of long-term condition(s) on day-to-day activities. Unadjusted scores for the same subgroup across different ICBs may not be comparable, as they do not account for the impact that differing patient populations might have on results.

Tumour group tables

The tumour group tables show the unadjusted scores for each scored question for each of the 13 tumour groups. Central nervous system is abbreviated as 'CNS' and lower gastrointestinal tract is abbreviated as 'LGT' throughout this report.

Age group tables

The age group tables show the unadjusted scores for each scored question for each of the eight age groups.

‘Which of the following best describes you?’

These tables show the unadjusted scores for the following groups male; female; non-binary; prefer to self-describe; and prefer not to say.

Ethnicity tables

The ethnicity tables show the unadjusted scores for six ethnicity groups.

Long-term condition status tables

The long-term condition status tables show the unadjusted scores for two groups: those who indicate they have one or more long-term conditions and those who indicate that they have no long-term conditions.

Number of long-term conditions tables

The number of long-term conditions tables show the unadjusted scores for four groups: those who indicate they have one long-term condition, two long-term conditions, three or more long-term conditions, and those who indicate that they have no long-term conditions.

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

The impact of long-term condition(s) tables show unadjusted scores for respondents with an additional long-term condition(s) and whether these affect their day-to-day activities.

IMD quintile tables

The IMD quintile tables show the unadjusted scores for five quintiles based on relative disadvantage, with quintile 1 being the most deprived and quintile 5 being the least deprived.

Year on year charts

The year on year charts show five columns representing the unadjusted scores of the last five years (2021, 2022, 2023, 2024 and 2025) for each scored question. Arrows are included to show if there is statistically significant variation between 2024 and 2025 or overall between 2021 and 2025. An upwards arrow indicates a statistically significant increase, a downwards arrow indicates a statistically significant decrease, and no arrow indicates no statistically significant change.

National level and England level data

In some cases (333 respondents in 2025), patients from outside England (from Wales, Scotland, Northern Ireland, the Channel Islands or the Isle of Man) are referred to English NHS trusts for treatment. These patients are described as ‘Non-England’ in the data.

Overall response rate at response rate sections shows national level counts and response rate. For ICBs and its comparison at comparability tables section, all data is presented at the England level.

Further information

This research was carried out in accordance with the international standard for organisations conducting market and social research (accreditation to ISO20252:2019; certificate number GB08/74322). Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality, and value in the Code of Practice for Statistics that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards. Alternatively, you can contact OSR by emailing regulation@statistics.gov.uk or via the OSR website.

To view all outputs and supporting materials for 2025 and previous years, please visit the website www.ncpes.co.uk. This includes:

- All Excel data tables, PDF reports and the interactive dashboard available at national, Integrated Care Board, Cancer Alliance and NHS trust level.
- Analysis of free text data available in the national qualitative thematic report. Free text workbooks are also shared directly with the NHS trust and Cancer Alliance leads.
- The Technical Document, providing more information about the methodology including significance testing, suppression and question comparability.
- Additional resources, including reports which explore key driver analysis for a high rating of care, and a video demonstration on using the outputs.
- The questionnaire, survey guidance and survey materials.

These resources will help users to explore trends over time, analyse results by demographic and clinical subgroups, and benchmark organisations against national scores and other providers.

Response rate

Overall response rate

3,041 patients responded out of a total of 8,600 patients, resulting in a response rate of 35%.

	Sample size	Adjusted sample	Completed	Response rate
Overall response rate	9,204	8,600	3,041	35%
National	143,951	134,285	64,268	48%

Respondents by survey mode

	Number of respondents
Paper	2,161
Online	874
Phone	4
Translation service	2
Total	3,041

Respondents by tumour group

	Number of respondents
Brain / CNS	11
Breast	724
Colorectal / LGT	258
Gynaecological	163
Haematological	457
Head and neck	76
Lung	196
Prostate	302
Sarcoma	24
Skin	72
Upper gastro	138
Urological	231
Other	389
Total	3,041

Respondents by ethnicity

	Number of respondents
White	
English / Welsh / Scottish / Northern Irish / British	1,472
Irish	99
Gypsy or Irish Traveller	*
Roma	5
Any other White background	387
Mixed / Multiple Ethnic Groups	
White and Black Caribbean	18
White and Black African	*
White and Asian	*
Any other Mixed / multiple ethnic background	33
Asian or Asian British	
Indian	196
Pakistani	25
Bangladeshi	10
Chinese	67
Any other Asian background	96
Black / African / Caribbean / Black British	
African	137
Caribbean	79
Any other Black / African / Caribbean background	13
Other Ethnic Group	
Arab	38
Any other ethnic group	52
Not given	
Not given	314
Total	3,041

Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all ICBs. The right outer edge of the bars is the highest score achieved of all ICBs.

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis

Q3. Referral for diagnosis was explained in a way the patient could completely understand



DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance

Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient

Q7. Patient felt the length of time waiting for diagnostic test results was about right

Q8. Diagnostic test results were explained in a way the patient could completely understand

Q9. Enough privacy was always given to the patient when receiving diagnostic test results



FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis

Q13. Patient was definitely told sensitively that they had cancer

Q14. Cancer diagnosis explained in a way the patient could completely understand

Q15. Patient was definitely told about their diagnosis in an appropriate place

Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON

Q17. Patient had a main point of contact within the care team

Q18. Patient found it very or quite easy to contact their main contact person

Q19. Patient found advice from main contact person was very or quite helpful




Expected range charts

Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all ICBs. The right outer edge of the bars is the highest score achieved of all ICBs.


DECIDING ON THE BEST TREATMENT

- Q20. Treatment options were explained in a way the patient could completely understand
- Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment
- Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options
- Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options




CARE PLANNING

- Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment
- Q25. A member of their care team helped the patient create a care plan to address any needs or concerns
- Q26. Care team reviewed the patient's care plan with them to ensure it was up to date




SUPPORT FROM HOSPITAL STAFF

- Q27. Staff provided the patient with relevant information on available support
- Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff
- Q29. Patient was offered information about how to get financial help or benefits



HOSPITAL CARE

- Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital
- Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital
- Q33. Patient was always involved in decisions about their care and treatment whilst in hospital
- Q34. Patient was always able to get help from ward staff when needed
- Q35. Patient was always able to discuss worries and fears with hospital staff
- Q36. Hospital staff always did everything they could to help the patient control pain
- Q37. Patient was always treated with respect and dignity while in hospital



Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all ICBs. The right outer edge of the bars is the highest score achieved of all ICBs.

HOSPITAL CARE CONTINUED

Q38. Patient received easily understandable information about what they should or should not do after leaving hospital

Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery

Q41_2. Beforehand patient completely had enough understandable information about chemotherapy

Q41_3. Beforehand patient completely had enough understandable information about radiotherapy

Q41_4. Beforehand patient completely had enough understandable information about hormone therapy

Q41_5. Beforehand patient completely had enough understandable information about immunotherapy

Q42_1. Patient completely had enough understandable information about their response to surgery


Q42_2. Patient completely had enough understandable information about their response to chemotherapy

Q42_3. Patient completely had enough understandable information about their response to radiotherapy

Q42_4. Patient completely had enough understandable information about their response to hormone therapy

Q42_5. Patient completely had enough understandable information about their response to immunotherapy

Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



IMMEDIATE AND LONG-TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand

Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment

Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment

Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment

Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Expected range charts


Lower expected range Within expected range Upper expected range Case mix adjusted score

The left outer edge of the bars is the lowest score achieved of all ICBs. The right outer edge of the bars is the highest score achieved of all ICBs.

SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home


Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services



CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis

Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)




LIVING WITH AND BEYOND CANCER

Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services

Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment

Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




YOUR OVERALL NHS CARE

Q56. The whole care team worked well together

Q57. Administration of care was very good or good

Q58. Cancer research opportunities were discussed with patient

Q59. Patient's average rating of care scored from very poor to very good



Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

SUPPORT FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	1410	72%	1369	73%			76%	76%	80%	78%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	1919	63%	1838	65%		△	67%	65%	71%	68%

DIAGNOSTIC TESTS	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q5. Patient received all the information needed about the diagnostic test in advance	2429	91%	2299	92%			92%	92%	94%	93%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	2576	79%	2445	80%			81%	82%	86%	84%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	2578	77%	2448	76%		▽	77%	75%	81%	78%
Q8. Diagnostic test results were explained in a way the patient could completely understand	2578	75%	2467	74%			76%	77%	81%	79%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	2577	92%	2460	92%			93%	94%	96%	95%

FINDING OUT THAT YOU HAD CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	2809	76%	2701	78%		△	77%	81%	86%	83%
Q13. Patient was definitely told sensitively that they had cancer	3071	73%	2962	71%			72%	73%	77%	75%
Q14. Cancer diagnosis explained in a way the patient could completely understand	3100	74%	3000	74%			75%	76%	79%	78%
Q15. Patient was definitely told about their diagnosis in an appropriate place	3090	85%	2987	85%			85%	85%	87%	86%
Q16. Patient was told they could go back later for more information about their diagnosis	2681	82%	2582	82%			82%	83%	87%	85%

SUPPORT FROM A MAIN CONTACT PERSON	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q17. Patient had a main point of contact within the care team	3005	90%	2849	89%		▽	89%	89%	94%	91%
Q18. Patient found it very or quite easy to contact their main contact person	2494	80%	2373	79%			80%	82%	86%	84%
Q19. Patient found advice from main contact person was very or quite helpful	2587	94%	2433	94%			94%	94%	97%	96%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

DECIDING ON THE BEST TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q20. Treatment options were explained in a way the patient could completely understand	2932	79%	2828	79%			81%	81%	85%	83%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	3055	77%	2939	76%			78%	79%	82%	80%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	2527	80%	2456	81%		△	83%	84%	87%	85%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	1859	56%	1748	56%			55%	55%	61%	58%

CARE PLANNING	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	2746	71%	2671	70%			70%	70%	76%	73%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	1734	93%	1691	93%			93%	93%	95%	94%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	1416	99%	1344	99%			99%	98%	99%	99%

SUPPORT FROM HOSPITAL STAFF	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q27. Staff provided the patient with relevant information on available support	2658	91%	2576	92%		△	92%	90%	94%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	3070	74%	2959	72%			73%	73%	80%	77%
Q29. Patient was offered information about how to get financial help or benefits	1780	68%	1695	68%		△	69%	66%	75%	71%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

HOSPITAL CARE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	1406	77%	1281	77%			78%	76%	80%	78%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	1155	69%	1069	71%		△	71%	69%	75%	72%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	1381	71%	1256	69%			69%	69%	75%	72%
Q34. Patient was always able to get help from ward staff when needed	1379	74%	1263	76%			75%	70%	78%	74%
Q35. Patient was always able to discuss worries and fears with hospital staff	1327	62%	1221	63%			64%	63%	69%	66%
Q36. Hospital staff always did everything they could to help the patient control pain	1254	82%	1149	85%			86%	82%	87%	84%
Q37. Patient was always treated with respect and dignity while in hospital	1394	88%	1276	87%			87%	86%	89%	88%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	1369	87%	1242	87%			87%	87%	90%	88%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	2742	73%	2687	74%		△	75%	76%	83%	80%

YOUR TREATMENT	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q41_1. Beforehand patient completely had enough understandable information about surgery	1529	87%	1434	87%			88%	89%	92%	90%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	1471	86%	1464	83%			83%	83%	87%	85%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	825	88%	838	87%			87%	86%	91%	89%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	487	74%	503	75%			75%	75%	82%	78%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	559	82%	633	80%			81%	81%	86%	83%
Q42_1. Patient completely had enough understandable information about their response to surgery	1509	83%	1424	83%			84%	85%	89%	87%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	1472	82%	1463	81%			81%	80%	84%	82%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	802	84%	827	83%			83%	82%	87%	85%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	476	70%	500	73%			74%	71%	79%	75%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	555	79%	628	80%			80%	78%	84%	81%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	3010	71%	2922	71%			73%	72%	87%	80%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

Adjusted score below lower expected range
Adjusted score between upper and lower expected ranges
Adjusted score above upper expected range

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	2958	70%	2867	71%			71%	72%	76%	74%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	2800	66%	2726	67%			67%	67%	74%	71%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	2257	83%	2212	85%		△	85%	85%	90%	88%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	2763	58%	2714	58%			57%	57%	64%	61%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	2452	52%	2401	52%		△	52%	52%	59%	56%

SUPPORT WHILE AT HOME	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	2091	60%	2018	61%		△	62%	61%	67%	64%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	1329	46%	1283	42%			43%	47%	60%	54%

CARE FROM YOUR GP PRACTICE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	-	-	1971	42%			42%	40%	49%	45%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	-	-	1695	37%			35%	36%	46%	41%

LIVING WITH AND BEYOND CANCER	Unadjusted scores						Case mix adjusted scores			England score
	2024 N	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	774	27%	754	25%			26%	28%	38%	33%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	1396	77%	1286	77%		△	78%	77%	83%	80%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	2469	61%	2399	60%			62%	61%	69%	65%

Comparability tables

* Indicates where a score is not available due to suppression or a low base size.
- No score available.

▲ or ▼ Change 2024-2025: Statistically significant increase or decrease between 2024 and 2025.
△ or ▽ Change overall: Statistically significant increase or decrease from 2021 to 2025.

 Adjusted score below lower expected range
 Adjusted score between upper and lower expected ranges
 Adjusted score above upper expected range

YOUR OVERALL NHS CARE	Unadjusted scores						Case mix adjusted scores			England score
	2024 n	2024 score	2025 n	2025 score	Change 2024-2025	Change overall	2025 score	Lower expected range	Upper expected range	
Q56. The whole care team worked well together	2903	89%	2792	88%			88%	88%	91%	89%
Q57. Administration of care was very good or good	3050	87%	2949	89%			88%	84%	89%	87%
Q58. Cancer research opportunities were discussed with patient	1944	59%	1862	58%		△	57%	37%	54%	45%
Q59. Patient's average rating of care scored from very poor to very good	2989	8.8	2880	8.8			8.8	8.8	9	8.9

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE															Tumour group									
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All										
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	*	87%	63%	69%	56%	74%	62%	74%	71%	87%	65%	75%	71%	73%										
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	76%	62%	60%	48%	72%	58%	75%	80%	80%	59%	60%	60%	65%										

DIAGNOSTIC TESTS	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	90%	95%	89%	89%	92%	94%	93%	83%	90%	87%	93%	94%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	*	79%	82%	77%	80%	79%	77%	85%	79%	81%	76%	80%	80%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	*	74%	82%	73%	79%	79%	81%	80%	74%	67%	70%	77%	72%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	*	71%	77%	71%	73%	77%	76%	77%	55%	83%	71%	79%	71%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	*	93%	90%	89%	93%	94%	94%	94%	90%	93%	88%	96%	92%	92%

FINDING OUT THAT YOU HAD CANCER														
	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	*	83%	79%	77%	78%	79%	78%	72%	50%	62%	78%	76%	76%	78%
Q13. Patient was definitely told sensitively that they had cancer	20%	71%	69%	70%	74%	65%	77%	75%	52%	70%	70%	69%	69%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	36%	74%	74%	70%	72%	80%	79%	80%	59%	81%	70%	78%	71%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	60%	88%	84%	77%	84%	93%	88%	83%	81%	86%	81%	85%	84%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	*	88%	81%	79%	81%	76%	78%	87%	61%	73%	75%	83%	78%	82%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM A MAIN CONTACT PERSON														
	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q17. Patient had a main point of contact within the care team	*	90%	92%	89%	93%	89%	93%	88%	82%	81%	88%	87%	87%	89%
Q18. Patient found it very or quite easy to contact their main contact person	*	75%	84%	81%	84%	78%	82%	77%	83%	81%	74%	72%	81%	79%
Q19. Patient found advice from main contact person was very or quite helpful	*	93%	96%	93%	95%	95%	94%	96%	94%	93%	93%	91%	93%	94%

DECIDING ON THE BEST TREATMENT														
	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q20. Treatment options were explained in a way the patient could completely understand	70%	80%	81%	82%	80%	81%	81%	78%	62%	84%	76%	84%	73%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	73%	74%	76%	70%	80%	73%	78%	79%	67%	78%	69%	83%	74%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	81%	84%	82%	83%	84%	78%	80%	88%	78%	83%	77%	78%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	*	54%	60%	46%	59%	57%	58%	64%	42%	53%	43%	54%	59%	56%

CARE PLANNING														
	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	*	72%	73%	64%	73%	80%	76%	68%	50%	67%	62%	67%	64%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	*	89%	97%	94%	97%	98%	92%	94%	90%	93%	86%	96%	93%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	99%	98%	95%	100%	100%	100%	99%	*	100%	98%	99%	97%	99%

SUPPORT FROM HOSPITAL STAFF														
	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q27. Staff provided the patient with relevant information on available support	82%	95%	92%	94%	93%	85%	92%	93%	75%	88%	87%	92%	89%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	36%	72%	72%	68%	78%	79%	73%	73%	71%	75%	67%	76%	68%	72%
Q29. Patient was offered information about how to get financial help or benefits	*	71%	78%	66%	73%	54%	68%	64%	81%	74%	62%	57%	61%	68%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	*	75%	73%	75%	80%	86%	79%	86%	87%	77%	72%	80%	74%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	*	61%	67%	74%	75%	80%	72%	79%	67%	*	67%	73%	72%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	*	64%	68%	74%	68%	78%	71%	86%	60%	75%	62%	68%	68%	69%
Q34. Patient was always able to get help from ward staff when needed	*	70%	70%	73%	79%	90%	82%	89%	80%	75%	77%	74%	73%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	*	59%	62%	61%	65%	79%	66%	77%	64%	54%	57%	63%	59%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	*	84%	86%	89%	87%	94%	89%	91%	80%	73%	84%	84%	79%	85%
Q37. Patient was always treated with respect and dignity while in hospital	*	80%	86%	86%	88%	94%	88%	91%	87%	85%	88%	89%	87%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	*	86%	85%	85%	87%	96%	88%	92%	93%	77%	79%	87%	86%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	*	70%	74%	77%	76%	72%	82%	76%	67%	70%	68%	75%	72%	74%

YOUR TREATMENT	Tumour group													
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	89%	91%	88%	82%	93%	89%	88%	69%	88%	85%	83%	84%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	*	85%	80%	80%	86%	79%	87%	86%	*	*	81%	83%	82%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	87%	73%	84%	89%	91%	95%	88%	*	*	94%	78%	85%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	73%	*	90%	100%	*	*	78%	*	*	*	*	67%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	77%	82%	77%	81%	*	86%	*	*	82%	69%	84%	77%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	*	85%	87%	83%	81%	84%	83%	82%	81%	82%	79%	82%	82%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	*	83%	76%	80%	82%	80%	85%	81%	*	*	77%	84%	79%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	86%	74%	82%	85%	87%	85%	82%	*	*	80%	70%	78%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	71%	*	80%	82%	*	*	81%	*	*	*	*	64%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	75%	73%	77%	85%	*	84%	*	*	83%	64%	88%	77%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	55%	66%	75%	68%	67%	76%	76%	79%	73%	76%	75%	77%	68%	71%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	50%	71%	71%	70%	72%	77%	76%	73%	77%	72%	67%	74%	66%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	40%	64%	67%	64%	69%	81%	72%	67%	76%	67%	65%	69%	63%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	*	84%	84%	88%	87%	89%	87%	83%	76%	88%	85%	80%	84%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	*	57%	57%	58%	57%	75%	59%	68%	61%	67%	48%	62%	52%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	*	47%	51%	47%	54%	70%	59%	60%	53%	56%	43%	59%	51%	52%

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	*	58%	63%	59%	65%	68%	56%	61%	56%	59%	64%	64%	62%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	*	38%	47%	38%	48%	55%	39%	43%	57%	46%	36%	47%	39%	42%

	Tumour group													All
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	*	43%	42%	46%	40%	47%	39%	48%	47%	49%	39%	42%	38%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	*	38%	42%	40%	31%	48%	37%	52%	55%	40%	33%	36%	33%	37%

Tumour group tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	22%	29%	18%	21%	38%	25%	29%	*	*	40%	26%	28%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	*	76%	80%	75%	81%	82%	76%	78%	82%	81%	65%	80%	75%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	*	53%	57%	55%	72%	57%	60%	65%	53%	76%	53%	65%	62%

YOUR OVERALL NHS CARE	Tumour group												
	Brain / CNS	Breast	Colorectal / LGT	Gynaecological	Haematological	Head and neck	Lung	Prostate	Sarcoma	Skin	Upper gastro	Urological	Other
Q56. The whole care team worked well together	80%	89%	85%	88%	89%	93%	87%	90%	90%	85%	88%	93%	86%
Q57. Administration of care was very good or good	60%	89%	87%	93%	93%	89%	87%	87%	95%	86%	88%	86%	87%
Q58. Cancer research opportunities were discussed with patient	*	55%	56%	58%	63%	59%	64%	59%	39%	57%	65%	52%	59%
Q59. Patient's average rating of care scored from very poor to very good	7.8	8.7	8.8	8.7	9	9	8.9	8.7	8.7	9	8.5	8.8	8.8

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	36%	74%	71%	75%	67%	71%	80%	81%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	*	58%	67%	70%	63%	65%	65%	67%	65%

DIAGNOSTIC TESTS									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q5. Patient received all the information needed about the diagnostic test in advance	*	88%	88%	92%	91%	94%	91%	87%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	70%	76%	77%	75%	79%	83%	80%	81%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	50%	67%	57%	66%	74%	79%	82%	82%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	55%	64%	65%	70%	68%	77%	77%	79%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	100%	90%	91%	91%	90%	94%	92%	96%	92%

FINDING OUT THAT YOU HAD CANCER									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	100%	84%	73%	78%	73%	79%	81%	72%	78%
Q13. Patient was definitely told sensitively that they had cancer	71%	56%	62%	64%	68%	73%	75%	77%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	53%	73%	67%	71%	68%	76%	80%	75%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	100%	80%	85%	83%	81%	86%	87%	90%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	91%	86%	83%	86%	83%	82%	81%	70%	82%

SUPPORT FROM A MAIN CONTACT PERSON									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q17. Patient had a main point of contact within the care team	100%	90%	84%	91%	91%	88%	91%	83%	89%
Q18. Patient found it very or quite easy to contact their main contact person	79%	74%	72%	76%	77%	80%	82%	83%	79%
Q19. Patient found advice from main contact person was very or quite helpful	93%	86%	90%	94%	94%	94%	95%	95%	94%

DECIDING ON THE BEST TREATMENT									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q20. Treatment options were explained in a way the patient could completely understand	75%	74%	72%	80%	77%	81%	81%	82%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	60%	63%	63%	73%	75%	79%	77%	81%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	73%	74%	73%	78%	78%	83%	84%	81%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	*	47%	60%	59%	58%	53%	56%	55%	56%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	92%	50%	62%	72%	69%	70%	72%	67%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	100%	93%	81%	96%	93%	93%	95%	91%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	*	100%	96%	99%	98%	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q27. Staff provided the patient with relevant information on available support	100%	83%	91%	94%	92%	92%	92%	88%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	80%	58%	58%	72%	70%	73%	76%	78%	72%
Q29. Patient was offered information about how to get financial help or benefits	87%	57%	69%	70%	70%	69%	63%	50%	68%

HOSPITAL CARE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	45%	67%	68%	71%	75%	82%	80%	78%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	64%	56%	68%	64%	71%	73%	75%	67%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	40%	60%	68%	62%	71%	72%	72%	57%	69%
Q34. Patient was always able to get help from ward staff when needed	80%	76%	70%	74%	72%	81%	74%	66%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	70%	67%	63%	61%	64%	65%	62%	61%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	80%	83%	81%	83%	85%	86%	88%	84%	85%
Q37. Patient was always treated with respect and dignity while in hospital	90%	80%	75%	83%	86%	88%	89%	89%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	80%	83%	85%	87%	87%	87%	87%	83%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	73%	64%	60%	69%	70%	76%	78%	77%	74%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	*	91%	79%	89%	88%	88%	86%	86%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	80%	78%	76%	85%	83%	84%	84%	83%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	*	67%	66%	87%	88%	88%	88%	93%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	*	*	59%	67%	74%	81%	82%	58%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	*	82%	72%	87%	79%	80%	80%	73%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	*	76%	77%	87%	84%	83%	84%	85%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	67%	82%	79%	83%	80%	82%	79%	78%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	*	78%	64%	85%	88%	84%	81%	83%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	*	*	59%	68%	71%	80%	77%	58%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	*	70%	79%	91%	78%	80%	78%	73%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	53%	58%	67%	61%	69%	74%	73%	79%	71%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	75%	78%	73%	73%	69%	75%	69%	66%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	63%	62%	63%	66%	66%	70%	65%	64%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	80%	88%	82%	85%	83%	86%	86%	78%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	56%	47%	57%	60%	61%	60%	55%	49%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	47%	48%	44%	50%	52%	55%	52%	50%	52%

SUPPORT WHILE AT HOME	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	71%	49%	50%	60%	57%	64%	63%	68%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	75%	36%	26%	41%	43%	44%	45%	38%	42%

CARE FROM YOUR GP PRACTICE	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	50%	31%	40%	48%	39%	42%	45%	43%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	20%	58%	40%	41%	41%	35%	33%	33%	37%

Age group tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	*	48%	20%	28%	23%	26%	22%	27%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	79%	69%	78%	74%	79%	78%	84%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	46%	61%	43%	56%	58%	63%	64%	65%	60%

YOUR OVERALL NHS CARE									
	Age								
	16 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85+	All
Q56. The whole care team worked well together	93%	90%	83%	88%	88%	89%	89%	90%	88%
Q57. Administration of care was very good or good	75%	82%	87%	90%	88%	89%	89%	88%	89%
Q58. Cancer research opportunities were discussed with patient	86%	65%	56%	60%	57%	61%	57%	45%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.4	8.4	8.4	8.7	8.7	8.9	8.9	8.9	8.8

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	74%	71%	*	*	*	73%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	67%	63%	*	*	*	61%	65%

DIAGNOSTIC TESTS							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	90%	93%	*	*	*	94%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	79%	81%	*	*	*	79%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	74%	78%	*	*	*	79%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	71%	76%	*	*	*	73%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	91%	95%	*	*	*	91%	92%

FINDING OUT THAT YOU HAD CANCER							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	78%	78%	*	*	*	75%	78%
Q13. Patient was definitely told sensitively that they had cancer	69%	74%	*	*	*	70%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	72%	77%	*	*	*	78%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	86%	*	*	*	82%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	81%	83%	*	*	*	80%	82%

SUPPORT FROM A MAIN CONTACT PERSON							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q17. Patient had a main point of contact within the care team	89%	90%	*	*	*	89%	89%
Q18. Patient found it very or quite easy to contact their main contact person	78%	81%	*	*	*	78%	79%
Q19. Patient found advice from main contact person was very or quite helpful	93%	96%	*	*	*	87%	94%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	79%	81%	*	*	*	71%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	74%	79%	*	*	*	76%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	83%	*	*	*	76%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	54%	60%	*	*	*	55%	56%

CARE PLANNING							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	68%	72%	*	*	*	67%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	95%	*	*	*	94%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	*	*	*	100%	99%

SUPPORT FROM HOSPITAL STAFF							
	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q27. Staff provided the patient with relevant information on available support	91%	93%	*	*	*	89%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	69%	77%	*	*	*	70%	72%
Q29. Patient was offered information about how to get financial help or benefits	67%	69%	*	*	*	67%	68%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	75%	81%	*	*	*	76%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	66%	76%	*	*	*	77%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	66%	73%	*	*	*	80%	69%
Q34. Patient was always able to get help from ward staff when needed	72%	80%	*	*	*	76%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	59%	69%	*	*	*	65%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	84%	88%	*	*	*	94%	85%
Q37. Patient was always treated with respect and dignity while in hospital	84%	90%	*	*	*	92%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	87%	*	*	*	94%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	70%	78%	*	*	*	73%	74%

YOUR TREATMENT							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	86%	89%	*	*	*	90%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	82%	85%	*	*	*	81%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	86%	90%	*	*	*	83%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	73%	81%	*	*	*	71%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	78%	82%	*	*	*	82%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	83%	83%	*	*	*	97%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	80%	81%	*	*	*	81%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	84%	82%	*	*	*	86%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	70%	80%	*	*	*	79%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	79%	81%	*	*	*	81%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	66%	77%	*	*	*	76%	71%

'Which of the following best describes you?' tables

* Indicates where a score is not available due to suppression or a low base size.

IMMEDIATE AND LONG-TERM SIDE EFFECTS							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	70%	74%	*	*	*	69%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	63%	71%	*	*	*	66%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	84%	85%	*	*	*	92%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	54%	64%	*	*	*	52%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	48%	59%	*	*	*	59%	52%

SUPPORT WHILE AT HOME							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	57%	68%	*	*	*	56%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	39%	48%	*	*	*	35%	42%

CARE FROM YOUR GP PRACTICE							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	41%	45%	*	*	*	51%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	37%	38%	*	*	*	38%	37%

LIVING WITH AND BEYOND CANCER							
Which of the following best describes you?							
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	23%	28%	*	*	*	29%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	74%	82%	*	*	*	77%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	57%	65%	*	*	*	64%	60%

‘Which of the following best describes you?’ tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Which of the following best describes you?						
	Female	Male	Non-binary	Prefer to self-describe	Prefer not to say	Not given	All
Q56. The whole care team worked well together	87%	90%	*	*	*	91%	88%
Q57. Administration of care was very good or good	88%	89%	*	*	*	87%	89%
Q58. Cancer research opportunities were discussed with patient	56%	61%	*	*	*	56%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.7	8.9	*	*	*	8.8	8.8

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	79%	50%	63%	58%	70%	64%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	68%	55%	62%	60%	60%	60%	65%

DIAGNOSTIC TESTS		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	92%	83%	89%	94%	91%	91%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	82%	68%	76%	79%	78%	79%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	77%	69%	72%	78%	70%	78%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	75%	60%	69%	71%	74%	76%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	82%	92%	91%	87%	94%	92%

FINDING OUT THAT YOU HAD CANCER		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	76%	71%	85%	79%	89%	76%	78%
Q13. Patient was definitely told sensitively that they had cancer	70%	63%	72%	73%	69%	76%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	74%	62%	75%	73%	73%	79%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	85%	79%	88%	87%	83%	84%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	81%	84%	86%	81%	79%	82%	82%

SUPPORT FROM A MAIN CONTACT PERSON		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q17. Patient had a main point of contact within the care team	89%	88%	94%	91%	88%	89%	89%
Q18. Patient found it very or quite easy to contact their main contact person	80%	69%	77%	79%	80%	81%	79%
Q19. Patient found advice from main contact person was very or quite helpful	94%	93%	93%	95%	93%	92%	94%

DECIDING ON THE BEST TREATMENT		Ethnicity					
	White	Mixed	Asian	Black	Other	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	81%	67%	75%	79%	82%	76%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	78%	69%	73%	74%	74%	74%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	83%	78%	78%	81%	69%	77%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	57%	57%	55%	48%	65%	58%	56%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	64%	67%	74%	72%	69%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	90%	94%	92%	93%	95%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	99%	98%	97%	98%	100%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q27. Staff provided the patient with relevant information on available support	92%	90%	91%	94%	92%	89%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	73%	60%	72%	75%	73%	72%	72%
Q29. Patient was offered information about how to get financial help or benefits	70%	55%	64%	72%	54%	66%	68%

HOSPITAL CARE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	77%	67%	78%	80%	78%	81%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	70%	57%	76%	82%	65%	70%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	68%	57%	70%	80%	62%	74%	69%
Q34. Patient was always able to get help from ward staff when needed	72%	75%	82%	87%	73%	79%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	63%	55%	62%	67%	62%	68%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	71%	89%	88%	86%	81%	85%
Q37. Patient was always treated with respect and dignity while in hospital	86%	79%	90%	86%	84%	91%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	86%	77%	91%	86%	92%	85%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	76%	69%	68%	69%	65%	70%	74%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	87%	84%	88%	90%	87%	85%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	83%	71%	84%	87%	77%	85%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	89%	88%	83%	83%	72%	89%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	77%	68%	60%	77%	82%	77%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	81%	67%	79%	82%	70%	81%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	83%	71%	86%	86%	89%	85%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	81%	69%	83%	85%	77%	79%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	84%	73%	81%	88%	72%	89%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	75%	60%	61%	69%	88%	69%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	80%	67%	77%	88%	90%	79%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	72%	62%	67%	70%	70%	71%	71%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	72%	68%	68%	72%	71%	69%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	68%	57%	62%	71%	59%	68%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	86%	67%	86%	86%	74%	85%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	54%	59%	64%	61%	59%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	53%	50%	49%	52%	47%	56%	52%

SUPPORT WHILE AT HOME	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	61%	57%	62%	60%	49%	70%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	43%	34%	43%	38%	42%	47%	42%

CARE FROM YOUR GP PRACTICE	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	41%	38%	46%	44%	29%	51%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	34%	49%	44%	42%	35%	45%	37%

Ethnicity tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER							
	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	26%	19%	27%	20%	23%	28%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	79%	51%	80%	80%	60%	79%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	62%	49%	57%	61%	57%	62%	60%

YOUR OVERALL NHS CARE							
	Ethnicity						
	White	Mixed	Asian	Black	Other	Not given	All
Q56. The whole care team worked well together	88%	80%	91%	90%	92%	93%	88%
Q57. Administration of care was very good or good	87%	86%	91%	93%	90%	90%	89%
Q58. Cancer research opportunities were discussed with patient	56%	55%	65%	67%	57%	55%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.4	8.6	8.7	8.6	8.7	8.8

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	65%	72%	72%	78%	73%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	58%	63%	65%	69%	71%	65%

DIAGNOSTIC TESTS						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q5. Patient received all the information needed about the diagnostic test in advance	93%	90%	93%	91%	92%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	85%	78%	78%	80%	83%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	78%	75%	75%	75%	80%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	76%	71%	74%	73%	77%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	92%	91%	93%	94%	94%	92%

FINDING OUT THAT YOU HAD CANCER						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	81%	79%	77%	75%	78%	78%
Q13. Patient was definitely told sensitively that they had cancer	73%	73%	69%	69%	71%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	78%	73%	73%	74%	77%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	83%	85%	85%	86%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	81%	83%	84%	80%	80%	82%

SUPPORT FROM A MAIN CONTACT PERSON						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q17. Patient had a main point of contact within the care team	90%	89%	91%	88%	91%	89%
Q18. Patient found it very or quite easy to contact their main contact person	81%	80%	78%	78%	79%	79%
Q19. Patient found advice from main contact person was very or quite helpful	94%	94%	95%	93%	93%	94%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q20. Treatment options were explained in a way the patient could completely understand	82%	78%	78%	79%	82%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	75%	77%	76%	74%	81%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	77%	79%	81%	82%	85%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	57%	57%	58%	53%	54%	56%

CARE PLANNING	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	74%	69%	70%	69%	68%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	93%	93%	93%	93%	96%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	100%	99%	99%	96%	100%	99%

SUPPORT FROM HOSPITAL STAFF	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q27. Staff provided the patient with relevant information on available support	92%	91%	92%	93%	94%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	78%	70%	72%	71%	75%	72%
Q29. Patient was offered information about how to get financial help or benefits	67%	68%	69%	68%	68%	68%

HOSPITAL CARE	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	80%	78%	78%	73%	77%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	76%	72%	72%	65%	68%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	73%	70%	70%	63%	70%	69%
Q34. Patient was always able to get help from ward staff when needed	82%	77%	76%	71%	73%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	66%	66%	60%	60%	65%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	85%	87%	86%	83%	86%	85%
Q37. Patient was always treated with respect and dignity while in hospital	86%	86%	87%	87%	85%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	85%	87%	89%	84%	88%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	73%	73%	73%	72%	77%	74%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q41_1. Beforehand patient completely had enough understandable information about surgery	91%	86%	88%	88%	84%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	85%	81%	84%	83%	86%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	92%	85%	88%	86%	82%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	75%	71%	77%	75%	81%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	81%	80%	77%	81%	84%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	89%	81%	85%	83%	80%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	86%	82%	80%	75%	82%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	90%	86%	82%	79%	82%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	75%	71%	70%	74%	77%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	85%	78%	77%	80%	85%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	70%	70%	69%	72%	77%	71%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	77%	71%	71%	68%	72%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	71%	65%	67%	65%	69%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	84%	84%	85%	84%	87%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	68%	58%	57%	53%	58%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	58%	52%	52%	49%	53%	52%

SUPPORT WHILE AT HOME	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	63%	62%	60%	62%	61%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	45%	41%	42%	40%	50%	42%

CARE FROM YOUR GP PRACTICE	IMD quintile					All
	1 (most deprived)	2	3	4	5 (least deprived)	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	43%	41%	45%	41%	41%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	43%	39%	38%	32%	34%	37%

IMD quintile tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	28%	24%	25%	25%	28%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	82%	76%	76%	76%	81%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	61%	61%	61%	58%	61%	60%

YOUR OVERALL NHS CARE						
	IMD quintile					
	1 (most deprived)	2	3	4	5 (least deprived)	All
Q56. The whole care team worked well together	90%	88%	88%	88%	90%	88%
Q57. Administration of care was very good or good	91%	88%	88%	88%	88%	89%
Q58. Cancer research opportunities were discussed with patient	61%	63%	58%	53%	53%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.8	8.7	8.8	8.7	8.9	8.8

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE		Long-term condition status		
	Yes	No	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	71%	77%	71%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	64%	68%	61%	65%

DIAGNOSTIC TESTS		Long-term condition status		
	Yes	No	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	91%	92%	92%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	79%	81%	80%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	75%	79%	77%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	73%	74%	75%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	92%	94%	93%	92%

FINDING OUT THAT YOU HAD CANCER		Long-term condition status		
	Yes	No	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	77%	79%	77%	78%
Q13. Patient was definitely told sensitively that they had cancer	70%	72%	71%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	73%	77%	76%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	84%	86%	85%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	80%	86%	80%	82%

SUPPORT FROM A MAIN CONTACT PERSON		Long-term condition status		
	Yes	No	Not given	All
Q17. Patient had a main point of contact within the care team	89%	91%	86%	89%
Q18. Patient found it very or quite easy to contact their main contact person	78%	82%	77%	79%
Q19. Patient found advice from main contact person was very or quite helpful	93%	96%	92%	94%

DECIDING ON THE BEST TREATMENT		Long-term condition status		
	Yes	No	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	78%	82%	77%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	74%	79%	78%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	80%	83%	79%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	52%	62%	58%	56%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

CARE PLANNING	Long-term condition status			
	Yes	No	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	68%	73%	68%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	95%	94%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF	Long-term condition status			
	Yes	No	Not given	All
Q27. Staff provided the patient with relevant information on available support	90%	95%	90%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	70%	76%	71%	72%
Q29. Patient was offered information about how to get financial help or benefits	66%	72%	63%	68%

HOSPITAL CARE	Long-term condition status			
	Yes	No	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	76%	79%	78%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	69%	75%	71%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	66%	74%	74%	69%
Q34. Patient was always able to get help from ward staff when needed	75%	77%	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	61%	68%	64%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	85%	86%	90%	85%
Q37. Patient was always treated with respect and dignity while in hospital	85%	90%	88%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	85%	89%	89%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	72%	76%	71%	74%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR TREATMENT	Long-term condition status			
	Yes	No	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	86%	89%	93%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	82%	86%	78%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	85%	90%	85%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	75%	74%	76%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	79%	83%	78%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	82%	84%	93%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	80%	83%	79%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	81%	87%	83%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	72%	74%	78%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	78%	85%	73%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	71%	71%	70%	71%

IMMEDIATE AND LONG-TERM SIDE EFFECTS	Long-term condition status			
	Yes	No	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	69%	76%	71%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	65%	70%	63%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	82%	89%	85%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	56%	63%	56%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	56%	57%	52%

SUPPORT WHILE AT HOME	Long-term condition status			
	Yes	No	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	60%	64%	61%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	38%	52%	43%	42%

CARE FROM YOUR GP PRACTICE	Long-term condition status			
	Yes	No	Not given	All
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	40%	46%	48%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	36%	39%	41%	37%

Long-term condition status tables

* Indicates where a score is not available due to suppression or a low base size.

LIVING WITH AND BEYOND CANCER	Long-term condition status			
	Yes	No	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	25%	26%	22%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	75%	81%	75%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	59%	63%	61%	60%

YOUR OVERALL NHS CARE	Long-term condition status			
	Yes	No	Not given	All
Q56. The whole care team worked well together	86%	92%	90%	88%
Q57. Administration of care was very good or good	87%	92%	91%	89%
Q58. Cancer research opportunities were discussed with patient	56%	61%	64%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.7	9	8.7	8.8

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

SUPPORT FROM YOUR GP PRACTICE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	74%	72%	60%	77%	71%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	68%	60%	58%	68%	61%	65%

DIAGNOSTIC TESTS	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	91%	93%	89%	92%	92%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	81%	82%	71%	81%	80%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	77%	75%	69%	79%	77%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	75%	73%	69%	74%	75%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	93%	92%	89%	94%	93%	92%

FINDING OUT THAT YOU HAD CANCER	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	78%	75%	77%	79%	77%	78%
Q13. Patient was definitely told sensitively that they had cancer	71%	72%	68%	72%	71%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	75%	71%	69%	77%	76%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	86%	84%	81%	86%	85%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	81%	80%	78%	86%	80%	82%

SUPPORT FROM A MAIN CONTACT PERSON	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q17. Patient had a main point of contact within the care team	88%	88%	91%	91%	86%	89%
Q18. Patient found it very or quite easy to contact their main contact person	79%	78%	74%	82%	77%	79%
Q19. Patient found advice from main contact person was very or quite helpful	94%	93%	90%	96%	92%	94%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

DECIDING ON THE BEST TREATMENT						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	79%	79%	75%	82%	77%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	75%	74%	74%	79%	78%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	82%	81%	73%	83%	79%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	53%	50%	54%	62%	58%	56%

CARE PLANNING						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	70%	68%	64%	73%	68%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	92%	93%	93%	95%	94%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	97%	100%	99%	99%	100%	99%

SUPPORT FROM HOSPITAL STAFF						
	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q27. Staff provided the patient with relevant information on available support	91%	89%	89%	95%	90%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	71%	73%	66%	76%	71%	72%
Q29. Patient was offered information about how to get financial help or benefits	69%	68%	57%	72%	63%	68%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

HOSPITAL CARE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	76%	80%	72%	79%	78%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	68%	70%	69%	75%	71%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	67%	67%	63%	74%	74%	69%
Q34. Patient was always able to get help from ward staff when needed	74%	80%	70%	77%	74%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	62%	62%	58%	68%	64%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	86%	86%	80%	86%	90%	85%
Q37. Patient was always treated with respect and dignity while in hospital	85%	85%	83%	90%	88%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	88%	85%	78%	89%	89%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	74%	74%	66%	76%	71%	74%

YOUR TREATMENT	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q41_1. Beforehand patient completely had enough understandable information about surgery	88%	84%	83%	89%	93%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	84%	82%	79%	86%	78%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	83%	88%	88%	90%	85%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	78%	68%	75%	74%	76%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	83%	73%	77%	83%	78%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	84%	81%	79%	84%	93%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	83%	78%	74%	83%	79%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	81%	83%	79%	87%	83%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	76%	60%	75%	74%	78%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	81%	75%	75%	85%	73%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	71%	70%	70%	71%	70%	71%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

	Number of long-term conditions					All
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	72%	64%	69%	76%	71%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	67%	63%	62%	70%	63%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	83%	83%	80%	89%	85%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	57%	55%	52%	63%	56%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	50%	53%	45%	56%	57%	52%

	Number of long-term conditions					All
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	61%	63%	54%	64%	61%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	40%	41%	33%	52%	43%	42%

	Number of long-term conditions					All
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	43%	36%	40%	46%	48%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	35%	34%	40%	39%	41%	37%

	Number of long-term conditions					All
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	27%	25%	21%	26%	22%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	77%	74%	71%	81%	75%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	60%	59%	56%	63%	61%	60%

Number of long-term conditions tables

* Indicates where a score is not available due to suppression or a low base size.

YOUR OVERALL NHS CARE	Number of long-term conditions					
	One long-term condition	Two long-term conditions	Three or more long-term conditions	No long-term condition	Not given	All
Q56. The whole care team worked well together	88%	87%	83%	92%	90%	88%
Q57. Administration of care was very good or good	88%	85%	85%	92%	91%	89%
Q58. Cancer research opportunities were discussed with patient	59%	57%	48%	61%	64%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.7	8.7	8.5	9	8.7	8.8

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.

† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

SUPPORT FROM YOUR GP PRACTICE		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All †
Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis	61%	71%	80%	69%	73%
Q3. Referral for diagnosis was explained in a way the patient could completely understand	57%	65%	69%	58%	65%

DIAGNOSTIC TESTS		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q5. Patient received all the information needed about the diagnostic test in advance	90%	90%	95%	90%	92%
Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient	75%	78%	83%	84%	80%
Q7. Patient felt the length of time waiting for diagnostic test results was about right	69%	75%	79%	78%	76%
Q8. Diagnostic test results were explained in a way the patient could completely understand	70%	71%	79%	69%	74%
Q9. Enough privacy was always given to the patient when receiving diagnostic test results	89%	93%	93%	92%	92%

FINDING OUT THAT YOU HAD CANCER		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis	75%	77%	77%	82%	78%
Q13. Patient was definitely told sensitively that they had cancer	67%	70%	74%	70%	71%
Q14. Cancer diagnosis explained in a way the patient could completely understand	68%	71%	79%	73%	74%
Q15. Patient was definitely told about their diagnosis in an appropriate place	80%	83%	89%	87%	85%
Q16. Patient was told they could go back later for more information about their diagnosis	75%	81%	83%	77%	82%

SUPPORT FROM A MAIN CONTACT PERSON		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q17. Patient had a main point of contact within the care team	89%	89%	87%	89%	89%
Q18. Patient found it very or quite easy to contact their main contact person	75%	77%	81%	76%	79%
Q19. Patient found advice from main contact person was very or quite helpful	89%	93%	95%	94%	94%

DECIDING ON THE BEST TREATMENT		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q20. Treatment options were explained in a way the patient could completely understand	75%	75%	85%	81%	79%
Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment	69%	74%	78%	76%	76%
Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options	77%	78%	84%	82%	81%
Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options	52%	53%	51%	55%	56%

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.

† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

CARE PLANNING					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All †
Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment	63%	67%	73%	74%	70%
Q25. A member of their care team helped the patient create a care plan to address any needs or concerns	91%	93%	93%	92%	93%
Q26. Care team reviewed the patient's care plan with them to ensure it was up to date	98%	99%	97%	98%	99%

SUPPORT FROM HOSPITAL STAFF					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q27. Staff provided the patient with relevant information on available support	88%	91%	91%	91%	92%
Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff	66%	68%	76%	74%	72%
Q29. Patient was offered information about how to get financial help or benefits	63%	64%	72%	70%	68%

HOSPITAL CARE					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital	70%	76%	81%	84%	77%
Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital	65%	69%	72%	68%	71%
Q33. Patient was always involved in decisions about their care and treatment whilst in hospital	65%	63%	72%	62%	69%
Q34. Patient was always able to get help from ward staff when needed	71%	72%	81%	81%	76%
Q35. Patient was always able to discuss worries and fears with hospital staff	57%	58%	69%	60%	63%
Q36. Hospital staff always did everything they could to help the patient control pain	79%	86%	89%	87%	85%
Q37. Patient was always treated with respect and dignity while in hospital	79%	83%	91%	92%	87%
Q38. Patient received easily understandable information about what they should or should not do after leaving hospital	81%	83%	90%	96%	87%
Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case	67%	70%	80%	73%	74%

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.
† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

YOUR TREATMENT					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All †
Q41_1. Beforehand patient completely had enough understandable information about surgery	82%	85%	90%	90%	87%
Q41_2. Beforehand patient completely had enough understandable information about chemotherapy	80%	82%	85%	88%	83%
Q41_3. Beforehand patient completely had enough understandable information about radiotherapy	84%	86%	84%	91%	87%
Q41_4. Beforehand patient completely had enough understandable information about hormone therapy	74%	75%	75%	76%	75%
Q41_5. Beforehand patient completely had enough understandable information about immunotherapy	79%	78%	79%	81%	80%
Q42_1. Patient completely had enough understandable information about their response to surgery	76%	82%	86%	82%	83%
Q42_2. Patient completely had enough understandable information about their response to chemotherapy	75%	79%	84%	89%	81%
Q42_3. Patient completely had enough understandable information about their response to radiotherapy	75%	82%	84%	86%	83%
Q42_4. Patient completely had enough understandable information about their response to hormone therapy	64%	72%	76%	75%	73%
Q42_5. Patient completely had enough understandable information about their response to immunotherapy	72%	78%	83%	75%	80%
Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right	68%	68%	76%	73%	71%

IMMEDIATE AND LONG-TERM SIDE EFFECTS					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q44. Possible side effects from treatment were definitely explained in a way the patient could understand	65%	67%	77%	65%	71%
Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment	60%	63%	73%	68%	67%
Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment	76%	83%	87%	82%	85%
Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment	53%	54%	60%	58%	58%
Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects	46%	49%	55%	50%	52%

SUPPORT WHILE AT HOME					
	Impact of long-term condition(s) (excluding cancer) on day-to-day activities				
	A lot	A little	Not at all	Not given	All
Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home	53%	61%	66%	60%	61%
Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services	32%	39%	51%	33%	42%

Impact of long-term condition(s) (excluding cancer) on day-to-day activities tables

* Indicates where a score is not available due to suppression or a low base size.

† Please note: the 'All' column shows the overall score including all cases within the organisation. The impact of long-term condition(s) (excluding cancer) on day-to-day activities breakdown is based on a routed question, so figures may not align.

CARE FROM YOUR GP PRACTICE		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All †
Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis	32%	39%	50%	43%	42%
Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)	35%	35%	37%	39%	37%

LIVING WITH AND BEYOND CANCER		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services	27%	22%	33%	10%	25%
Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment	67%	74%	82%	74%	77%
Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading	54%	57%	66%	57%	60%

YOUR OVERALL NHS CARE		Impact of long-term condition(s) (excluding cancer) on day-to-day activities			
	A lot	A little	Not at all	Not given	All
Q56. The whole care team worked well together	81%	86%	89%	95%	88%
Q57. Administration of care was very good or good	83%	86%	90%	87%	89%
Q58. Cancer research opportunities were discussed with patient	56%	57%	55%	56%	58%
Q59. Patient's average rating of care scored from very poor to very good	8.4	8.7	9	8.5	8.8

Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

SUPPORT FROM YOUR GP PRACTICE

Q2. Patient only spoke to primary care professional once or twice before cancer diagnosis




Q3. Referral for diagnosis was explained in a way the patient could completely understand




DIAGNOSTIC TESTS


Q5. Patient received all the information needed about the diagnostic test in advance



Q6. Diagnostic test staff appeared to completely have all the information they needed about the patient



Q7. Patient felt the length of time waiting for diagnostic test results was about right



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

- No score available.

Q8. Diagnostic test results were explained in a way the patient could completely understand




Q9. Enough privacy was always given to the patient when receiving diagnostic test results




FINDING OUT THAT YOU HAD CANCER


Q12. Patient was told they could have a family member, carer or friend with them when told diagnosis



Q13. Patient was definitely told sensitively that they had cancer



Q14. Cancer diagnosis explained in a way the patient could completely understand



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

- No score available.

Q15. Patient was definitely told about their diagnosis in an appropriate place




Q16. Patient was told they could go back later for more information about their diagnosis




SUPPORT FROM A MAIN CONTACT PERSON


Q17. Patient had a main point of contact within the care team



Q18. Patient found it very or quite easy to contact their main contact person



Q19. Patient found advice from main contact person was very or quite helpful



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

DECIDING ON THE BEST TREATMENT


Q20. Treatment options were explained in a way the patient could completely understand




Q21. Patient was definitely involved as much as they wanted to be in decisions about their treatment



Q22. Family and / or carers were definitely involved as much as the patient wanted them to be in decisions about treatment options




Q23. Patient could get further advice from a different healthcare professional before making decisions about their treatment options



CARE PLANNING

Q24. Patient was definitely able to have a discussion about their needs or concerns prior to treatment



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025

Q25. A member of their care team helped the patient create a care plan to address any needs or concerns




Q26. Care team reviewed the patient's care plan with them to ensure it was up to date




SUPPORT FROM HOSPITAL STAFF


Q27. Staff provided the patient with relevant information on available support



Q28. Patient definitely got the right level of support for their overall health and well being from hospital staff



Q29. Patient was offered information about how to get financial help or benefits



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

HOSPITAL CARE


Q31. Patient had confidence and trust in all of the team looking after them during their stay in hospital




Q32. Patient's family, or someone close, was definitely able to talk to a member of the team looking after the patient in hospital




Q33. Patient was always involved in decisions about their care and treatment whilst in hospital



Q34. Patient was always able to get help from ward staff when needed



Q35. Patient was always able to discuss worries and fears with hospital staff



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


Q36. Hospital staff always did everything they could to help the patient control pain




Q37. Patient was always treated with respect and dignity while in hospital



Q38. Patient received easily understandable information about what they should or should not do after leaving hospital




Q39. Patient was always able to discuss worries and fears with hospital staff while being treated as an outpatient or day case



YOUR TREATMENT

Q41_1. Beforehand patient completely had enough understandable information about surgery



Year on year charts


* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


Q41_2. Beforehand patient completely had enough understandable information about chemotherapy




Q41_3. Beforehand patient completely had enough understandable information about radiotherapy




Q41_4. Beforehand patient completely had enough understandable information about hormone therapy



Q41_5. Beforehand patient completely had enough understandable information about immunotherapy



Q42_1. Patient completely had enough understandable information about their response to surgery



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


- No score available.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025


Q42_2. Patient completely had enough understandable information about their response to chemotherapy




Q42_3. Patient completely had enough understandable information about their response to radiotherapy




Q42_4. Patient completely had enough understandable information about their response to hormone therapy



Q42_5. Patient completely had enough understandable information about their response to immunotherapy



Q43. Patient felt the length of waiting time at clinic and day unit for cancer treatment was about right



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

- No score available.


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

IMMEDIATE AND LONG-TERM SIDE EFFECTS


Q44. Possible side effects from treatment were definitely explained in a way the patient could understand




Q45. Patient was always offered practical advice on dealing with any immediate side effects from treatment




Q46. Patient was given information that they could access about support in dealing with immediate side effects from treatment



Q47. Patient felt possible long-term side effects were definitely explained in a way they could understand in advance of their treatment



Q48. Patient was definitely able to discuss options for managing the impact of any long-term side effects



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

SUPPORT WHILE AT HOME

Q49. Care team gave family, or someone close, all the information needed to help care for the patient at home



Q50. During treatment, the patient definitely got enough care and support at home from community or voluntary services



CARE FROM YOUR GP PRACTICE

Q51. Patient definitely received the help or support needed from their GP practice since their cancer diagnosis



Q52. Patient has had a cancer care review with someone from their GP practice (excluding patients who have not had a review but were diagnosed less than or around 12 months ago)



Year on year charts

* Indicates where a score is not available due to suppression or a low base size.

- No score available.


The scores are unadjusted and based on England scores only.

▲ or ▼ Statistically significant increase or decrease between 2024 and 2025


△ or ▽ Statistically significant increase or decrease from 2021 to 2025

LIVING WITH AND BEYOND CANCER


Q53. After treatment, the patient definitely could get enough emotional support at home from community or voluntary services



Q54. The right amount of information and support was offered to the patient between final treatment and the follow up appointment




Q55. Patient was given enough information about the possibility and signs of cancer coming back or spreading




YOUR OVERALL NHS CARE

Q56. The whole care team worked well together



Q57. Administration of care was very good or good



Year on year charts



* Indicates where a score is not available due to suppression or a low base size.

- No score available.

The scores are unadjusted and based on England scores only.


▲ or ▼ Statistically significant increase or decrease between 2024 and 2025

△ or ▽ Statistically significant increase or decrease from 2021 to 2025



Trust expected range summary

Data labels relate to the number of scores that fell below, within and above the expected range



Trust		Expected range classification	
RAN	Royal National Orthopaedic Hospital NHS Trust	1	52
RAS	The Hillingdon Hospitals NHS Foundation Trust	0	61
RP6	Moorfields Eye Hospital NHS Foundation Trust	2	45
RKE	Whittington Health NHS Trust	3	58
R1K	London North West University Healthcare NHS Trust	6	55
RQM	Chelsea and Westminster Hospital NHS Foundation Trust	8	53
RRV	University College London Hospitals NHS Foundation Trust	10	49
RYJ	Imperial College Healthcare NHS Trust	15	45
RAL	Royal Free London NHS Foundation Trust	28	32